



tc electronic Force Field Compressor User Guide

[Home](#) » [tc electronic](#) » tc electronic Force Field Compressor User Guide 


Contents

- 1 tc electronic Force Field Compressor
- 2 Quick Start Guide
- 3 Controls
- 4 Battery Replacement
- 5 Storage
- 6 Specification
- 7 Physical
- 8 WARNING
- 9 LEGAL DISCLAIMER
- 10 LIMITED WARRANTY
- 11 FEDERAL COMMUNICATIONS COMMISSION COMPLIANCE INFORMATION
- 12 Documents / Resources
 - 12.1 References
- 13 Related Posts

tc electronic Force Field Compressor **TC Electronic**




Quick Start Guide




Controls

1. Input/Output jacks – Connect a 1/4" cable from your guitar to the INPUT jack, and connect a cable from the OUTPUT jack to your amplifier.
2. 9 V DC – Connect a 9 V power supply (not included).
3. Footswitch – Turns the effect on and off. The LED will light when the pedal is engaged. The pedal operates in true bypass when disengaged.
4. Sustain – Adjusts the amount of compression.
5. Attack – Adjusts how quickly the effect engages after exceeding the threshold.
6. Level – Adjusts the output level when the effect is engaged.

Battery Replacement



Storage



Specification

- **Input:** 1/4" TS, unbalanced
- **Impedance:** 350 k Ω
- **Output:** 1/4" TS, unbalanced
- **Impedance:** 1 k Ω
- **Power input:** Standard 9 V DC, center negative, >100 mA
- **Battery option:** Internal 9 V battery connector
- **Current consumption:** <10 mA

Physical

- **Dimensions (H x W x D) :** 58 x 74 x 132 mm (2.3 x 2.9 x 5.2")
- **Weight :** 0.5 kg (1.1 lbs)

Batteries (battery pack or batteries installed) shall not be exposed to excessive heat such as sunshine, fire or the like.

WARNING

- As with all small batteries, the batteries used with this product should be kept away from small children who still put things in their mouths. If they are swallowed, promptly call your local poison control center.
- Always purchase the correct size and grade of battery most suitable for intended use.
- Replace all batteries of a set at the same time.
- Clean the battery contacts and also those of the device prior to battery installation.
- Ensure the batteries are installed correctly with the regard to polarity (+ and -).
- Always remove battery if consumed or if product is to be left unused for a long time.
- Replacement of a battery with an incorrect type that can defeat a safeguard! Replace only with the same or equivalent type!
- Risk of fire or explosion if the battery is replaced by an incorrect type.
- disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion;
- Leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas; and
- A battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable

liquid or gas.

- Attention should be drawn to the environmental aspects of battery disposal.

LEGAL DISCLAIMER

Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Aston Microphones and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at [Community.musictribe.com/pages/support#warranty](https://community.musictribe.com/pages/support#warranty).

FEDERAL COMMUNICATIONS COMMISSION COMPLIANCE INFORMATION

TC Electronic FORCEFIELD COMPRESSOR

- **Responsible Party Name:** Music Tribe Commercial NV Inc
- **Address:** 122 E. 42nd St.1, 8th Floor NY, NY 10168, United States
- **Email Address:** legal@musictribe.com

FORCEFIELD COMPRESSOR

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.





Important information:

Changes or modifications to the equipment not expressly approved by Music Tribe can void the user's authority to use the equipment.



[tc electronic Force Field Compressor](#) [pdf] User Guide
Force Field Compressor

References

-  [Music Tribe](#)
-  [Music Tribe](#)
-  [Music Tribe](#)
-  [Music Tribe](#)