


tc electronic PILOT X Desktop Speaker Volume Controller with XLR Connectivity User Guide

Home » tc electronic » tc electronic PILOT X Desktop Speaker Volume Controller with XLR Connectivity User Guide ™



Quick Start Guide LEVEL PILOT X

Desktop Speaker Volume Controller with XLR Connectivity



Contents

- 1 PILOT X Desktop Speaker Volume Controller with XLR
- Connectivity
- 2 Specifications
- **3 LEGAL DISCLAIMER**
- **4 LIMITED WARRANTY**
- 5 Documents / Resources
 - 5.1 References
- **6 Related Posts**

PILOT X Desktop Speaker Volume Controller with XLR Connectivity

When connecting from a DAW with unbalanced outputs on 1/4" jacks, use the following type of cable:



When connecting to monitors with balanced inputs on 1/4" jacks, use the following type of cable:



When connecting to monitors with balanced inputs on 1/4" jacks, use the following type of cable:



When connecting to monitors with unbalanced inputs on 1/4" jacks, use the following type of cable:



Specifications

Connectors

Input	2 x XLR female, balanced
Output	2 x XLR male, balanced
Cable	Quad-core, 1.8 m
System	
Potentiometer	High-quality stereo, fully balanced
Range	-∞ to 0 dB
Power requirements	None
Physical	
Finish	Aluminum, sandblast
Bottom surface	Rubberized
Dimensions(H x W x D)	51 x 60 x 60 mm (2 x 2.4 x 2.4")
Weight	0.4 kg (0.9 lbs)

LEGAL DISCLAIMER

Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones,

Aston Microphones and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.


LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at musictribe.com/warranty.

Hereby, Music Tribe declares that this product is in compliance with Directive 2011/65/EU and Amendment 2015/863/EU, Directive 2012/19/EU, Regulation 519/2012 REACH SVHC and Directive 1907/2006/EC, and this passive product is not applicable to EMC Directive 2014/30/EU, LV Directive 2014/35/EU. Full text of EU DoC is available at https://community.musictribe.com/

EU Representative: Music Tribe Brands DK A/S Address: Ib Spang Olsens Gade 17, DK – 8200 Aarhus N, Denmark

Documents / Resources



tc electronic PILOT X Desktop Speaker Volume Controller with XLR Connectivity [pdf] User Guide

PILOT X Desktop Speaker Volume Controller with XLR Connectivity, PILOT X, Desktop Speaker Volume Controller with XLR Connectivity, Speaker Volume Controller with XLR Connectivity, Volume Controller with XLR Connectivity

References

- Music Tribe
- Music Tribe
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.