




TCHELICON GoXLR MIC Dynamic Broadcast Microphone with Integrated Pop Filter User Guide

[Home](#) » [TCHELICON](#) » TCHELICON GoXLR MIC Dynamic Broadcast Microphone with Integrated Pop Filter User Guide 

TCHELICON

Quick Start Guide



Contents

[1 Features](#)

[2 Frequency Response Curve](#)

[3 Specifications](#)

[4 Documents / Resources](#)


[4.1 References](#)

[5 Related Posts](#)


Features

- Professional dynamic XLR microphone
- Highly directional to capture you and not the room
- Prevent problematic Ps with built-in adjustable height pop filter
- Get the perfect mic placement with dually articulated joints
- Personalize with anodized silver/rose gold or 9 other colored rings


Frequency Response Curve



Polar Pattern



Switch Function



1. GoXLR MIC can attach to any standard microphone stand thread, 5/8" or 3/8" with a threaded adapter.
2. Toothed pivot locks in the perfect angle while not requiring over-tightening. Loosen locking nut to swivel mic around the base, tighten nut to lock in place.
3. To swap the color ring, remove the pop filter, unscrew the base of the mic (found around the XLR jack) and slide the mic out of the mic mount. Replace the ring with the desired color and reattach to mic mount.
4. To remove or adjust the pop filter, loosen the small knob on the mic clip. Slide the filter to the desired position and tighten the knob.

Specifications

Type	Super-Cardioid Dynamic Microphone
Frequency response	50 Hz to 18 kHz
Impedance	300 Ohms
Connector	Gold-Plated XLR
Sensitivity	74 dB
Weight	485 g

TC Helicon is constantly striving to maintain the highest professional standards. As a resbe made from time to time to existing products without prior notice. Specifications and listed or illustrated.

LEGAL DISCLAIMER

Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances, and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at musictribe.com/warranty.




Hereby, Music Tribe declares that this product is in compliance with Directive 2011/65/EU and Amendment 2015/863/ EU, Directive 2012/19/EU, Regulation 519/2012 REACH SVHC and Directive 1907/2006/EC, and this passive product is not applicable to EMC Directive 2014/30/EU, LV Directive 2014/35/EU.

Full text of EU DoC is available at <https://community.musictribe.com/>

EU Representative: Music Tribe Brands DK A/S

Address: Ib Spang Olsens Gade 17, DK – 8200 Aarhus N, Denmark

Documents / Resources



[TCHELICON GoXLR MIC Dynamic Broadcast Microphone with Integrated Pop Filter](#) [pdf]

User Guide

GoXLR MIC, GoXLR MIC-WH, Dynamic Broadcast Microphone with Integrated Pop Filter

References

-  [Music Tribe](#)