


# **TECHIY ICA-TBL DOCK81 Table Stand With USB-C Docking Station Instructions**

Home » TECHIy » TECHIy ICA-TBL DOCK81 Table Stand With USB-C Docking Station Instructions





# Contents

- 1 INTENDED USE
- **2 SAFETY INDICATIONS**
- **3 PRODUCT**
- **INTRODUCTION**
- **4 MAIN FEATURES**
- **5 SPECIFICATIONS**
- 6 Documents / Resources
  - **6.1 References**

#### **INTENDED USE**

We do not permit using the device in other ways like described in this user's manual. Use the product only in dry interior rooms. Not attending to these regulations and safety instruction might cause fatal accidents, injuries, and damages to persons and property. The manufacturer/ supplier assumes no liability for damages caused by failure to comply with the intended use.

### **SAFETY INDICATIONS**

- Your product is not a toy and is not meant for children, because it contains small parts which can be swallowed and can injure when used inappropriately!
- Please install the system and devices attached to it in a way that persons cannot be injured, or objects not be

damaged for example by dropping or stumbling.

- Please remove the packing materials, because children may cut themselves on them while playing.
- Avoid places with high temperatures, or humidity, or places which might come into contact with water. Do not
  install the product close to openings of air conditioners, or at places with an excessive amount of dust or
  smoke.
- Do not install the product at places subject to vibration or oscillation
- Do not modify and alter the product and any accessories! Do not use any damaged parts.
- Keep enough space around all devices for a good ventilation and free motion and to avoid damages.

In compliance with EU Directive WEEE this product is marked with this symbol. It means that used electrical and electronic products should not be mixed with general household waste. There is a separate collections system for these products in compliance with WEEE directive, otherwise contaminative and hazardous substances can pollute the environment.

**C** € With the CE sign, Techly® ensures that the product is conformed to the basic European standards and directives.

#### PRODUCT INTRODUCTION

This product is a multi-functional USB-C™ hub: USB-C to 2\*USB-A 3.2 Gen 1 + USB-C™ 3.2 Gen 1 + HDMI 4K@60HZ+ PD 100W + SD/TF 3.0 + Audio. It allows to expand more interfaces on your mobile phone, iPad, tablet and other devices with USB-C™ 3.2 Gen 1 port. The output of HDMI is suitable for projector, display screen, TV and other devices. The HDMI resolution supports up to 4K@60Hz output; the extended USB 3.2 Gen 1 can connect USB mouse, keyboard, USB fiash disk, mobile hard disk, card reader and other digital products to read and write data. USB 3.2 Gen 1 transmission rate can reach 5Gbps, and can provide 5V/0.9A power supply for external electronic equipment; the USB-C ™ 3.2 Gen 1 interface can be used for date transfer and 5V/0.9A power supply for external USB-C ™ interface electronic equipment; 100W PD fast charging power supply, allows charging and playing without power loss. The card reader supports most of memory cards such as SD/SDHC, micro SD, micro SDHC etc. The 3.5 mm audio output can be used to connect microphone and earphone. The shell is made of aluminium alloy and it has a shape of an iPad stand, which is foldable and allows a 360° rotation. It is for sure easy to carry.

#### **MAIN FEATURES**

- Use a USB-C<sup>™</sup> 3.2 Gen 1 male to USB-C<sup>™</sup> 3.2 Gen 1 male cable to connect the ICA-TBL DOCK81 host and your devices to use.
- When using the product, if the device connected to the product is disconnected, the data will be lost. The connection will be restored after a few seconds.
- PD function requires connection to an external PD wall charger.
- USB Ports are recommended for data transmission and should not be used as an output current unless the computer or HUB is connected to a power supply.
- 3.0 Card reader, SD Card and TF card cannot be used at the same time.
- PD charging is required when connected to high-power devices such as the large capacity portable hard disk.
- The operating temperature is about 45°C.

#### **SPECIFICATIONS**

ITEM	DESCRIPTION	REMARK
Product Model	ICA-TBL DOCK81	
Size	178 mm (L) 160 mm (W) 55 mm (H)	
Materials	Aluminium Alloy	Sliver
Interface	Input: USB-C™; Output: 2*USB-A 3.2 Gen 1 + USB-C ™ 3.2 Gen 1 + HDMI 4K@60HZ + PD 100W + SD/TF 3.0 + Audio (Mic+earphone)	
Chipset	VL171 + GL3510 + VL162 + GL3224 + SL2.1 + AC1279 + IM2603 + AG9411	
Data Transmission	5Gbps	
High Resolution	4K(3840*2160)@60Hz	
Application	Compatible for PC, Macbook, mobile pho ne, digital camera, camera and other products with USB-C™ interface.	
Working Temperature	0°C ~ 50°C	Atmospheric pressure: 101.325 kPa
Storage Temperature	-20°C ~ 80°C	Contact surface temperature: < 50°C
Relative Humidity	0% to 90% in non-condensing state	



# **Documents / Resources**



**TECHIV ICA-TBL DOCK81 Table Stand With USB-C Docking Station** [pdf] Instructions ICA-TBL DOCK81 Table Stand With USB-C Docking Station, ICA-TBL DOCK81, Table Stand W ith USB-C Docking Station, Station, Station, Docking Station, Station, Station

# References

- TV Brackets, Audio Video HDMI, Networking | TECHLY
- User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.