



tecnolite 1SOLLED21VCD30N Portia Outer Light Instruction Manual


[Home](#) » [tecnolite](#) » tecnolite 1SOLLED21VCD30N Portia Outer Light Instruction Manual 

tecnolite®

1SOLLED21VCD30N Portia Outer Light

IP65 IK05

Instruction Manual




Contents

- [1 1SOLLED21VCD30N Portia Outer Light](#)
- [2 SPECIFICATIONS TECHNIQUES](#)
- [3 MAINTENANCE:](#)
- [4 PARTS LIST](#)
- [5 INSTALLATION](#)
- [6 LIMITED WARRANTY](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

1SOLLED21VCD30N Portia Outer Light

WE ENCOURAGE YOU TO READ THIS INSTRUCTION MANI

SPECIFICATIONS TECHNIQUES

- Alimentacion-Power supply: 3.7V  1.5 W0.4A
- Bateria recargable incluida-Rechargeable battery included-Batterie rechargeable Incluse: 3.7 VDC 1200 mAh Litio
- Lamp type-: LED 1.5 W

Electrical information included on the product label

* Unit for constant work with voltages over or under those established on the product label

CAUTION:

1. The assembly of this luminaire must be located at least 0,50 m away from any combustible material, to avoid fire hazards.
2. Disconnect the electric power source during installation and before conducting maintenance work.
3. The lamp and other parts of the luminaire may heat up enough to cause burns; use a clean rag and gloves to handle the luminaire.

MAINTENANCE:


Disconnect the power source. Clean the luminaire and its internal parts with a dry rag and check the connections periodically.

SPECIAL NOTES:

1. This appliance is not intended for use by individuals (including children) with reduced or impaired physical, sensory, or mental capabilities, or lack of experience or knowledge, unless they are supervised or trained to use the appliance by a person responsible for their safety.
2. Children should be supervised to ensure that they do not use the appliance as a toy.

PARTS LIST

Accessories-Accessoires



A-01 Estaca x1



A-02 Perno x1




A-03 Pija x2



A-04 Taquete x2

- A-01 Stake-Pieu
- A-02 Bolt-Boulon
- 03 Lag screw-Broche
- A-04 Anchor-Bouchons

INSTALLATION



***Mode 1:** Light off during the day. Dim light at night (duration 12 continuous hours)

***Mode 2:** Light off during the day. Bright light at night (duration 6 continuous hours)

***Mode 3:** Off


Light modes

Press for each mode x3-Appuyez dessus pour chaque mode x3


Mode 1: Light off during the day. Dim light at night (duration: 12 continuous hours)

Mode 2: Light off during the day. Bright light at night (duration: 6 continuous hours)


Mode 3: Turned off



Installation option 1: STAKE



Installation option 2: SUPERIMPOSE



NOTE: Charge FULLY before first use (24-48 hours)
 6 continuous hours minimum (recharging)
 Charge fully before first use (24 to 48 hours)

LIMITED WARRANTY

The ILUMINACION ESPECIALIZADA DE OCCIDENTE S.A. de C.V. warranty covers product defects related to materials or components for periods of:

LED light fixtures 5 years

Self-ballasted compact fluorescent lamps 2 years

Smart devices, such as lamps, light fixtures, sensors and others 1 year

Lamps, light fixtures and others not mentioned above 1 year from the date of purchase

IMPORTER: Iluminacion Especializada de Occidente S. A. de C. V. Av. Dr. Angel Leano 401, 2B, Los Robles, Zapopan Jal. C.P. 45134, Mexico.

Tel. 01(33) 3836 0330, (01) 800 777 54 83.

The company ILUMINACION ESPECIALIZADA DE OCCIDENTE S.A. de C.V. issues this warranty to cover products marketed with any of our brands. To make this warranty valid, the user must show the distributor where the material was acquired, the duly stamped warranty policy, and the invoice of purchase or acquisition of the product. Where relevant, the receipt or proof of purchase that includes the details of the product or object of sale.

The company ILUMINACION ESPECIALIZADA DE OCCIDENTE S.A. de C.V. agrees to repair or exchange the product at no cost to the client. To make this warranty valid, please contact the distributor that you purchased from or the customer service centers. If you require replacement parts, components and accessories, please contact the IMPORTER and/or authorized distributor that you purchased the products from.

IMPORTANT: This warranty does not cover installation or uninstallation costs under any circumstances, only the replacement or repair of the affected product.

THIS WARRANTY IS NOT VALID IN THE FOLLOWING CASES.

- a-** When the product has been used in abnormal conditions.
- b-** When the product has been used with a light bulb that is stronger than the one indicated for its use or does not comply with the requirements of the Official Mexican Standard (NOM, as per acronym in Spanish).
- c-** When the product has not been operated or installed in line with the instructions provided.
- d-** When the product has been submitted to a different variation to $\pm 10\%$ normal voltage.
- e-** When the product has been altered or repaired by persons not authorized by subsidiary companies of Grupo Construlita.
- f-** When the electrical installation does not comply with the NOM-001-SEDE (standard) in force.
- g-** The electrical installations must comply with the equivalent of the norms in that country.

PRODUCT	
MODEL	
DATE OF PURCHASE	
STATE	
TECNOLITE DISTRIBUTOR OR SERVICE CENTER	
ADDRESS	

STAMP OR SIGNATURE OF THE TECNOLITE DISTRIBUTOR OR SERVICE CENTER

tecnolite®

CUSTOMER SERVICE CENTERS:


<p>Tecnolite Mexico Poniente Industrial Park Address: Carretera La Venta-Nextipac No. 3020 Col. Nextipac, Interior Nave 4 C.P. 45220 Zapopan, Jalisco Tel. No.: (33)3636 7608 / (33)3365 4002 www.tecnolite.mx</p>	<p>Tecno Lite Colombia S.A.S Address. Calle 65 No. 13-79 Bogota, Colombia N.I.T. :900157842-4 Tel. No.: (57)898 51 96/97/98 garantias.colombia@tecnolite.com.co www.tecnolite.com.co</p>
--	--

CONNECT Technical Support

Tel. No.: 800 777 LITE (5483)

Option 5

Documents / Resources

	<p>tecnolite 1SOLLED21VCD30N Portia Outer Light [pdf] Instruction Manual 1SOLLED21VCD30N Portia Outer Light, 1SOLLED21VCD30N, Portia Outer Light, Outer Light, Light</p>
---	---