

TEMPCON West 4100+ 1/4 DIN Single Loop Temperature Controller Instruction Manual

Home » TEMPCON west 4100+ 1/4 DIN Single Loop Temperature Controller Instruction Manual

TEMPCON West 4100+ 14 DIN Single Loop Temperature Controller



Contents

- 1 Product Images
- **2 Short Description**
- **3 Description**
 - 3.1 Key Features
- **4 Additional Information**
- **5 Additional Options**
- 6 Documents /
- Resources
 - **6.1 References**
- 7 Related Posts

Product Images



Short Description

The West 4100+ is part of the Plus Series of controllers that take flexibility and ease of use to new levels. The 4100+ controller is an evolved product from the N4100. The product benefits from having more versatile features and user-friendly functionalities such as remote setpoint inputs, digital inputs, plug-in output modules, a customisable operator/HMI menu, jumperless and auto-hardware configuration, and 24VDC transmitter power supply.

Please note, the price shown above is for the base unit without any configuration or additional options. Please ensure you select the appropriate configuration from the dropdown menus below in order to see the correct final price.

Description

The West 4100+ has been designed to incorporate improvements over the N4100 to save users' time (as much as 50% on product set-up), reduce inventory stock and virtually eliminate the likelihood of operator errors. The 4100+ surpasses competitive offerings in terms of ease of use, delivery and value for money.

Key Features

- Dual setpoints with optional remote selection
- Plug-in output modules allow installing just the functions needed
- Expanded user-selectable operator modes
- · User-selectable plug-and-play output cards
- · Process and loop alarms

- · Adjustable hysteresis
- Optional 10V SSR driver
- Optional analogue Remote Setpoint Input
- Improved Windows PC configuration software
- Improved easy to use HMI
- Jumperless input configuration
- Auto-hardware recognition
- Faster communication speeds
- More security options
- Backward compatible panel cut out, housing and terminal wiring capability

Additional Information

Explanation

Product Category:	Single Loop Controller
Dimensions and size:	96mm x 96mm x 100mm (HxWxD), 1/4 DIN
Primary Input Type:	Universal (TC, RTD, DC linear mA/mV)
Other Inputs:	Digital, Remote setpoint
Output Type:	: Relay, SSd, DC linear V or mA, Triac, 24V transmitte r power supply
Max. Number of Outputs:	3
Control Type	PID, ON/OFF, Manual, Alarm, Ramp to Setpoint
Power Supply	100–240V AC 50–60Hz, 20-48V AC 50/60 Hz, 22-65V DC
Communications	RS-485 serial (West ASCII or MODBUS®)
Panel Sealing	IP66
Certifications	CE, UL, ULC, CSA
Software Tools	Plus Series Configurator
	P6100

	POPTION A POPTION A Relay NIC C NO Relay 20.48V 50/60Hz L N Not used Comms POPTION 1 22.45VDC - +
Brand	West
Display Colour	Red, Green
Display Digits	4
Input Type	Thermocouple, RTD, Linear
Typical applications	Industrial
Measurements	Temperature, Universal

Additional Options

Input Type	[1]3 Wire RTD or DC mV
	[2]Thermocouple
	[3]DC mA
	[4]DC Voltage
Option Slot 1	[0]Not Fitted
	[1]Relay Output
	[2]DC Drive Output for SSR
	[3]Linear 0-10V DC Output
	[4]Linear 0-20mA DC Output
	[5]Linear 0-5V DC Output
	[6]Linear 2-10V DC Output
	[7]Linear 4-20mA DC Output
	[8]Triac Output
Option Slot 2	[0]Not Fixed
	[1]Relay Output
	[2]DC Drive Output for SSR

	[3]Linear 0-10V DC Output
	[4]Linear 0-20mA DC Output
	[5]Linear 0-5V DC Output
	[6]Linear 2-10V DC Output
	[7]Linear 4-20mA DC Output
	[8]Triac Output
Option Slot 3	[0]Not Fitted
	[1]Relay Output
	[2]DC Drive Output for SSR
	[3]Linear 0-10V Output
	[4]Linear 0-20mA Output
	[5]Linear 0-5V Output
	[6]Linear 2-10V Output
	[7]Linear 2-10V Output
	[8]Transmitter Power Supply
Option Slot A	[0]Not Fitted
	[1]RS485 Serial Comms
	[3]Digital Input
	[4]Remote Setpoint Input (Basic)
Power Supply	[0]100-240V AC
	[2]24-48V AC or DC
Display Colour	[0]Red Upper & Lower
	[1]Green Upper & Lower
	[2]Red Upper, Green Lower
	[3]Green Upper, Red Lower
Option Slot B	[0]Not Fitted
	[R]Remote Setpoint Input (full, with secondary digital in put)
Manual Language	[0]No Manual
	[1]English
	[2]French
	[3]German
	[4]Italian

	[5]Spanish
	[6]Chinese Mandarin
	[9]All European Languages (En/Fr/Gr/lt/Sp) Concise M anuals
	[0]Single Pack with Concise Manual
	[1]Bulk Pack with 1 Concise Manual per unit – Minimu m 20 pcs
	[2]Bulk Pack No Manual – Minimum 20 pcs
	[3]Bulk Pack with 1 Full Manual per unit – Minimum 20 pcs
	[5]Single Pack with 1 Full Manual per unit



https://www.tempcon.co.uk/west-p4100-1-4-din-process-controller-west 17/04/2023



Documents / Resources



TEMPCON West 4100+ 1/4 DIN Single Loop Temperature Controller [pdf] Instruction Manua

West 4100 1 4 DIN Single Loop Temperature Controller, West 4100, 1 4 DIN Single Loop Temperature Controller, Loop Temperature Controller, Controller, Controller

- <u>Independent Specialist for Sensors, Loggers & Controllers | Tempcon Instrumentation</u>
- <u>West 4100+ 1/4 DIN Single Loop Temperature Controller | Tempcon Instrumentation</u>

Manuals+,