

# **TESLA Smart Sensor Temperature and Humidity Display User Manual**

Home » Tesla » TESLA Smart Sensor Temperature and Humidity Display User Manual



TESLA Smart Sensor Temperature and Humidity Display User Manual






**USER MANUAL** 

#### **Contents**


- **1 Product Description**
- 2 Network Setting
- 3 Installation
- Instructions
- **4 Technical Parameters**
- 5 Documents /
- **Resources** 
  - 5.1 References
- **6 Related Posts**


**Product Description** 



# **Network Setting**


1. Power on the product.





Put in 2 AAA batteries.

2. Press the setting button for 5s, the signal icon flashes, the detector is in network setting status.




# **Network Setting note:**


 Press the button for 5s-10s, when signal icon flashes fast, release the button for network setting. It will last for 20s, and the signal icon keeps on flashing. If pressing for more than 10s, network setting is cancelled. The signal icon will stay to indicate network setting succeeds. If fails, the signal icon will disappear.

# **Installation Instructions**

Method 1: Use a 3M sticker to fix the product to the suitable position.



Method 2: Place the product on the support.



**Technical Parameters** 

Wireless Technology	ZigBee
Working Voltage	DC 3 V (20AAA batteries)
Transmission Frequency	2.4 GHz
Working Temperature and Humidity	-10°C to +55°C 0% to 99.9% RH
Low power indication	supported
Dimensions	61.2 mm x 23 mm

#### INFORMATION ABOUT DISPOSAL AND RECYCLING

This product is marked with the symbol for separate collection. The product must be disposed of in accordance with the regulations for disposal of electrical and electronic equipment (Directive 2012/19/EU on waste electrical and electronic equipment). Disposal together with regular municipal waste is prohibited. Dispose of all electrical and electronic products in accordance with all local and European regulations at the designated collection points which hold the appropriate authorisation and certification in line with the local and legislative regulations. Correct disposal and recycling help to minimise impacts on the environment and human health. Further information regarding disposal can be obtained from the vendor, authorised service centre or local authorities.

#### **EU DECLARATION OF CONFORMITY**

Hereby, Tesla Global Limited declares that the radio equipment type TSL-SEN-TAHLCD is in compliance with EU directives. The full text of the EU declaration of conformity is available at the following internet address: tsl.sh/doc

Connectivity: Wi-Fi 2,4 GHz IEEE 802.11b/g/n

Frequency band: 2.412 - 2.472 MHz

Max. radio-frequency power (EIRP): < 20 dBm





TESLA SMART SENSOR TEMPERATURE AND HUMIDITY DISPLAY

# Manufacturer

Tesla Global Limited
Far East Consortium Building,
121 Des Voeux Road Central
Hong Kong
www.teslasmart.com

# **Documents / Resources**



<u>TESLA Smart Sensor Temperature and Humidity Display</u> [pdf] User Manual Smart Sensor Temperature and Humidity Display, Smart Sensor, Temperature and Humidity Display, Humidity Display

# References

- @ Sign in to your account
- III\_TESLA | Smart home in your hands

