

# thermaltake View 170 TG ARGB Computer Case User Manual

Home » thermaltake view 170 TG ARGB Computer Case User Manual

#### **Contents**

- 1 thermaltake View 170 TG ARGB Computer
- 2 Specification
- 3 Accessory
- **4 DIMENSION**
- **5 Remove Panels**
- **6 PSU Installation**
- 7 Motherboard Installation
- **8 Air Cooling Installation**
- 9 Documents / Resources
  - 9.1 References
- **10 Related Posts**



thermaltake View 170 TG ARGB Computer Case



#### **Specifications**

• Case Type: Micro Case

Dimension (H\*W\*D): 438 x 212 x 377.5 mm (17.24 x 8.35 x 14.86 inch)

• Panel: Tempered Glass x 2

· Material: SPCC

Cooling System: Right (intake) – 120 x 120 x 25 mm ARGB Lite fan x 2, Rear (exhaust) – 120 x 120 x 25 mm
 ARGB Lite fan x 1

• Drive Bays: 1 x 3.5, 2 x 2.5

• Expansion Slots: 4

• Motherboards: Mini ITX (6.7 x 6.7), Micro ATX (9.6 x 9.6)

• I/O Port: USB 3.0 x 2, HD Audio x 1

• PSU: Standard PS2 PSU (optional)

• Fan Support: Top Right Rear – 2 x 120 mm, Top Rear – 1 x 120 mm, CPU cooler max height – 160 mm

VGA max length: 340 mmPSU max length: 180 mm

#### **Product Usage Instructions**

### **Chapter 1. Product Introduction**

Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardcore enthusiasts' standards that a true LCS chassis should be held to.

#### Chapter 2. Installation Guide

- 1. **Remove Panels:** Follow the manual instructions to safely remove panels from the case.
- 2. Power Supply Unit (PSU) Installation: Install the PSU according to the provided guidelines.
- 3. **Motherboard Installation:** Properly install the motherboard as per the instructions.
- 4. 3.5 & 2.5 HDD Installation: Install the HDDs follow the detailed steps in the manual.
- 5. **VGA Card Installation:** Mount the VGA card securely in the designated slot.
- 6. Air Cooling Installation: Install air cooling components based on the provided instructions.
- 7. AIO Liquid Cooling Installation: If applicable, install liquid cooling components following the manual.
- 8. I/O Connection: Connect the I/O ports properly to your components.
- 9. **ARGB Control Instruction:** Follow the guidelines for controlling ARGB lighting.
- 10. Remove Filters: Regularly clean and maintain filters as instructed.

#### **FAQ**

#### Q: What is Tt LCS Certified?

A: Tt LCS Certified is a certification applied to products passing design and performance standards for liquid cooling configurations.

#### **TT Premium**

#### TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT Premium is far more than just a guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC hardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity to provide a high-performance PC product for every enthusiast. <a href="https://ttpremium.com">https://ttpremium.com</a>



#### **Tt LCS-Liquid Cooling Support Certification**



Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardcore enthusiasts standards that a true LCS chassis should be held to. The Tt LCS certification was created so

that we at Thermaltake can designate to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations to ensure you get the best performance from the best features and fitment.

#### Join Tt Community To Receive Benefits



Dear Valued Customer,

Thank you for choosing Thermaltake.

As a new user we value your thoughts and opinions and your feedback is important to us. We at Thermaltake would like to use this opportunity to invite you to join our Community Forums. Register today to start enjoying the full benefits of our community.

#### Benefits of being a member:

- Quick and responsive user support
- · Receive help and advice with new builds
- Keep up to date with new product releases
- · Share your thoughts and builds with the community Enter monthly contests and giveaways



Brand official website <a href="http://www.thermaltake.com/">http://www.thermaltake.com/</a>
Global Facebook <a href="https://www.facebook.com/ThermaltakeInc">https://www.facebook.com/ThermaltakeInc</a>

Taiwan Facebook <a href="http://www.facebook.com/ThermaltakeTW">http://www.facebook.com/ThermaltakeTW</a> Global community forums <a href="http://community.thermaltake.com">http://community.thermaltake.com</a>


#### **Specification**

Case Type	Micro Case				
Dimension (H*W*D)	438 x 212 x 377.5 mm (17.24 x 8.35 x 14.86 inch)				
Panel	Tempered Glass x 2				
Material	SPCC				
Cooling System	Right (intake): 120 x 120 x 25 mm ARGB Lite fan (1000rpm, 22.3 dBA) x 2 Rear (exhaust): 120 x 120 x 25 mm ARGB Lite fan (1000rpm, 22.3 dBA) x 1				
Drive Bays	1 x 3.5", 2 x 2.5"				
Expansion Slots	4				
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX)				
I/O Port	USB 3.0 x 2, HD Audio x 1				
PSU	Standard PS2 PSU (optional)				
Fan Support	Тор	2 x 120 mm, 1 x 120 mm	2 x 140 mm, 1 x 140 mm		
	Right	2 x 120 mm, 1 x 120 mm			
	Rear	1 x 120 mm			
	Power Cover	2 x 120 mm, 1 x 120 mm			
Radiator Support	Тор	1 x 240 mm, 1 x 120 mm	1 x 280 mm, 1 x 140 mm		
	Rear	1 x 120 mm			
Clearances	CPU cooler max height	160 mm			
	VGA max length	340 mm			
	PSU max length	180 mm			


## Accessory

Figure	Parts Name	Q'ty	Used for
• •	Stand #6-32 x 6mm	6	Power Supply
<b>6</b>	Screw M3 x 5mm	18	Motherboard / 2.5" HDD / SSD
<b>(b)</b>	Screw#6-32 x 6mm	8	3.5" HDD
<b>⋄</b> ⊨	Stand-off #6-32 x 6.5mm	3	Backup
⊕ ( <u> </u>	Screw#6-32 x 28mm	8	Case Fan
	Clip	2	Backup
	Zip Ties	5	Cable Management


## **DIMENSION**




Motherboard Compatibility: ITX / mATX (Up to 244mm wide)




CPU cooler max height: 160mm




VGA max length: 340mm




PSU max length: 180mm






## **PSU Installation**







## **Motherboard Installation**




## 3.5" & 2.5" HDD Installation







**Air Cooling Installation** 




## **AIO Liquid Cooling Installation**





#### **Remove Filters**





## thermaltake View 170 TG ARGB Computer Case [pdf] User Manual

CA-1Z4-00M1WN-00, View 170 TG ARGB Computer Case, View 170 TG ARGB, Computer Case, Case

### References

- Trorums Tt Community
- Ottpremium
- User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.