



ThermoPro TP357 Bluetooth Humidity Temperature Monitor Instructions

[Home](#) » [ThermoPro](#) » ThermoPro TP357 Bluetooth Humidity Temperature Monitor Instructions 

Contents

- [1 TP357 Bluetooth Humidity Temperature Monitor](#)
- [2 Introduction](#)
- [3 Usage](#)
- [4 Disposal of the electronic appliance](#)
- [5 Limited One-Year Warranty](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

TP357 Bluetooth Humidity Temperature Monitor

ThermoPro


Bluetooth Thermometer/Hygrometer

Model No. TP-357

According to the operating system of your smartphone,
scan the following QR code to download and install.

Introduction

Congratulations on your purchase of a Smart, Remote Bluetooth-connected Thermometer/hygrometer. You will now be able to remotely monitor the temperature and humidity of your living room, bedroom, greenhouse and etc. from your smartphone.



1. Temperature range: -4°F to 140°F (-20°C to 60°C)

2. Temperature accuracy: +/-1.0°F (+/-0.5°C)

3. Comfort Level: 3 icons: ☹️, 😊, 😐

If humidity is below 30%: ☹️

If humidity is between 30% to 60% : 😊

If humidity is above 60%: 😐

4. Humidity accuracy: +/- 2%

5. Power source: One AAA battery (1.5V)

6. 2.4GHZ wireless Bluetooth function, connect to mobile app via Bluetooth module

7. °F /°C button: press it to toggle the temperature display unit between °F and °C. Press and hold it for two seconds to enter pairing status.

Usage

Follow the simple steps below to set up your ThermoPro Bluetooth Thermometer/Hygrometer and remotely monitor the temperature and humidity of your living room, bedroom, greenhouse and etc. from your smartphone!

Step 1: Download and install the “ThermoPro Sensor” App.

Scan the QR code above, or search for “ThermoPro Sensor” on the Apple Store for IOS devices or on the Google Play Store for Android devices. Download the App and install it on your smartphone.

*iPhone and iPad apps for IOS 9.0 and above.

*Android app for versions 4.4 and above.

*Android users need to allow all the requests about this app from Android system.

Step 2: Enable Bluetooth on your smartphone under the smartphone Settings section. If your smartphone has Bluetooth enabled, you can skip this step.

Step 3: Insert one AAA battery into the battery compartment on the back of the thermometer in correct polarity (+) and (-) as indicated.

Step 4: The temperature and humidity will be displayed on the screen and the Bluetooth icon will be flashing at the top of the display. The Bluetooth icon  will be flashing for 2 minutes which indicates that the thermometer is

ready for pairing to your mobile phone.

Step 5: Launch ThermoPro Sensor APP and press to add a thermometer. The thermometers will be shown on a list and select one to pair. Once pairing is complete, the Bluetooth icon  on the thermometer display will stop flashing and the current temperature and humidity will show on the APP. If the Bluetooth icon  stops flashing and you haven't finished the pairing, press and hold the °F / °C button on the back of the unit for 2 seconds and the will be flashing again ready for pairing.

Done! Your ThermoPro Bluetooth Thermometer is ready for use!
Any questions or need more help with setup, please feel free to contact us.

Declaration of Conformity

Hereby, the manufacturer declares that this product with the basic requirements and applicable regulations of the Radio Equipment Directive 2014/53/EU, the EMC Directive 2014/30/EU. The complete declaration of conformity can be found at:

<https://itronicsmall.com/eu-declaration-of-conformity/ complies>

Disposal of the electronic appliance

This electronic appliance should not be disposed of with normal household waste.

Dispose of the unit at an approved facility or at your local recycling center. Please observe the current rules and regulations when disposing of the appliance. Contact your local council if in doubt.

Limited One-Year Warranty

ThermoPro warrants this product to be free of defects in parts, materials and workmanship for a period of one year, from date of purchase.

Should any repairs or servicing under this warranty be required, contact Customer Service by phone or email for instructions on how to pack and ship the product to ThermoPro.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Customer service

Telephone: 1-877-515-7797 (USA & Canada only)

Email: service@buythermopro.com

Hours: Weekdays 8:00 AM- 8:00 PM EST(USA & Canada only)

Documents / Resources

 ThermoPro Bluetooth Humidity Temperature Monitor Model No. TP357 According to the operating system of your smartphone, visit the following QR code to download and install. iOS & Android (Link) Introduction Thank you for purchasing the ThermoPro TP357 Bluetooth Humidity Temperature Monitor. This monitor is designed to provide accurate and reliable temperature and humidity readings. It is easy to use and can be connected to your smartphone via Bluetooth. Please read the following instructions carefully before using the monitor. Features 1. Temperature range: -10°C to 50°C (-14°F to 122°F) 2. Humidity range: 10% to 90% RH 3. Battery life: 1 year (typical) 4. Accuracy: ±0.5°C (±1°F) 5. Display: LCD screen with large digits 6. Alarm: Adjustable high/low temperature and humidity alarms 7. Data storage: 128 memory slots 8. Auto shut-off: 10 minutes 9. Low battery warning: Beep and LCD display 10. LCD display: 1.5 inch 11. Power button: On/Off 12. Sensor: NTC and capacitive Model No. TP357	ThermoPro TP357 Bluetooth Humidity Temperature Monitor [pdf] Instructions TP357, 2AATPTP357, TP357 Bluetooth Humidity Temperature Monitor, Bluetooth Humidity Temperature Monitor, Temperature Monitor, Monitor
---	--