



THIRD REALITY P1WLSB1 Zigbee Water Leak Sensor Upgraded with Dripping Detection Instructions

[Home](#) » [THIRD REALITY](#) » THIRD REALITY P1WLSB1 Zigbee Water Leak Sensor Upgraded with Dripping Detection Instructions 

Contents

- [1 THIRD REALITY P1WLSB1 Zigbee Water Leak Sensor Upgraded with Dripping Detection](#)
- [2 Setting up your Water Leak Sensor](#)
- [3 Using your Water Leak Sensor](#)
- [4 FCC Statement](#)
 - [4.1 FCC Radiation Exposure Statement](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



THIRD REALITY P1WLSB1 Zigbee Water Leak Sensor Upgraded with Dripping Detection



Setting up your Water Leak Sensor

1. Follow instructions in the Alexa App to set up your Amazon Echo smart speaker.
2. In order to open the back cover of Third Reality Water Leak Sensor, use a screwdriver to remove the screws.
Then place two AAA 1.5V Alkaline batteries inside the sensor.
3. Long press the inside button of the sensor to get it in pairing mode. Release the hold until you see the red LED turns on. After you release the hold, LED will change to a blue fast blinking that indicates the Water Leak Sensor is now ready to be setup.
4. Say “Alexa, discover my devices” or configure Third Reality Water Leak Sensor by using Alexa App to complete the setup.
 - For help and troubleshooting, visit the Alexa app.
5. Put the sensor’s back cover back and fixed with screws.

Using your Water Leak Sensor

1. Simply place the sensor on the floor of your kitchen, basement, laundry room or any flat surface where you would like to monitor such as near the washing machine, water heater, sinks or dishwasher.
2. The alarm will go off all the time when water is detected and you will receive a message like “motion detected” by Alexa App.

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate the equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement


This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and Operated with minimum distance 20cm between the radiator & your body.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC

Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Documents / Resources

	<p>THIRD REALITY P1WLSB1 Zigbee Water Leak Sensor Upgraded with Dripping Detection [pdf] Instructions 3RWS18BZ, 2AOCT-3RWS18BZ, 2AOCT3RWS18BZ, P1WLSB1, Zigbee Water Leak Sensor Upgraded with Dripping Detection, Zigbee Water Leak Sensor, Water Leak Sensor, P1WLSB1, Leak Sensor</p>
---	---