

THIRDREALITY Sensi V3 Zigbee Contact Sensor User Manual


[Home](#) » [THIRDREALITY](#) » THIRDREALITY Sensi V3 Zigbee Contact Sensor User Manual

Contents [[hide](#)]

- [1 Sensi V3 Zigbee Contact Sensor](#)
- [2 Product Information](#)
- [3 Product Configuration](#)
- [4 Usage Instructions](#)
- [5 Product Configuration](#)
- [6 Main Button Functions](#)
- [7 Instruction](#)
- [8 Troubleshooting](#)
- [9 FCC STATEMENT](#)
- [10 Limited Warranty](#)
- [11 Documents / Resources](#)
 - [11.1 References](#)
- [12 Related Posts](#)



Sensi V3 Zigbee Contact Sensor



Product Information

The Sensi V3 is a smart speaker that can be controlled using a mobile app. It has a factory reset button that can be used to reset the device if it fails to operate correctly. The device complies with part 15 of the FCC Rules and should be installed and operated with a minimum distance of 20cm between the radiator and the user's body.

Product Configuration

The Sensi V3 has a main button that can be used to light up the LED or reset the device if held down for a long press. The factory reset button can be used to perform a factory reset if the device fails to operate correctly.

Usage Instructions



1. First Setting up your Sensi.
2. Once the Sensi is powered on, the LED will turn cyan, then turn white and lasts 12 seconds. Sensi will pairing default WiFi at the same time. LED will turn to blue after pairing. Within a working cycle, the green light lasts for 30s and the red light flashes once.
3. Set up Sensi for the second time after Factory Reset
 1. Download the Third Reality App Visit the Apple App Store or Google Play Store to download the Third Reality App. The app will guide you through some quick steps to sign up or login.
 2. Set up Sensi Power on your Sensi, Open the app, in the Device interface choose+select Type as Smart Speaker and follow the pairing instructions.
4. Troubleshooting Factory Reset
 1. If your Smart Speaker fails to operate correctly, you can perform a factory reset:
 2. Press and hold Factory Reset button for 20 seconds with a needle to reset the system.
 3. When the LED turns yellow, release the hold.
 4. Wait for a few seconds, you can see the light change from yellow to cyan, then white.
 5. Pair Sensi again in the Third Reality App.

Attention

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Contact us at support@3reality.com or visit us at www.3reality.com

Product Configuration



Main Button Functions

Button	Functions
Function Button	Short Press : Light up LED Long Press : Reset
Factory Reset Button	Do Factory Reset

Instruction

1. First Setting up your Sensi
2. Once the sensi is powered on, the LED will turn cyan, then turn White and lasts 12 seconds. Sensi will pairing default WiFi at the same time. LED will turn to blue after pairing. Within a working cycle, the green light lasts for

30s and the red light flashes once. 3. Set up Sensi for the second time after Factory Reset

1. Download the Third Reality App

Visit the Apple App Store or Google Play Store to download the Third Reality App. The app will guide you through some quick steps to sign up or login.



3. Set up Sensi

Power on your Sensi, Open the app, in the Device inter face choose "+" select Type as "Smart Speaker" and follow the pairing instructions.

Troubleshooting

Factory Reset

If your Smart Speaker fails to operate correctly, you can perform a factory reset:

1. Press and hold Factory Reset button for 20 seconds with a needle to reset the system.
2. When the LED turns yellow, release the hold.
3. Wait for a few seconds, you can see the light change from yellow to cyan, then white.
4. Pair Sensi again in the Third Reality App.

Attention

- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 1. This device may not cause harmful interference
 2. this device must accept any interference received, including interference that may cause undesired operation.

FCC STATEMENT

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 1. This device may not cause harmful interference
 2. this device must accept any interference received, including interference that may cause undesired operation.
- Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to

radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.
- This equipment should be installed and operated with minimum distance 20cm between the radiator & your body

Limited Warranty

- For more details about the limited warranty, please visit: www.3reality.com/warranty
- Contact us at support@3reality.com or visit us at www.3reality.com

Documents / Resources

 <p>Sensi V3</p> <p>THIRDREALITY</p> <p>© 2021 Third Reality, Inc. All rights reserved.</p>	<p>THIRDREALITY Sensi V3 Zigbee Contact Sensor [pdf] User Manual</p> <p>3RSV03029BWU, 2AOCT-3RSV03029BWU, 2AOCT3RSV03029BWU, Sensi V3 Zigbee Contact Sensor, Sensi V3, Zigbee Contact Sensor, Contact Sensor, Sensor</p>
--	---

References

- [Smart Hardware | IOT platform | Third Reality, inc | China](#)
- [Device Support | 3reality-Live Update](#)