

TKH SECURITY FD2002v2F 2MP Fixed Dome Camera User Guide

Home » TKH SECURITY » TKH SECURITY FD2002v2F 2MP Fixed Dome Camera User Guide 🖺

Contents

- 1 TKH SECURITY FD2002v2F 2MP Fixed Dome
- Camera
- 2 Unpack
- **3 Installation Notices**
- 4 Accessing the Camera DHCP
- 5 Documents / Resources
 - **5.1 References**
- **6 Related Posts**



TKH SECURITY FD2002v2F 2MP Fixed Dome Camera



Unpack



Installation Notices

Caution

installation shall be performed by qualified personnel only Installation shall be in accordance with local procedures. The camera contains batteries Battery replacement shall not be applied in view of the risk of explosion Dispose of used batteries according to the instructions.

For "input connection, use only with UL listed it e with "output Description for the" is intended to be connected to not exposed (outside plant) networks or equivalent statement in installation instructions.

Camera cabling



Pan / Tilt




Reset button




Reset button takes 10 seconds to be effective. It will restore factory default settings, including ip address, username and password.



Accessing the Camera – DHCP



Accessing the camera – Fixed IP




Auto detect with SDM2



Look for SDM2

1st time camera login






1st-time camera login







Browser-based Viewer



It is not recommended to continuously (24/7) record with the micro SD card, as the card may not support long-term continuous data read/write. Contact the manufacturer of the micro SD card for information regarding the reliability and the life expectancy.

© TKH Security B.V.

2022 | Version 1 (20220815) | FD2002v2F QSG

Find additional manuals, the datasheet, the EU Declaration of Conformity, and the latest firmware for this product at:

tkhsecurity.com

Documents / Resources



TKH SECURITY FD2002v2F 2MP Fixed Dome Camera [pdf] User Guide FD2002v2F, 2MP Fixed Dome Camera, Dome Camera, 2MP Fixed Camera, Camera, FD2002v2F

References

• > TKH Security

Manuals+,