



TOA BT-01 Bluetooth Module Owner's Manual

[Home](#) » [TOA](#) » TOA BT-01 Bluetooth Module Owner's Manual 

TOA BT-01 Bluetooth Module



Please carefully follow the instructions in this manual to obtain the optimal usage and ensure long, trouble-free use of your equipment.

Contents

[1 GENERAL DESCRIPTION](#)

[2 NOMENCLATURE AND FUNCTIONS](#)

[3 SETUP](#)

[4 SPECIFICATIONS](#)

[5 Customer Support](#)

[6 Documents / Resources](#)

[6.1 References](#)

[7 Related Posts](#)

GENERAL DESCRIPTION

The BT-01 is a Bluetooth module which enables Bluetooth Connectivity for TOA's 9000M2, 900, 700 and BG-2000 series amplifiers.

NOMENCLATURE AND FUNCTIONS

1. **BT Connection LED**

Indicates when BT connection is Active.

2. **Toggle Switch**

Toggle up to Reset, Toggle down to Pair.

3. **Dry Contact Control**

Short 1 and 2 to Pair, Short 3 and 4 to reset.

4. **DC Power**


Power with DC Adapter.

5. **Antenna**

Connect External Antenna provided.

6. **Power LED**

Indicates when device is powered.




CAUTION

Never shut down the power supply nor remove this AC adaptor's connector when the amplifier this module is inserted into is ready to output audio, as doing so, it may cause a noise, damage of speakers or amplifier, and hearing impairments.

SETUP

- A.** Insert the BT-01 into the applicable device slot.
- B.** Connect the antenna to the BT-01.
- C.** Connect the DC power to the BT-01.
- D.** Pair your device with the BT-01.
- E. Optional:** You can remotely wire the accessory wall plate for easier access for pairing and reset.



F. Optional: You can also extend the antenna cable to allow for better placement and reception (i.e. outside a rack, etc.).

SPECIFICATIONS

Power Source	9 volt DC external
Bluetooth	Version 4.2
Input	1 x Toggle switch for BT reset and pairing 2 x Dry contact (pairing and reset)
Operating Temperature	−40 °C ~ 85 °C
Finish	Clear Anodized Aluminum
Dimensions	35(W) x 78(H) x 88(D)mm
Weight	65 g

Customer Support

www.toacanada.com



Documents / Resources

