



TOBENONE UDS020 USB-C Dual Display Docking Station User Guide

[Home](#) » [TOBENONE](#) » TOBENONE UDS020 USB-C Dual Display Docking Station User Guide 

Contents

- [1 TOBENONE UDS020 USB-C Dual Display Docking Station User Guide](#)
- [2 Thank you](#)
- [3 USB-C Dual Display Docking Station Quick Start Guide](#)
- [4 F Or USB C MacBook Pro/Air \(NON-MI\)](#)
- [5 For USB C Windows/ChromeOS laptop](#)
- [6 Pons and connectors](#)
- [7 Specifications](#)
- [8 Read More About This Manual & Download PDF:](#)
- [9 Documents / Resources](#)

TOBENONE UDS020 USB-C Dual Display Docking Station User Guide



Thank you

Thank you for your purchase of the USB-C Dual Display Docking Station & Vertical Stand UDS-020! It provides the ability to connect up to two 4K displays, gigabit ethernet, audio input & output, SD/micro SD, and 4 additional USB peripherals to your macOS system via ONE dual USB-C cable.

USB-C Dual Display Docking Station Quick Start Guide

Step 1: Attach MacBook charger or USB C charger(NOT included) to the PD3.0 power II port(@) ,

Step 2: macOS Use the dual USB C head cable to connect the UDS-020 and MacBooks via I Host1 +Host2 ports; Windows Use the single USB C cable to connect the dock and laptop via I I Host2 port. I

Step 3: macOS Connect two monitors via HDMI1+HDMI2 or HDMI+VGA; Windows Connect two monitors via HDMI2+VGA

Step 4: Attach USB and USB-C devices(USB drive, keyboard, mouse, etc.) to the USB ports on both the front and back of the dock(@ @ @) @ @) I

Step 5: Connect the SD or microSD(TF) and quickly access files(@ @) I

Step 6: Connect the Ethernet cable to the RJ45 Gigabit Ethernet port(@).

Step 7: Connect speaker/headphones or microphone to the front audio port(@).

For USB C MacBook Pro/Air (NON-MI)

HDMI 14K@60Hz HDMI 2 4K@30Hz




HDMI+HDMI2+MacBook Pro/Air(NON-MI)

For USB C Windows/ChromeOS laptop

HDMI2 1080P@60Hz VGA1080P@60Hz



Pons and connectors



Any questions, we are here to help!

Email: support@tobenone.com WhatsApp: + 1 (307) 363-0735

Because the only question we can't fix is the one we don't know

Specifications


1. USB C Host1: connect to host laptop
2. USB C Host2: connect to host laptop
3. USB C Power: PD3.0, supports max 1 00W power input
4. RJ45 Ethernet: auto adapt 10/100/1 000Mbps
5. USB 2.0: for USB wireless receiver, no lag with wireless mouse/keyboard
6. USB 2.0: for USB wireless receiver, no lag with wireless mouse/keyboard
7. HDMI 1: up to 3840*2160@60Hz
8. HDMI 2: up to 3840*2160@60Hz(DP1 .4)
9. VGA: 1920x1 080@60Hz
10. USB 3.0: 5Gbps, 5V /0.9A
11. 3.5mm Audio: Audio in & out
12. SD: USH-1, supports SDXC, SDHC, SD, MMC, RS-MMC Card
13. Micro SD: USH-1, Micro SDXC, Micro SD, Micro SDHC Car
14. USB Type C: 5Gbps, 5V /0.9A(Data transfer only)
15. USB 3.0: 5Gbps, 5V /0.9A
16. Working Indicator light

Free Upgrade to 24-month warranty by visit
www.tobenone.com/warranty



Read More About This Manual & Download PDF:

Documents / Resources



[TOBENONE UDS020 USB-C Dual Display Docking Station](#) [pdf] User Guide
UDS020, UDS020 USB-C Dual Display Docking Station, USB-C Dual Display Docking Station,
Dual Display Docking Station, Display Docking Station, Docking Station, Station