



TOBENONE UDS022 USB-C Docking Station Dual Monitor User Guide

[Home](#) » [TOBENONE](#) » TOBENONE UDS022 USB-C Docking Station Dual Monitor User Guide 

Contents

- [1 TOBENONE UDS022 USB-C Docking Station Dual Monitor](#)
- [2 Ports and connectors](#)
- [3 Quick Start Guide](#)
- [4 Troubleshooting](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



TOBENONE UDS022 USB-C Docking Station Dual Monitor



Free warranty Extended


Register FREE 24-Month Warranty at www.tobenone.com/warranty



THANK YOU!

Thank you for your purchase of the Tobenone 11-in-1 USB C Dual Monitor Dock UDS-022. This dual-monitor docking station can help to expand Windows laptop's USB C port to two HDMI, SD & microSD card slots, 3.5mm audio & Mic, USB-A, USB-C, DC-IN, and RJ45 Gigabit Ethernet, so you can easily connect multi-devices via one USB-C cable.

Ports and connectors



1. Audio Port: Connect to earphones or other devices with a 3.5mm connector
2. SD 3.0 card reader support read: 88MB/s, write: 38MB/s
3. Micro SD card reader support read: 88MB/s, write: 38MB/s
4. USB A Port: Support data transfer at speeds up to 5Gbp/s.
5. USB-A 3.1 Port: Support data transfer at speeds up to 10Gbp/s
6. USB-C 3.1 Port: Support data transfer at speeds up to 10Gbp/s
7. DC-IN Port: Charge your laptop through the DC port, power supply included
8. Ethernet Port: Supports 10/100/1000 Mbps
9. HDMI2 Port: Connect to a device with an HDMI port to stream video at resolutions up to 4K 3840×2160@60Hz C DP1 .4) 13840x 2160@30Hz CDPI .2)
10. HDMI 1 Port: Connect to a device with an HDMI port to stream video at resolutions up to 4K 3840×2160@60Hz C DPI .4) 13840x 2160@30Hz CDPI .2)
11. USB-C Host: Connect to your Full-feature USB C Windows laptop

Note: This laptop triply display dock only can work for Full-feature USB C Windows laptops, not for macOS!

Quick Start Guide

Please follow Below Step 10 Using Your Dock

Step 1: Please plug the power adapter to the DC-IN port(7)

Step 2: Please connect the USB C host (11) of the dock UDS22 and the USB C port of the Windows laptop via USB-C cable as provided

Step 3: Using a standard HDMI cable to connect the first HDMI monitors via HDMI I port(10)

- Step 4: Using a standard HDMI cable to connect the second HDMI monitors via HDMI 2 port(9)
- Step 5: Attach USB 3.0, USB2.0 and USB-C devices to the USB ports of the dock(4 5 6). Attach SD and microSD card to the card slots(2 3)
- Step 6: Connect Speaker/headphone or Microphones to the audio port(1)
- Step 7: Connect the ethernet cable to Ethernet port(8)

Dual HD Extended Monitors Conliuuration



Troubleshooting

Q: There's no video output after connecting the product.

A: Please make sure the port you are plug in the product is USB C 3.1 or Thunderbolt 3/4 ports which support Power Delivery and Alt Mode DisplayPort. You can check this by the manual of your laptop or contact your laptop manufacturer for support.

Q: My USB device being detected, but It shows an unrecognized error on the screen.

A: First connect the power supply to the DC-IN port, then connect all other devices, and finally reset the SMC (System Managment Controller)

Please unplug and plug in again.

Any questions we are here to help!


Email: support@tobenone.com

WhatsApp: (910)808-9381

Because the only question we can't fix is the one we don't know



Documents / Resources

	<p>TOBENONE UDS022 USB-C Docking Station Dual Monitor [pdf] User Guide UDS022, UDS022 USB-C Docking Station Dual Monitor, USB-C Docking Station Dual Monitor, Docking Station Dual Monitor, Dual Monitor, Monitor</p>
---	---