


TOPDON AD 600 Full OBD2 Diagnostic Scanner Tool Code Reader User Guide

Home » TOPDON » TOPDON AD 600 Full OBD2 Diagnostic Scanner Tool Code Reader User Guide 12



- 1. Charging LED
- 2. 5-inch Touch Screen
- 3. 5V DC Charging Port
- 4. DB-15 Diagnostic Connector
- 5. Power/Screen Lock Button
- 6. HOME Button
- 7. Selection Buttons
- 8. OK Button
- 9. Return Button

Contents


- 1 Register & Upgrade
- 2 Preparation
- **3 Start Diagnostics**
- 4 Documents /

Resources

5 Related Posts

Register & Upgrade

- A stable and solid Wi-Fi network is required.
- Press the power button for 5 seconds to launch ArtiDiag600, and make some system settings prior to the initial use.
- If ArtiDiag600 fails to turn on, use the included power adapter to charge the unit.
 Follow the steps on the right to proceed.



Preparation

- The ignition is turned on.
- The vehicle battery voltage is 9~18 volts.
- The throttle is in the closed position.

Start Diagnostics

- Locate the vehicle's DLC port for OBDII connection.
- Connect ArtiDiag600 to the vehicle's DLC port.
- ArtiDiag600 is ready to use.

IMPORTANT: Read the instruction carefully before operating.

Failure to do so may cause damage and/or personal injury.

NOTE: This Quick Start Guide is subject to change without written notice.

Documents / Resources



<u>TOPDON AD 600 Full OBD2 Diagnostic Scanner Tool Code Reader</u> [pdf] User Guide AD 600, Full OBD2 Diagnostic Scanner Tool Code Reader

Manuals+,