

TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner



TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner User Guide

[Home](#) » [TOPDON](#) » TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner User Guide 

Contents

- [1 TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner](#)
- [2 APP Instructions](#)
- [3 Using Instructions](#)
- [4 Update](#)
- [5 FAQ](#)
- [6 Contact](#)
- [7 FCC STATEMENT](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)

TOPDON®

TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner



Thank you for purchasing the TOPDON TopScan. This quick user guide will walk you through the basic setup and operation of the TopScan wireless diagnostic dongle. For the best user experience, carefully read and follow all the instructions and warnings.


APP Instructions

Download & Install the APP




- **For iOS:** Search for “TopOuru” in the App Store to download and install.
- **For Android:** Search for “TopScan” in Google Play to download and install.

Register & Log In

A screenshot of a mobile application's login screen. At the top, the text "Log In" is displayed in a bold, dark font. Below this, there are two input fields: "Email" and "Password", each with a horizontal line underneath. Under the "Password" field, there is a checkbox with a checkmark icon and the text "Remember Password". At the bottom of the form, there is a large, rounded, dark button with the text "Log In" in white. Below the button, the text "Forgot password?" is displayed in a smaller, lighter font.

- Open the APP and log in to your TOPDON account. (If you do not have an account, please register with your email.)


Bind the VCI

A screenshot of a mobile application's "Add VCI" screen. The screen has a header with a back arrow on the left, the text "Add VCI" in the center, and a "VCI" label with a plus icon on the right. Below the header, there are two input fields: "Serial Number" and "Activation Code", each with a horizontal line underneath. To the right of the "Serial Number" field, there is a QR code icon. At the bottom of the form, there is a large, rounded, dark button with the text "Activate" in white.

Tap **Me > VCI Management > Add VCI**.

- To get the serial number and activation code, please scan the QR code on the product.
- (Alternatively, once the Bluetooth connection between the TopScan and your phone is established, the serial number and activation code will be automatically recognized.) Then, tap Activate.


Download the Diagnostic Software



- You will need to download the vehicle-specific software the first time you use the diagnostic function.
- Tap Diagnostics on the home screen and download the software you need.


Using Instructions

Plug the TopScan into the vehicle's OBD-II port




- The vehicle's OBD-II port is usually located under the dashboard.

Turn the ignition to the "ON" position




- The red LED light on the TopScan indicates it is powered on.

Bluetooth Connection



- Tap Diagnostics on the home screen, then tap **VCI^x** at the top right of the screen to establish a Bluetooth connection with the unit.
- When connection is established, the LED light on the unit will turn solid blue.

Your TopScan is now ready for use



Update

- The installed vehicle-specific software can be seen on the software download page. When a new version is available, an Update button will display. Tap the button to update the software.
- For firmware updates, tap Me> Firmware Update to update the firmware if a new version is available.

FAQ

Q: What should I do if a communication error occurs?

A: Follow the steps below to identify the problem: 1) Check if the ignition is ON. 2) Check if the TopScan is securely plugged into the vehicle's OBD-11 port. 3) Turn the ignition off. Then, turn it on after 10 seconds and continue the operation. 4) Check if the vehicle's control module is defective.

Q: Why do I need to download the diagnostic software after installing the TopScan APP?

A: Since there are various vehicle manufacturers, different diagnostic software is required for different brands.

Q: What special functions does the TopScan support?

A: The TopScan supports 8 special functions, including Oil Reset, Throttle Adaptation, EPB Reset, ABS Bleeding, Steering Angle Reset, DPF Regeneration, Airbag Reset, and BMS Reset.

Q: Do I need to update the firmware before using it for the first time?

A: Yes. Firmware will automatically update to the latest version once the TopScan is connected with your phone via Bluetooth. You can also tap Me> Firmware Update to update the firmware manually.

Q: Can multiple devices be bound to one TopScan APP account?

A: Yes.

Contact

- **TEL:** 86-755-21612590
 - 1-[833-629-4832](tel:8336294832) (North America)
- **EMAIL:** SUPPORT@TOPDON.COM
- **WEBSITE:** WWW.TOPDON.COM
- **FACEBOOK:** @TOPDONOFFICIAL
- **TWITTER:** @TOPDONOFFICIAL

FCC STATEMENT


This device complies with Part 75 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference
2. this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.



Documents / Resources

	TOPDON TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner [pdf] User Guide TopScan OBD2 Scanner Bluetooth Bi-Directional Scanner, OBD2 Scanner Bluetooth Bi-Directional Scanner, Scanner Bluetooth Bi-Directional Scanner, Bluetooth Bi-Directional Scanner, Bi-Directional Scanner, Directional Scanner, Scanner
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.