

Topmate KM9000 Wireless Keyboard and Mouse Instructions

Home » Topmate » Topmate KM9000 Wireless Keyboard and Mouse Instructions

Contents [hide

- 1 Topmate KM9000 Wireless Keyboard and Mouse
- **2 Keyboard Parameters**
- **3 Mouse Parameters**
- **4 Keyboard Technical Features**
- **5 Mouse Technical Features**
- **6 Operating System**
- **7 FCC Statement**
- 8 Documents / Resources
- 9 Related Posts



Topmate KM9000 Wireless Keyboard and Mouse



Keyboard Parameters





• Dimension: (L)368mm*(W)138mm*(H)22mm

• Weight: 315t15g

• Button Resilience: 55+7gf

Button Service Life: 1000 Million Time

• Power Requirement: 3V DC(Battery Powered)

Working Current: 5MA
Operating Conditions:

Temperature: -10°C-50°C

• Humidity: Not Higher Than 85%RH

Mouse Parameters

2KEY+Scroll Wheel: 3D MOUSE

• Power Requirement 3V DC

Button Operating Force: 80+20gfSwitch Service Life: 5 Million Times

Dimension: 112.82mm(L)*57.23mm(W)*22.41 mm(H)

Operating Conditions:

• Temperature: -10°C-50°C

• Humidity: Not Higher than Than85%RH

• Sensor Copy Tracing Speed: 4500 times /sec

Switch Operating Force: 70+10gf

• 3D Button Operating Force: 100+20gf

Sensor racking Speed: 30 IPS

weight: 65.6+10g

Keyboard Technical Features

- 1. Low voltage alarm design.
- 2. With advanced 2.4GHZ wireless technology, the using distance is up to 8-10M.
- 3. Use two AAA batteries, the battery life is up to six months.
- 4. The interior of the keyboard adopted a noise reduction design. The unique and advanced design of the water

- outlet prevents splashing.
- 5. The material is wear-resistant and the characters are etched with radium engraving technology, which is durable, anti-striking, ergonomic, and comfortable to the touch.
- 6. This keyboard is a 102 KEY (not including multimedia) membrane switch keyboard.

Mouse Technical Features

- 1. Nano mini receiver, plug, and play.
- 2. With advanced 2.4GHZ wireless technology, the using distance is up to 8-10M.
- 3. Use two AAA batteries, with a power on/off switch.
- 4. Superior 4-level intelligent power saving mode, which enables the battery Last for six months or even more.
- 5. Adopting new generation photoelectric LG, 1 200DPI high precision optical tracking engine, one-button cycle adjustment 1200/1600.
- 6. Hidden wireless receiver storage is built into the mouse, which is convenient to carry and can avoid the loss of the receiver.

Operating System

Windows XP, Windows ME, Vista, Windows7, Windows8, Windows10, Mac

Note:

Because of the open wireless, the 2.4GHz is highly susceptible to interference codes that cause the mouse to malfunction. If this problem occurs, follow these steps to reconnect.

Keyboard:

- 1. Turn off the receiver of the computer and put the receiver into the Computer
- 2. Press ESC and= + buttons for 5 seconds at the same time.
- 3. If the low light of the keyboard flashes quickly, that means the connection succeeds.

Mouse:

- 1. Take down the receiver and the batteries from the computer.
- 2. Put the receiver into the computer port and install the batteries into the mouse.
- 3. Press on the right and left click buttons of the mouse and scroll the wheel for 10 seconds at the same time.
- 4. If the bottom of the mouse lights up, the connection is successful.

Note:

If the first code is not successful, please repeat these steps.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed tO provide reasonable protection against harmful interference in a residential installation. The equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there Is no guarantee that interference will not occur in a particular installation. It this equipment does

cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution:

Any changes or modifications to this device not explicitly approved by the manufacturer could void your authority to operate this equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

Documents / Resources



<u>Topmate KM9000 Wireless Keyboard and Mouse</u> [pdf] Instructions KM9000, 2A7FX-KM9000, 2A7FXKM9000, KM9000 Wireless Keyboard and Mouse, KM9000, Wireless Keyboard and Mouse

Manuals+, home privacy