Manuals+ — User Manuals Simplified.

How to enter the router settings dashboard interface

Contents

How to enter the router settings dashboard interface?

It is suitable for: **All TOTOLINK Models**

Set up steps

STEP 1:

Connect the line according to the method shown in the figure below.

If you don't have a PC, you can also use your mobile phone or tablet to connect to the router' WiFi. The SSID is generally TOTOLINK_model, and the login address is itotolink.net or 192.168.0.1

TOTO LINK
The Smartest Network Device

AX3000 Wireless Dual-Band Gigabit Wi-Fi 6 Router

Model No.: X6000R
Power Supply: 12V ⎓ 1A
Login Address: http://itotolink.net

Administrator Password: admin
SSIDs: TOTOLINK_X6000R
   TOTOLINK_X6000R_5G

FC
RoHS Compatible
CE EAC
SN   40*10MM
Made in China

STEP 2 :

Log in to itotolink.net or 192.168.0.1 through a browser to enter the routing dashboard interface.


PC:

New Tab   ×   New Tab   ×   +

← → C   itotolink.net

Mobile devices

STEP 3 :

Through the PC interface as follows

Through the phone UI as follows

If you cannot successfully log in according to the above methods, or your account password cannot be logged in normally,

It is recommended that you restore the router to its original factory defaults and then operate again.

DOWNLOAD

How to enter the router settings dashboard interface – [**Download PDF**]