



TOTRON B14 Series Single Row of Bezel-Less Indirect Light Emitting Light Bar Instructions

[Home](#) » [TOTRON](#) » TOTRON B14 Series Single Row of Bezel-Less Indirect Light Emitting Light Bar Instructions



TOTRON B14 Series Single Row of Bezel-Less Indirect Light Emitting Light Bar Instructions



Contents

- [1 Product Instruction](#)
- [2 Beam Pattern](#)
- [3 ODM solution optional:](#)
- [4 Dimensions](#)
- [5 Technical Data](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

Product Instruction

Bezel-less anti-UV flat PC lens,
avoid snow/ice/rainy stacking,
easier to be cleaned.



Hooded reflector design,
anti-glaring your eyes.

OSRAM led with high lux
and stable luminous
efficiency.



No screws on the surface against
corrosion, aerodynamic design
to lower the wind resistance and
noise.

Your LOGO can be customized at each side.




- All-black vision design brings strong visual impact.



Low profile housing, Fitting into compact spaces.

Beam Pattern




Combo Beam(B1445)


ODM solution optional:

1. Temperature control system(TSC)

2. .Automatic heating lens
3. E mark R112 version for on road use is available



Dimensions



Technical Data

- EMARK R112 Version

Model N O	Size	Beach Patter n	LED	Rated Powe r	Raw L umen	Effecti ve	Lux@ 10m	Ref. N o	Amp (12v/2 4v)	Dimension (mm)		
										A	B	C
TLB-B142 7	13	Comb o	Osram CSHP x 9	45W	3780	2246	985	25	3.04/1 .49	332	66.5 6	52
TLB-B142 7	20"	Comb o	Osram CSHP x 15	75W	6300	3400	2160	50	49812 42	524	6656	52
TLBB1445	32	Comb o	Osram CSHP x24	120W	10080	2140		50	7838	812	6656	52
TIBBU72	20"	Drivin g Beach	Osram CSHP x 30	150W	6800	1982		50	1004		6656	52
TLB-B149 0	40	Drivin g Beach	Osram CSHP x		75W	12600	6800	50	96/48	6656	1982	52

- Super Bright Version with Temperature Control System

Model N O	Size	Beach Patter n	LED	Rated Powe r	Raw L umen	Effecti ve	Lux@ 10m	Ref. N o	Amp(12v/24 v)	Dimension (mm)		
										A	B	C
TLB-B142 7	13	Comb o	Osram CSHP x 9	45W	3780	2246	985	25	3.04/1 .49	332	66.5 6	52
TLB-B142 7	20"	Comb o	Osram CSHP x 15	75W	6300	3400	2160	50	49812 42	524	6656	52
TLBB1445	32"	Comb o	Osram CSHP x24	120W	10080	2140		50	7838	812	6656	52
TIBBU72	40"	Drivin g Bea ch	Osram CSHP x 30	150W	6800	1982		50	1004		6656	52
TLB-B149 0	50"		Osram CSHP x		75W	95W	16380	9240- 10202	5003- 6630	13-1 36/7 -74	1292	52

- Family portrait of all-black vision light bar series



Double row B15 series



Compact single row B18 series




LED Chip: **OSRAM** 



www.totron.com TOTRON COMPANY LIMITED

TOTRON®

Documents / Resources



[TOTRON B14 Series Single Row of Bezel-Less Indirect Light Emitting Light Bar](#) [pdf] Instructions

B14 Series Single Row of Bezel-Less Indirect Light Emitting Light Bar, B14 Series, Single Row of Bezel-Less Indirect Light Emitting Light Bar, Bezel-Less Indirect Light Emitting Light Bar, Light Emitting Light Bar, Emitting Light Bar, Light Bar, Bar

References

- [TOTRON Lights – ODM & OEM, Private Label & White Label Off-Road LED Lights Manufacturer – Best China White Label & Private Label LED Lights for Off Road Vehicles, Powersports, UTV/ATVs, Tractors, Trucks](#)

