



Tp Link H100 Tapo Smart IoT Hub with Chime User Guide

[Home](#) » [tp-link](#) » Tp Link H100 Tapo Smart IoT Hub with Chime User Guide 



tapo
User Guide
Tapo Smart IoT HUB
Tapo H100

Contents

- [1 About This Guide](#)
- [2 Introduction](#)
- [3 Appearance](#)
- [4 Set Up Your Tapo Hub](#)
- [5 Pair with Tapo Accessories](#)
- [6 Device Control](#)
- [7 Set Protection Mode](#)
- [8 Authentication](#)
- [9 Safety Information](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)
- [11 Related Posts](#)


About This Guide

This guide provides a brief introduction to the Tapo Smart IoT Hub and the Tapo app, as well as regulatory information.

Please note that features available in Tapo may vary by model and software version. Tapo availability may also vary by region. All images, steps, and descriptions in this guide are only examples and may not reflect your actual Tapo experience.

Conventions

In this guide, the following convention is used:

Convention	Description
Blue	Key information appears in teal, including management page text such as menus, items, buttons and so on.
Underline	Hyperlinks are in teal and underlined. You can click to redirect to a website.
 Note:	Ignoring this type of note might result in a malfunction or damage to the device.

More Info

- Specifications can be found on the product page at <https://www.tapo.com>.
- Our Technical Support and troubleshooting information can be found at <https://www.tapo.com/support/>.

Introduction

Tapo is the easy way to turn your home into a smart home. At the center of it all is the Tapo Hub. With superior ultra-low-power performance, Tapo Hub connects wirelessly with a wide range of Tapo accessories. So you can easily control and monitor your home from anywhere.

- **[Smart IoT Hub](#)** Uses a long-distance, low-power wireless protocol to connect to battery-powered Tapo devices.
- **Smart Alarm** Protect your home security by coordinating with Tapo smart sensors (motion sensor, window/door sensor, and more).
- **Smart Doorbell** Easily build your smart doorbell system, by installing the Tapo smart button on the door.
- **19 Ringtones** 90 DB built-in multiple ringtones for your customized scenarios.
- **Up to 64 Devices** Connect multiple devices to create a smart ecosystem for your home.
- **Protection Mode** 4 different protection modes (Home/Away/Sleep/OFF) provided to arm and disarm your home by setting different sensors as trigger devices.
- **Device Sharing** Invite your family members to manage the hub together.

Appearance

Image may differ from actual product due to different regional power specifications. Here we use the UK version as an example.



Speaker

SYNC Button:



- **Single press:**
Enter pairing mode;
Silence when ringing.
- **Press and hold for 5 seconds:**
Only reset Wi-Fi settings and keep other settings.
- **Press and hold for 10 seconds:**
Restore your hub to factory default settings.

Status LED

- **Solid blue:** Starting up
- **Blinking orange and blue:** Ready for setup
- **Blinking orange:** Connecting to Wi-Fi
- **Solid blue:** Connected to Wi-Fi
- **Blinking blue slowly:** Pairing with Tapo accessory
- **Solid orange:** Offline

Set Up Your Tapo Hub

Follow the steps below to get started with your Tapo Hub.

Step 1. Download Tapo App Get the Tapo app from the App Store or Google Play, or by scanning the QR code below.	Step 2. Log In Open the app, and log in with your TP-Link ID. If you don't have an account, create one first.	Step 3. Add  Tap the  , and select Tapo actions to complete
---	---	---

Welcome to Tapo



OR



TP-Link ID (Email)



Password



Remember Me

LOG IN

[Sign Up](#)

[Forgot Password?](#)



Cameras

Plugs

Bulbs

Light Strips

Hubs

Sensors

Switches

Thermostats

Switc

1

T

Therr

<https://www.tapo.com/app/download-app/>


Pair with Tapo Accessories

There are 2 methods to pair and connect the Tapo accessories (sensors, buttons, switches, thermostat and more) to your Tapo Hub. Before you start, make sure your Tapo hub has been set up and is online.

Note: There are 3 kinds of connection states of the hub, including Light, Moderate, and Dense. For optimal performance, avoid connecting more devices when the connection is Dense.

Method 1: Use Tapo App

Open the Tapo app and tap + on the top right. Select the Tapo accessory you want to connect to the hub and follow the app instructions to complete pairing.



Method 2: Use Hub's SYNC Button

1. Refer to the user manual for how to put your Tapo accessory in pairing mode.
2. Single press the SYNC button on your hub for 1 second to enter pairing mode and the LED should blink blue.




3. After pairing complete, you will find your Tapo accessory shown in the home page of the Tapo app. Refresh the home page if you couldn't find it.

Device Control

After successfully setting up your Tapo Hub, you will see the home page of the Tapo app. Here you can view the status of all devices that you've added and manage them. You can tap on the device to control and manage.

Home Page

You can view the brief status of your Tapo Hub anytime anywhere and tap the card to enter the status page.




Device Status Page

You can tap the mode to enable protection mode with one tap. Tap Protection Mode to configure the settings.

Device Settings Page

You can edit the basic information, control the LED, update firmware, remove device and more.



Set Protection Mode

You can use different protection modes to arm and disarm your home. Set different sensors as trigger devices in different modes, then your hub will sound the alarm when the set sensors detect events. With Protection Mode, you can easily get in and out of your home without worrying about triggering an alarm.


Your hub can be in 4 different protection modes and you can switch modes easily with a simple tap on the Tapo app.

Home Mode: Use this mode when you are at home. Set all outdoor sensors and door/window sensors as trigger devices to arm your home, then you could move freely in your home without triggering your indoor sensors.

Away Mode: Use this mode when you are at work or on vacation. Set all sensors as trigger devices to secure your home, then your hub will sound the alarm and you will get alerts when events are detected.


Sleep Mode: Use this mode when you are asleep. Set motion sensors for lighting as trigger devices for your convenience while set door/window sensors and outdoor sensors as trigger devices for security.

Protection Mode OFF: Use this mode only when you want to disarm. No sensors in your home will trigger the hub alarm.



Before setting protection mode, make sure you have set up your hub and at least one sensor.

1. Go to Device Status page. Tap Protection Mode at the bottom to go to mode settings page.



2. Tap Home Mode and enter the Home Mode Settings page to edit the mode perfect for you are at home.

< Home Mode SAVE

Trigger Devices
2 devices >

Alarm will be triggered when the selected devices detect events.

Alarm Sound
4 >

Alarm Volume
Low >

Alarm Duration
1 second >

Trigger Devices: Select sensors to monitor your home when you are at home. Alarm will be triggered when the selected sensors detect events.

Alarm Sound: Select the sound your hub will alarm when selected sensors detect events.


Alarm Volume: Set the volume your hub will alarm when selected sensors detect events.

Alarm Duration: Set how long your hub will alarm when selected sensors detect events.


Trigger Devices: Select sensors to monitor your home when you are at home. Alarm will be triggered when the selected sensors detect

Before setting protection mode, make sure you have set up your hub and at least one sensor.

3. Repeat steps above for Away Mode and Sleep Mode.



4. When all modes are set, go to the hub status page and tap the icon on the top to activate or deactivate the mode. If you don't activate any mode, the Protection Mode will be off.



Authentication

FCC Compliance Information Statement



Product Name: Tapo Smart IoT Hub
Model Number: Tapo H100
Responsible party: TP-Link USA Corporation
Address: 10 Mauchly, Irvine, CA 92618
Website: <http://www.tp-link.com/us/>
Tel: +1 626 333 0234
Fax: +1 909 527 6804
E-mail: sales.usa@tp-link.com

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

"To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter." We, TP-Link USA Corporation, has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

CE Mark Warning



This is a class B product. In a domestic environment, this product may cause radio interference, in which case the

user may be required to take adequate measures.

OPERATING FREQUENCY(the maximum transmitted power)

For EU/UK Version: 2400MHz~2483.5MHz / 20dBm 868MHz~868.6MHz / 25mW (e.r.p)

EU declaration of conformity

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of directives 2014/53/EU, 2009/125/EC, 2011/65/EU and (EU)2015/863.

The original EU declaration of conformity may be found at <https://www.tapo.com/en/support/ce/>

RF Exposure Information

This device meets the EU requirements (2014/53/EU Article 3.1a) on the limitation of exposure of the general public to electromagnetic fields by way of health protection. The device complies with RF specifications when the device used at 20 cm from your body. Restricted to indoor use.

**UKCA declaration of conformity**

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of the Radio Equipment Regulations 2017. The original UK declaration of conformity may be found at

<https://www.tapo.com/support/ukca/>

Canadian Compliance Statement

This device complies with Industry Canada license-exempt RSSs. Operation is subject to the following two conditions:

1. This device may not cause interference, and
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Industry Canada Statement


CAN ICES-3 (B)/NMB-3(B)

Korea Warning Statements:**Safety Information**

- Do not install in a socket facing downward.
- Keep the device away from water, fire, humidity, or hot environments.
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- Do not use the device where wireless devices are not allowed.

- The socket outlet shall be installed near the equipment and shall be easily accessible.
- The devices are not intended for use in locations where the temperature may be less than actual room conditions, such as unheated warehouses or garages.
- For indoor use only.
- Do not overload power outlets. This can result in the risk of fire or electric shock.
- Completely insert the product into the power outlet. Failure to do so may cause electric shock and/or excessive heat resulting in fire.
- Regularly remove dust etc from the product by pulling it out from the power outlet and wiping with a DRY cloth. Accumulated dust may cause an insulation defect resulting in fire.
- Unplug from the power outlet if it emits smoke, has an abnormal smell, or makes an unusual noise.
- Do not use the product if the casing has been broken. Danger of electric shock.
- Never touch the product with wet hands.
- Do not place near automatically controlled devices such as fire alarms. Radio waves emitted from this product may cause such devices to malfunction resulting in an accident.
- Do not use this product at a refuelling point.
- Observe restrictions on using wireless products in fuel depots, chemical plants, or when blasting operations are in progress.
- Do not use liquid to clean the product. Only use a dry cloth.
- Never put metal objects inside the product. If a metal object enters the product turn off the circuit breaker and contact an authorised electrician.
- Be careful to connect the following- cooking appliances, irons, other devices that generate a large amount of heat. There is a risk of fire, burns, or injury. power tools, electric machinery, or other devices that could cause injury and therefore must be used under direct careful observation. heating or cooling devices or any type of device which could cause health risks, particularly to the elderly or children.
- This product is not intended to be used when providing medical care. Consult the manufacturer of any personal medical devices, such as pacemakers or hearing aids to determine if they are adequately shielded from external RF (radio frequency) energy.
- Do not use this product in health care facilities. Hospitals or healthcare facilities may be using equipment that could be sensitive to external RF energy.
- Do not use this product near water for example near a bathtub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
- The product should be kept free from excessive smoke, dust or high temperature, and vibration.
- This product should not be exposed to direct sunlight.
- Do not place heavy objects on top of the product.
- When you leave the product unused for a long time unplug the product from the power outlet.
- Product should be kept away from heat sources such as radiators, cookers etc.- it should not be placed in rooms where the temperature is less than 0 degrees or greater than 40 degrees. Damp basements should also be avoided.
- This product may interfere with other electronic products such as TV, radios, personal computers, phones or other wireless devices. · Operating Temperature: 0-40
- Operating Humidity: 10%-90%RH, Non-condensing
- Storage Humidity: 5%-90%RH, Non-condensing
- Function switch of Micro-gap construction / Micro-disconnection is used. Power is completely off only when the










plug has been withdrawn from Tapo smart socket. Automatic action type of the integrated switch: Micro-disconnection (Type 1.B), Micro-gap construction (For UK version).



CAUTION: Double pole, neutral fusing. Disconnect mains before servicing.

Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.







Explanation of the symbols on the product label Symbol

Symbol	Explanation
	Indoor use only
	AC voltage
	Caution
	Operator's manual
	Fuse
	Caution, risk of electric shock
	Class II equipment with functional earthing
	Class II equipment
	<p>RECYCLING</p> <p>This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment.</p> <p>User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.</p>



[Tp Link H100 Tapo Smart IoT Hub with Chime](#) [pdf] User Guide
H100, Smart IoT Hub, Hub, Hub with Chime

References

-  [Link: Simple, secure one-click payments](#)
-  [WiFi Networking Equipment for Home & Business | TP-Link](#)
-  [Tapo Smart | Smart Devices for Smart Living](#)
-  [Regulatory Compliance | Tapo](#)
-  [Support | Tapo](#)
-  [UKCA | Tapo](#)