



Home » tp-link » tp-link Tapo S310D Scene Controller Mate Switch Owner's Manual

tp-link Tapo S310D Scene Controller Mate Switch Owner's Manual

June 11, 2025

Contents [hide]

- 1 Tapo S310D Scene Controller Mate Switch
- 2 Specifications:
- 3 Product Usage Instructions:
 - 3.1 Authentication
 - 3.2 Radiation Exposure Statement
 - 3.3 Safety Information
- 4 FAQ:
 - 4.1 Q: What should I do if the device does not power on?
 - 4.2 Q: How can I reset the device to factory settings?
 - 4.3 Documents / Resources
 - 4.3.1 References

Tapo S310D Scene Controller Mate Switch

••

Specifications:

- Equipment Name: Tapo S310D
- Type Designation: Type

- Unit: PCB
- Lead (Pb): -
- Restricted Substances and Chemical Symbols:
 - Mercury (Hg): 0.1 wt % (Note 1)
 - Cadmium (Cd): 0.01 wt % (Note 1)
 - Hexavalent Chromium (Cr+6): Exceeding 0.1 wt % (Note 1)
 - Polybrominated Biphenyls (PBB): Exceeding 0.01 wt % (Note
 1)
 - Polybrominated Diphenyl Ethers (PBDE): (Note 3)

Product Usage Instructions:

Authentication

Ensure the device is compliant with FCC regulations and adhere to the Canadian Compliance Statement for proper operation.

Radiation Exposure Statement

This equipment complies with IC radiation exposure limits.

Maintain a minimum distance of 20cm between the device and your body during installation and operation.

Safety Information

Refer to the symbols on the product label for important safety instructions. Symbols may vary but typically indicate information such as dangerous voltage, risk of electric shock, and energy efficiency marking.

FAQ:

Q: What should I do if the device does not power

on?


A: Check the power plug connection and ensure there is a stable power source. If the issue persists, contact customer support for further assistance.

Q: How can I reset the device to factory settings?

A: Locate the reset button on the device, usually found near the power port. Use a small tool to press and hold the button for at least 10 seconds until the device resets.

"

View Fullscreen



Authentication

FCC compliance information statement

Product Name: Scene Controller Mate Switch Model Number: Tapo S310D Responsible party: TP-Link Systems Inc. Address: 10 Mauchly, Irvine, CA 92618 Website: http://www.tp-link.com/us/ Tel: +1 626 333 0234 Fax: +1 909 527 6804 E-mail: sales.usa@tp-link.com This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful

interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/ TV technician for help. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference.

2. This device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be colocated or operating in conjunction with any other antenna or transmitter. "To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter." We, TP-Link Systems Inc., has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2025-05-13

Canadian Compliance Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licenceexempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : 1) L'appareil ne doit pas produire de brouillage; 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps Industry Canada Statement

CAN ICES-3 (B)/NMB-3(B)

NCC Notice

BSMI Notice
...

Equipment name

Tapo S310D Type designation (Type)

Unit
PCB

Lead (Pb)

Restricted substances and its chemical symbols

Mercury (Hg)

Cadmium

(Cd)

Hexavalent chromium (Cr+6)


Polybrominated biphenyls (PBB)

Polybrominated diphenyl ethers (PBDE)

1. 0.1 wt % 0.01 wt % Note 1"Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 2. Note 2"" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 3.- Note 3The "-" indicates that the restricted substance corresponds to the exemption.

Safety Information

Before installing, servicing or removing the switch, read and follow all safety precautions including the following: · Follow all national and local safety regulations and practices. If you are uncertain or uncomfortable when performing the installation, consult a qualified electrician. · CAUTION Risk of Electric Shock More than one disconnect switch may be required to de-energize the equipment and luminaire before servicing. A circuit breaker which disconnects the Line and Neutral conductor simultaneously is suitable. Ensure power is off at the circuit breaker before removing or installing any switch. Use a non-contact voltage tester to ensure the power is off. · Do not install the Smart Switch with wet hands or when standing on wet or damp surfaces. · Keep the device away from water, fire, humidity or hot environments. · Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us. · Do not use the device where wireless devices are not allowed. · Rating: 120 V~ 60 Hz · Supported Load: Connect up to 20 Tapo L730. · Operation temperature: -10~40°C /14~104°F · Install only in a suitable UL Listed outlet box (suitable dimensions: H > 2.95



Functional earthing

Explanation

Caution, hot surface Caution Operator's manual

Stand-by

"ON"/"OFF" (push-push)

Fuse

Fuse is used in neutral N RECYCLING This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment. User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.

Caution, avoid listening at high volume levels for long periods

Disconnection, all power plugs

Symbol m µ

Explanation Switch of mini-gap construction Switch of micro-gap construction (for US version) Switch of micro-gap / micro-disconnection construction (for other versions except US)

Switch without contact gap (Semiconductor switching device)

Documents / Resources



tp-link Tapo S310D Scene Controller Mate Switch [pdf] Owner's Manual 2BH7FS310D, s310d, Tapo S310D Scene Controller Mate Switch, Tapo S 310D, Scene Controller Mate Switch, Controller Mate Switch, Mate Switch, Switch

References

User Manual

- tp-link
- ◆ 2BH7FS310D, Controller Mate Switch, Mate Switch, S310D, Scene Controller Mate Switch, switch, Tapo S310D, Tapo S310D Scene Controller Mate Switch, TP-Link

Leave a comment

Your email address will not be published. Required fields are marked * Comment * Name Email Website Save my name, email, and website in this browser for the next time I comment. **Post Comment** Search:

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

e.g. whirlpool wrf535swhz

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.

Search