

tp-link UA430C MicroSD 3.0 Card Reader Installation Guide

Home » tp-link » tp-link UA430C MicroSD 3.0 Card Reader Installation Guide 🖔

Contents

- 1 tp-link UA430C MicroSD 3.0 Card Reader
- 2 Specifications
- **3 Product Usage Instructions**
- **4 Product Overview**
- 5 Using the Adapter
- 6 Recycling
- **7 Frequently Asked Questions**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts



tp-link UA430C MicroSD 3.0 Card Reader



Specifications

• Product: USB3.0 Type-C to SD & microSD 3.0 Adapter

• Connector: USB-C

• Supported Memory Cards: microSD (TF) Card / SD Card

• Supported Maximum Card Size: 2 TB or less

• Supported Systems: Windows, iOS, macOS, iPadOS, Chrome OS, Linux, Android, etc.

• Cable Length: 150 mm (5.9 in)

• Memory Card Transfer Speed: Supports theoretical transfer rates of up to 200 MB/s*


Product Usage Instructions

- 1. Step 1: Plug the USB-C connector into your host device.
- 2. Step 2: Insert your microSD (TF) card and SD card into the corresponding slots.
- 3. Note: This device supports simultaneously reading and writing a microSD (TF) card and an SD card.

Safety Information

This product should be handled under European directive 2012/19/EU for recycling or dismantling to minimize its impact on the environment. Users can choose to give the product to a competent recycling organization or the retailer when buying new electrical or electronic equipment. TP-Link declares compliance with essential requirements and relevant provisions of directives 2014/30/EU, 2011/65/EU, and (EU)2015/863. For technical support, replacement services, user guides, and more information, visit **TP-Link Support** or scan the QR code.

Product Overview




Input	USB-C×1
Output	microSD (TF) Card slot×1, SD card slot×1
Memory Card Transfer Speed	Supports theoretical transfer rates of up to 200 MB/s*
Supported Memory Cards	microSD (TF) Card / SD Card
Supported Maximum Card Size	2 TB or less
Supported Systems	Windows, iOS, macOS, iPadOS, Chrome OS, Linux, Android, etc.
Cable Length	150 mm (5.9 in)

Achieve up to 200 MB/s read speeds with cutting-edge technology, surpassing UHS-I 104 MB/s. This requires compatible devices capable of such speeds. Actual transfer rates are not guaranteed and may vary due to device conditions and environmental factors.

Using the Adapter

This adapter supports the Plug and Play feature. Plug the USB-C connector into your host device, then insert your microSD (TF) card and SD card into the corresponding slot.

Note: This device supports simultaneously reading and writing a microSD (TF) card and an SD card.



• With the gold contacts facing up, insert the SD card into the slot until the card is fully inserted.

Safety Information

- When a product has a power button, the power button is one of the ways to shut off the product; when there is no power button, the only way to completely shut off power is to disconnect the product or the power adapter from the power source.
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- Keep the device away from water, fire, humidity,y or hot environments.
- This equipment can be powered only by equipment that ccomplies with Power Source Class 2 (PS2) or Limited Power Source (LPS) defined in the standard of IEC 62368-1.

Recycling

This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled under European directive 2012/19/EU to be recycled or dismantled to minimize its impact on the environment.

Users have the choice to give their products to a competent recycling organization or the retailer when they buy electrical or electronic equipment. TP-Link hereby declares that the device complies with the essential requirements and other relevant provisions of the Electromagnetic Compatibility Regulations 2016. The original UKDeclarationn of Conformity may be found at https://www.tp-link.com/support/ukca/

TP-Link hereby declares that the device complies with the essential requirements and other relevant provisions of directives 2014/30/EU, 2011/65/E, U, and (EU)2015/863. The original EU Declaration of Conformity may be found at https://www.tp-link.com/en/support/ce/

For technical support, replacement services, user guides, and more information, please visit https://www.tp-link.com/support, or simply scan the QR code.



Frequently Asked Questions

Q: What are the supported systems for this adapter?

A: The adapter supports Windows, iOS, macOS, iPadOS, Chrome OS, Linux, Android, etc.

Q: What is the maximum supported card size?

A: The adapter supports memory cards up to 2 TB in size.

Q: What is the transfer speed of this adapter?

A: The adapter supports theoretical transfer rates of up to 200 MB/s*, actual transfer rates may vary.

Documents / Resources



tp-link UA430C MicroSD 3.0 Card Reader [pdf] Installation Guide UA430C MicroSD 3.0 Card Reader, UA430C, MicroSD 3.0 Card Reader, Reader

References

- P CE Regulatory Compliance | TP-Link
- P TP-Link Product Support Wireless Networking Equipment Support
- P Regulatory Compliance | TP-Link
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.