Manuals+ — User Manuals Simplified.

tp-link UE302C USB to Ethernet Network Adapter User Guide

tp-link UE302C USB to Ethernet Network Adapter

Specifications

- Product Name: USB to Ethernet Network Adapter
- Plug and Play support
- Compatible with Windows 7/8/8.1/10 and Mac OS X 10.8 to 10.15
- Wired Network RJ45 Port
- USB-C Port connection
- CE Mark Class B product
- Energy efficiency marking (level VI)

Product Usage Instructions

1. Plug the USB to Ethernet Network Adapter into your computer's USB-C port.
2. Wait for a few seconds for the adapter to be ready for use.
3. For Windows Users (7/8/8.1/10): If prompted, install the driver by clicking on the installation prompt. For Windows 7, cancel if prompted about program installation.
4. For Mac Users (OS X 10.8 to 10.15): Download and install the driver from the official website by searching for the model number.

Safety Guidelines

- Do not disassemble, repair, or modify the device. Contact customer service for assistance.
- Avoid exposure to water, fire, humidity, or hot environments.
- The product must be powered by equipment compliant with Power Source Class 2 (PS2) or Limited Power Source (LPS) standards.
- Peak performance is achieved with Cat5e or higher Ethernet cables.

Recycling Information

This product should be recycled or dismantled in accordance with European directive 2012/19/EU to minimize its environmental impact. Contact a competent recycling organization or return it to the retailer when purchasing new electronic equipment.

Using the Adapter

This adapter supports the Plug and Play feature. Plug in and wait for seconds. Then this adapter is ready to use.

UE302C

- For Windows 7/8/8.1/10, please click to install a driver if prompted to do so. For Windows 7, please click CANCEL if prompted "The program might not have installed correctly" after installation.

-

For Mac OS X 10.8 to 10.15, please download and install a driver by visiting our official website **www.tp-link.com**, and searching for the model number.

ATTENTION

- When a product has a power button, the power button is one of the ways to shut off the product; when there is no power button, the only way to completely shut off power is to disconnect the product or the power adapter from the power source.
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- Keep the device away from water, fire, humidity,y or hot environments.
- This equipment can be powered only by equipment that ccomplieswith Power Source Class 2 (PS2) or Limited Power Source (LPS) defined in the standard of IEC 62368-1.
- Maximum wired data throughput rates are the physical rates derived from IEEE Standard 802.3 specifications. Actual wired data throughput is not guaranteed and will vary as a result of environmental factors, Ethernet cable class, and computer performance.
- Peak performance is attainable only with Cat5e or higher Ethernet cables.

CE Mark Warning
This is a class B product. In a domestic environment, this product may cause radio interference, in which case the user may be required to take adequate measures.

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~60°C (-40°F ~140°F)

Explanation of the symbols on the product label

	Indoor use only
	DC voltage
	AC voltage
	RECYCLING This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment. User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.
	Energy efficiency marking (level VI)
	Polarity of output terminals
	Class II equipment
	Operator's manual
	Caution

Recycling

This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handledundero European directive 2012/19/EU to be recycled or dismantled to minimize its impact on the environment. Users have the choice to give their product to a competent recycling organization or to the retailer when they buy new electrical or electronic equipment.

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of directives 2014/30/EU, 2011/65/EU, and (EU)2015/863. The original EUDeclarationn of Conformity may be found at **https://www.tp-link.com/en/support/ce/**

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of the Electromagnetic Compatibility Regulations 2016. The original UK Declaration of Conformity may be found at **https://www.tp-link.com/support/ukca/**

For technical support, replacement services, the user guide, and more information, please visit **https://www.tp-link.com/**support, or simply scan the QR code.

Frequently Asked Questions

- **Q: Is the USB to Ethernet Network Adapter compatible with all operating systems?**

  A: The adapter is compatible with Windows 7/8/8.1/10 and Mac OS X 10.8 to 10.15.

- **Q: How do I know if the adapter is ready for use?**

 A: Once plugged in, wait a few seconds for the adapter to be ready.

- **Q: Can I use this adapter with any type of Ethernet cable?**

  A: To achieve peak performance, it is recommended to use Cat5e or higher Ethernet cables.

- **Q: What should I do if I encounter issues with the product?**

  A: Do not attempt to repair or modify the device. Contact customer service for assistance.

Documents / Resources

	tp-link UE302C USB to Ethernet Network Adapter [pdf] User Guide UE302C USB to Ethernet Network Adapter, UE302C, USB to Ethernet Network Adapter, Ethernet Network Adapter, Network Adapter

References

- 🔗 **TP-Link Australia - WiFi Networking Equipment for Home & Business**
- 🔗 **CE Regulatory Compliance | TP-Link**
- 🔗 **Regulatory Compliance | TP-Link**
- **User Manual**