


Tri-Lynx 00015 Lynx Leveler for RV Leveling Block User Guide

Home » Tri-Lynx » Tri-Lynx 00015 Lynx Leveler for RV Leveling Block User Guide 🖔



Contents

- 1 00015 Lynx Leveler for RV Leveling
- **Block**
- **2 WHAT'S NEXT**
- **3 SAFETY TIPS:**
- **4 TANDEM AXLE RVS:**
- **5 STABILIZING:**
- 6 Documents / Resources
 - **6.1 References**

00015 Lynx Leveler for RV Leveling Block





USER INSTRUCTIONS, WARRANTY INFORMATION AND REGISTRATION LOOK FOR THE ORANGE LOOK FOR LYNX"



https://qr1.be/6NYR

WHAT'S NEXT



Access video instructions on by scanning the QR code or visiting HOWTOLEVEL.com





Register for a by scanning the QR code or visiting TRILYNX.com



https://qr1.be/6NYR

SAFETY TIPS:


- Position products while engine is off and vehicle is stopped.
- Ensure all people and pets are standing clear of vehicle prior to moving onte stack of Lynx Levelers®

- Never crawl under vehicle when Lynx Levelers® are in use.
- We recommend when using Lynx products to not combine with other materials such as rocks, wood, glass, cement, or any other products that are not from the Lynx product line up.

TANDEM AXLE RVS:

- 1. SELECT a suitable flat parking area. Park your RV in the exact position it will be once it's level. Remove any large stones or debris that will be directly under Lynx Levelers'.
- 2. TURN off engine and set parking brake.
- 3. DETERMINE which wheels need to be raised.
- 4. STACK your Lynx Levelers" directly next to the tires that you need to raise. Make two pyramids rather than one big stack so you have lots of Lynx Levelers® left over for stabilizing.
- 5. PULL your rig forward so the back tire is just ahead of your front pyramid.

6.




SLIDE your leveler pyramids forward so they're in line with the tires.

7. NOW roll 'er back. Note that it'll feel a bit bumpy before you're sitting pretty on your stacks.

If you're using a Lynx Stop 'N Chock' it will stop you in your tracks so you'll know for sure when you're perched perfectly.

But please, for safety's sake, go slow when you're backing up.





PRO TIPS:

Place a Lynx Stop 'N Chock® wheel chock on your rear pyramid. That way, you'll have some backing and know when to stop as you roll onto your pyramids.

You can also place a Lynx Cap* onto the center of your pyramids for a smooth, flat surface for your tires to rest on. To finish off your leveling job, apply your second Lynx Stop 'N Chock'® to your front pyramid and your tires are locked in place.

SINGLE AXLE RVS:

FOLLOW the same steps on the previous pages but instead of two pyramids, only build one.



DUAL WHEEL RVS:

FOLLOW the same steps on the previous pages but instead of two pyramids back-to-back you're stacking them side-by-side.

Note: we recommend both wheels have their own pyramid.



One block will raise your RV 1.5 inches, but when interlocking another leveling block to the stack or pyramid it will add 1 more inch. We recommend not stacking your levelers higher than 5 blocks (5.5 Inches).



STABILIZING:

- 1. ENSURE your RV is leveled and secure.
- 2. PLACE your stack of Lynx Levelers®. right underneath your landing gear

3. LOWER your lancing gear until it is firmly pressing against your Lynx Levelers'.

PRO TIP:

Use a Lynx Cap® leveler top for a smooth flat surface on the top of the stack.





Warranty Registration is available online at trilynx.com

All Lynx Levelers® and stabilizing products must be registered online at <u>trilynx.com</u> within 21 days of purchase to validate any claim.

Please refer to trilynx.com for all product warranty details.

WARRANTY COVERAGE


Should any products bought, sold or distributed by Tri-Lynx Corporation fail to perform as described or have manufacturing defects and fall within its warranty coverage period, Tri-Lynx will replace the item upon the terms described on our warranty page located at trilynx.com



LYNX® ® LEVELERS

The ORIGINAL RV leveling system since 1992.

Lynx Levelers' leveling blocks are designed to withstand tremendous weight for most leveling or Stabilizing functions.



LYNX ® STOP 'N CHOCK™

Lynx Stop 'N Chock' wheel chock is designed to interlock with Lynx Levelers leveling blocks as a Self-positioning wheel guide, and as a stabilizing wheel chock.



LYNX ® CHOCK 'R DOCK™

Lynx Chock 'R Dock" wheel chock will never sit idle. The two-in-one accessory adds safety and stability to your rig using it as a wheel chock or a tongue dock.



LYNXCAP®

LynxCap' Leveler Tops are designed to give your pyramid or stack of Lynx Levelers* a flat top for easier Stabilization and leveling.



LYNX **B** LIL' CHOCK™

Lynx Lil' Chock" is a small but mighty chock made from the same material and design as our other wheel chocks.



LYNX BOAT TRAILER PACK ™

Everything you need to stabilize, store, and drain your boat trailer. Includes:

- 4 Lynx Levelers* leveling blocks,
- 2 Lynx Chock 'R Dock" wheel chocks
- 1 LynxCap' leveler top
- 1 Lynx Stay-Put Plug Holder"
- 1 Lynx Blue Bag" for storage





All the Lynx® extras you need for leveling and stabilizing. Includes:

- 2 Lynx Stop 'N Chock" wheel chocks
- 4 LynxCap' leveler tops
- 1 Lynx Biue Bag" for storage



DON'T FORET TO REGISTER YOUR WARRANTY! CHECK OUT OTHER PRODUCTS AT TRILYNX.COM



Documents / Resources



<u>Tri-Lynx 00015 Lynx Leveler for RV Leveling Block</u> [pdf] User Guide 00015 Lynx Leveler for RV Leveling Block, 00015, Lynx Leveler for RV Leveling Block, Leveling Block, Leveling Block, Block

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.