



Trimble TSC5 Data Controller User Guide


[Home](#) » [Trimble](#) » Trimble TSC5 Data Controller User Guide

Contents [[hide](#)]

- [1 Trimble TSC5 Data Controller](#)
- [2 In the box](#)
- [3 PARTS OF THE TRIMBLE TSC5 CONTROLLER](#)
- [4 INSTALL MicroSIM CARD \(OPTIONAL\)](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Trimble


Trimble TSC5 Data Controller



In the box

- Trimble ® TSC5 controller
- AC power supply with regional plugs and USB-C port
- USB-C to USB-C cable for charging and data transfer
- Screen protector
- Capacitive stylus with tether, 2 extra stylus tips
- Philips #1 screwdriver
- Handstrap
- Protective pouch
- Quick Start Guide


PARTS OF THE TRIMBLE TSC5 CONTROLLER



1. Ambient light sensor
2. Android keys
3. Microphone (x2)
4. Function keys (F1-F3, F4-F6)
5. OK key & directional keys
6. CAPS lock LED
7. Battery charging LED
8. Power button
9. Shift LED
10. LEDs left to right: Fn, Ctrl, Search
11. Speakers (x2)
12. Agr LED
13. Function keys (F7-F12)
14. Cursor lock LED
15. Stylus tether points
16. Stylus holder
17. Pole mount latches (x2)
18. Handstrap connector points (x4)
19. Gore vent. DO NOT COVER!
20. Camera & camera flash
21. Trimble EMPOWER module bay
22. Cover for optional battery pack & SIM card slot
23. USB-C port, the bottom of device under port cover


INSTALL MicroSIM CARD (OPTIONAL)

- Remove the cover to access the SIM card slot.




TETHER THE STYLUS, STORED IN THE STYLUS HOLDER

- There is a stylus tether on the left and on the right of the device.




INSTALL THE SCREEN PROTECTOR




ATTACH THE HAND STRAP


- The hand strap can be attached to the left or right side of the device.



CHARGE THE BATTERY FOR 3.5 HOURS



TURN ON AND SET UP THE TSC5 CONTROLLER



Documents / Resources

	Trimble TSC5 Data Controller [pdf] User Guide TSC5, Data Controller
	Trimble TSC5 Data Controller [pdf] User Guide TSC5, Data Controller, TSC5 Data Controller