

Turbosound 1,000 Watt Powered Column Loudspeaker User Manual

Home » Turbosound » Turbosound 1,000 Watt Powered Column Loudspeaker User Manual





iNSPIRE
iP1000
1,000 Watt Powered Column Loudspeaker with a
Dual 8" Subwoofer, 9 Neodymium Drivers,
KLARK TEKNIK Spatial Sound Technology,
Digital Mixer, Reverb, Remote Control via

- Modular column loudspeaker for portable PA applications and high-quality music playback
- KLARK TEKNIK's revolutionary SST (Spatial Sound Technology) for creating 3D acoustic environments
- · Extremely wide sound dispersion provides consistent sound to the audience and performers
- 1,000 Watt power, multi-channel KLARK TEKNIK Class-D technology
- 3 channel digital mixer with gain setting recall
- · Studio-grade stereo reverb adds a finishing touch to your sound
- Comprehensive remote control via Apple iPhone/iPad*
- High-quality Bluetooth* stereo audio streaming
- · DSP presets for application type and speaker positioning
- Intuitive single rotary control user interface with LCD display for ease of navigation
- 2 x 8" high excursion low-frequency drivers for low distortion sub-bass response
- 8 x 2.75" neodymium drivers for clean midrange and high-frequency reproduction
- Horn-loaded super-tweeter extends the high-frequency range and throw
- Precision-lock, aluminum array the system eliminates speaker stands and cables

Although we refer to it as a "column" loudspeaker, the INSPIRE iP1000 delivers the powerful, high-quality sound and optimized dispersion inspired by our award-winning line array products — in a surprisingly lightweight and easy to use, all-in-one form factor. Thanks to an on-board 3-channel digital mixer and multichannel 1,000-Watt Class-D amplifier driving a custom-engineered dual 8" subwoofer, 8 x 2.75" neodymium drivers, and a horn-loaded super tweeter, the iP1000 is ideally suited for small to medium-sized performance venues, houses of worship, boardroom presentations, nightclubs, and much more.



The iP1000 is lightweight: only 24.8 kg (54.7 lbs) and features industry-leading KLARK TEKNIK Digital Sound Processing (DSP), studio-grade stereo reverb, Class-D amplifier, and Spatial Sound technologies – plus convenient Bluetooth stereo audio streaming and iPhone/iPad remote control.

iNSPIRE iP1000


1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

• Roadworthy birch plywood enclosure with hard wearing semi matt black paint finish

- · Rugged powder-coated perforated steel mesh grille
- Integral ergonomic carrying handles for ease of portability
- 10-Year Warranty Program*
- · Designed and engineered in the U.K.

*Apple, iPhone, and iPad are trademarks of Apple Inc. The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks is under license. All third-party trademarks are the property of their respective owners. Their use neither constitutes a claim of the trademark nor affiliation of the trademark owners with MUSIC Tribe. Product names are mentioned solely as a reference for compatibility, effects, and/or components. Warranty details can be found at music tri. be.

Tiny PA - 1,000 Watts of Perfect Sound



Designed for maximum portability, iP1000's column fits neatly into the shoulder bag (available separately), and setup is fast and easy; just attach the column to the base and connect your mic, or mixer feed, and power. Three channels of our revolutionary Class-D amplifier technology provide 1,000 Watts of incredible sonic performance in an easy-to-use, ultra-portable, and lightweight package. This amazing technology makes it possible to design and build extremely powerful products that are significantly lighter in weight than their traditional counterparts while using less energy and protecting the environment. The lightweight Switch Mode Power Supply, coupled with an industry-leading DSP module, provides dynamic equalization and sophisticated limiting functions to ensure optimal performance and long-term reliability. The powerful iP1000 fills the room with the world-famous TURBOSOUND "sound" that has won the coveted Queen's Award – an unprecedented three times.

Portable iNSPIRE iP1000

Contents [hide

- 1 Outstanding Sound Dispersion
- 2 KLARK TEKNIK Inspired Technology
- 3 DSP the Secret to Superb Sound
- **4 Custom-Engineered Drivers**
- 5 Built-in Digital Mixer Comprehensive Remote Control
- **6 Sweet Sound of Reverb**
- 7 Bluetooth Ready
- 8 Stunning Performance Superb Value
- 9 Frequency Response Sensitivity 1 W / 1 mHorizontal Beamwidth
- 10 Horizontal Polar Plots
- 11 Dimensions
- **12 Technical Specifications**
- 13 Technical Specifications
- 14 Documents / Resources
 - 14.1 References
- **15 Related Posts**

Outstanding Sound Dispersion



Much like the huge line array systems you've experienced at concerts and outdoor festivals (we make those too), the 2.75" neodymium midrange / extended high-frequency drivers in the iP1000 columns are strategically placed to provide up to a 120° horizontal dispersion pattern. Such wide coverage eliminates the need for monitor wedges for the performers and creates a more even, sonically balanced soundscape that covers the entire room. By taking advantage of the arrival-time differential between sound waves reaching the left and right ears, iP1000's groundbreaking Spatial Sound Technology (SST) creates a wide, well-defined virtual 3-D acoustic environment, enveloping the listener in a rich and more realistic experience. No matter where you sit, the location of the onstage voices and instruments are perceived in their rightful position within the soundscape, for a performance that is beautifully open and transparent – with unparalleled intelligibility.

KLARK TEKNIK - Inspired Technology



KLARK TEKNIK is recognized worldwide as one of the most prestigious British audio companies, with a 40-year pedigree and even a TEC Lifetime Achievement Award to back it up. The Company has designed and manufactured products for world-class artists, and their legendary DN780 reverb processor is considered by leading audio engineers around the world as the industry standard. Check out their website to learn more about KLARK TEKNIK's legendary heritage.

TURBOSOUND is proud to incorporate custom-engineered KLARK TEKNIK Class-D amplifier and DSP technologies into their products.

DSP - the Secret to Superb Sound



From the instant your signal enters the iP1000, the built-in DSP takes over ensuring the highest possible signal integrity. Much more than just selective EQ enhancement, the 24- bit processor analyses the incoming signal and intelligently applies specific filters to actually improve the sound quality. It's like having an audio engineer monitoring the input and output signals, dialing in the perfect EQ, and constantly making subtle adjustments to the crossover, compressor/limiter, three discrete amplifier channels, and more – all of which adds up to the significantly better sound.

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Custom-Engineered Drivers



Our speakers are designed specifically for each application – it's what sets us apart from the competition. When you buy a TURBOSOUND speaker system, you can rest assured that the speakers inside have been engineered to perform flawlessly in conjunction with every other element for truly professional results.

Built-in Digital Mixer – Comprehensive Remote Control

The iP1000 features a fully addressable onboard digital mixer with two combo jack/XLR connectors that accept balanced and unbalanced connections for dynamic mics and line-level instruments. The simple and intuitive user interface consists of a single rotary push-encoder with Process, Setup, Exit, and Enter function buttons. A beautifully backlit LCD display controls DSP functions including mixer parameters, 3 band EQ, and presets. All settings can be controlled locally, or via free downloadable iPhone/iPad apps — and locked down to prevent unauthorized access.

We take Bluetooth a step further, giving you total control of the iP1000 directly from your iPhone or iPad. This amazing feature lets you adjust all settings from either the listening area or the stage, for the perfect sound every time. The dedicated apps are available free of charge at turbosound.com, or from the Apple App Store.



If your iP1000 is used mainly for speeches and presentations, you may not need it – but if you plan to perform on a musical instrument or sing, you will probably want to add some effects. So, we have included a great-sounding digital Reverb processor to help sweeten your sound. This easy-to-use, studio-grade vocal effect provides the perfect finishing touch, giving your performance a dash of professional polish.



Portable iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Bluetooth Ready

The days of tape decks, CD, and even mp3 players are long gone. Now your music lives on your smartphone or computer tablet, so you can stop searching for those outdated cables and fancy adapters. An industry first, the iP1000 puts all your music at your fingertips via stereo Bluetooth. Now with a simple wave of your hand, you can stream music from any Bluetooth-equipped iOS device, such as your iPad, iPod touch, iPhone – or even your laptop computer.



Stunning Performance – Superb Value

The INSPIRE iP1000 active PA loudspeaker stands head and shoulders above the rest of the pack and delivers exceptional performance, even when pushed to the limit. Ultra-lightweight and powerful with custom-designed transducers, an integrated mixer, stereo Bluetooth streaming, iPhone/iPad remote control, 1,000 Watts of Class-D output power, and Digital Sound Processing, the iP1000 is ideal for both portable and installed applications – at a price unheard of in this class. Experience the iP1000 at your local dealer today, or get yours online today – and let TURBOSOUND take your performance to the next level!




You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Tribe factory using state-of-the-art automation, enhanced production workflows, and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous Warranty program.




iNSPIRE iP1000

Frequency Response Sensitivity 1 W / 1 m





Horizontal Beamwidth





iNSPIRE iP1000


Horizontal Polar Plots














Portable iNSPIRE iP1000

Dimensions







iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Technical Specifications

System		
Frequency Response	50 Hz – 20 kHz ±3 dB 43 Hz – 20 kHz -10 dB	
Nominal Dispersion	120° H @ -6 dB points	
Maximum SPL	122 dB	
Crossover type	4 way, active and passive	
Transducers	2 x 8" (208 mm) LF drivers 8 x 2.75" (70 mm) MF drivers 1 x 1" (25 mm) HF compression driver	
Limiter	Independent HF, LF	
Amplifier	1	

Maximum output power*	1000 W	
Туре	Class-D	
Protection	Short circuit, open circuit, thermal	
Amplifier channels	3	
Connectors		
Input A / B	2 x combo jack / XLR	
Sensitivity	4 dBu, nominal	
Input impedance	16 kΩ unbalanced, 33 kΩ balanced	
Maximum input level	+22 dBu	
Link output	XLR	
Mains supply	IEC mains connector with integrated power switch†	
Controls		
Hardware	Rotary push-encoder	
Software	iOS interface via Bluetooth	
User DSP Functions		
Factory EQ presets	Positioning, sound mode	
Display	LCD 128 x 32, blue, backlit	
Equalisation	Bass, middle and treble	
Reverb	KLARK TEKNIK design	
Protection	Lock-out function for all settings	
Bluetooth Wireless Technology		
Frequency range	2402 MHz ~ 2480 MHz	
Channel number	79	
Version	Bluetooth 4.0 dual-mode	
Output	8 dBm	
Compatibility	Supports A2DP 1.2, AVRCP 1.4 profile	
Maximum communication range	30 m (without interference)	
Connectivity	Master-slave: stereo pairing link	
	1	

KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Technical Specifications

Power Supply		
Power consumption	110 W @ 1/8 max power	
Voltage (fuses) USA / Canada / Japan	100-120 V~, 50/60 Hz (T 6.3 A H 250 V)	
UK / Australia / Europe	220-240 V~, 50/60 Hz (T 3.15 A H 250 V)	
Korea / China	220-240 V~, 50/60 Hz (T 3.15 A H 250 V)	
Enclosure		
Dimensions (H x W x D)	1955 x 262 x 370 mm (77.0 x 10.3 x 14.6")	
Base	655 x 262 x 370 mm (25.8 x 10.3 x 14.6")	
Tower	1345 x 103 x 89 mm (53.0 x 4.0 x 3.5")	
Net weight	24.8 kg (54.7 lbs)	
Construction, base	15 mm (5/8") birch plywood	
Construction, tower	Aluminum alloy	
Finish	Semi-matte black paint	
Grille	Powder-coated perforated steel	

^{*}independent of limiters and driver protection circuits

†Only qualified personnel are allowed to modify the AC-Main cord and to adhere to all applicable national standards.

INSPIRE

iP1000



iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



iNSPIRE iP1000

Streaming



iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



iNSPIRE iP1000

Streaming



iNSPIRE iP1000


1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



iNSPIRE iP1000



iNSPIRE iP1000





For service, support or more information contact the TURBOSOUND location nearest you:

Europe

MUSIC Tribe Brands UK Ltd. Tel: +44156 273 2290

Email:

CARECrea@music-group.co

<u>m</u>

CAREEnte@music-

group.com

CARELife@music-group.com

USA/Canada

MUSIC Tribe Commercial NV Inc.

Tel: +1 702 800 8290

Email:

CARECrea@music-group.com CAREEnte@music-group.com CARELife@music-group.com

Japan

MUSIC Tribe Services JP K.K.

Tel: +81 3 6231 0453

Email:

CARECrea@music-group.com CAREEnte@music-group.com CARELife@music-group.com

MUSIC Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly on or in part upon any description, photograph, or statement contained herein.

Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK,

LAB GRUPPEN, LAKE, TANNOY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and COOLAUDIO are trademarks or registered trademarks of MUSIC Tribe Global Brands Ltd. © MUSIC Tribe Global Brands Ltd. 2018 All rights reserved.



Documents / Resources



<u>Turbosound 1,000 Watt Powered Column Loudspeaker</u> [pdf] User Manual 1000 Watt Powered Column Loudspeaker Dual 8 Subwoofer 9 Neodymium Drivers, iNSPIRE, i P1000

References

- Group Publishing
- <u>Turbosound | Home</u>

Manuals+, home privacy