



HG11449D-1 Bungee Cord Set



ULTIMATE SPEED HG11449D-1 Bungee Cord Set Instruction Manual

[Home](#) » [ULTIMATE SPEED](#) » [ULTIMATE SPEED HG11449D-1 Bungee Cord Set Instruction Manual](#) 

Contents

- [1 ULTIMATE SPEED HG11449D-1 Bungee Cord Set](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Frequently Asked Questions](#)
- [5 Introduction](#)
- [6 Intended use](#)
- [7 Description of parts](#)
- [8 Technical data](#)
- [9 Scope of delivery](#)
- [10 Safety instructions](#)
- [11 Cleaning and maintenance](#)
- [12 Warranty](#)
- [13 Service](#)
- [14 Documents / Resources](#)
 - [14.1 References](#)
- [15 Related Posts](#)



ULTIMATE SPEED HG11449D-1 Bungee Cord Set



Specifications

- **Model No.:** HG11449D-1, HG11449D-2, HG11449D-3
- **Version:** 06/2024
- **IAN:** 451291_2310

Product Information

BUNGEE CORD SET

Introduction: The bungee cords are designed for \fastening and securing light objects such as rain protection, small parts, clothes on luggage carriers, camping gear, and more. It is essential not to exceed the maximum load capacity to prevent injuries or product damage.

Description of Parts:

- [1] Elastic band
- [2] Hooks

Technical Data:

Model No.	Length	Max. Usable Length	Max. Tensile Load	Colour
HG11449D-1	40 cm	65 cm	120 N	Orange
HG11449D-2	60 cm	90 cm	120 N	Green
HG11449D-3	80 cm	140 cm	120 N	Red

Scope of Delivery:

- 2 x Bungee cord, 40 cm
- 2 x Bungee cord, 60 cm
- 1 x Bungee cord, 80 cm
- 1 x Instruction manual

Product Usage Instructions

Safety Instructions:

- Keep all safety advice and instructions for future reference.
- Avoid leaving children unattended with the packaging material as it poses a risk of suffocation.
- Ensure bungee cords are undamaged and hooks are secured well to prevent injuries.
- Avoid using damaged bungee cords or exceeding the maximum load capacity.
- Avoid using bungee cords to hoist loads or secure heavy\ loads.

Methods of Fixing and Risks:

Warning: Bungee cords may slip away during \braking or in strong winds. Perform a brake test to prevent previously fastened luggage from loosening and causing accidents.

Frequently Asked Questions

- **Q: Can I use the bungee cords for heavy loads?**
 - **A:** No, the bungee cords are not intended for securing heavy loads. Do not exceed the maximum load capacity specified for each model.
- **Q: Is it safe to use damaged bungee cords?**
 - **A:** No, never use damaged bungee cords as they can compromise safety and function. Replace damaged cords immediately.
- **Q: What is the recommended use of bungee cords?**
 - **A:** The bungee cords are designed for fastening light objects such as rain protection, clothes, and camping gear. Always follow the safety instructions provided in the manual.

Introduction

We congratulate you on the purchase of your new product. You have chosen a high quality product. Familiarise yourself with the product before using it for the first time. In addition, please carefully refer to the operating instructions and the safety advice below. Only use the product as instructed and only for the indicated field of application. Keep these instructions in a safe place. If you pass the product on to anyone else, please ensure that

you also pass on all the documentation with it.

Intended use

The bungee cords are intended for the fastening and securing of light objects. For example:


- Fixation of rain protection over secured luggage.
- Nets for fixation of small parts on secured container (foliage, paper, foil etc.).
- Fixation of clothes on bicycle luggage carrier or trailer.
- Fixation of article in camping area (tent and porch).
- Fixation of rain protection at home and garden.

Do not exceed the maximum load capacity.

Any use other than previously mentioned or any product modification is prohibited and can lead to injuries and/or product damage. The manufacturer is not liable for any damages caused by any use other than for the intended purpose. The product is not intended for commercial use.

Description of parts

1. Elastic band
2. Hooks



Technical data

Model no.	Length	Max. usable length	Max. tensile load	Colour
HG11449D-1	40 cm	65 cm	120 N	Orange
HG11449D-2	60 cm	90 cm	120 N	Green
HG11449D-3	80 cm	140 cm	120 N	Red

Scope of delivery

Check the delivery for completeness and condition of the product immediately after opening and ensure all parts are included.

- 2 x Bungee cord, 40 cm
- 2 x Bungee cord, 60 cm
- 1x Bungee cord, 80 cm
- 1 x Instruction manual

Safety instructions

KEEP ALL THE SAFETY ADVICE AND INSTRUCTIONS IN A SAFE PLACE FOR FUTURE REFERENCE!

General safety instructions

WARNING! DANGER TO LIFE AND RISK OF ACCIDENTS FOR

INFANTS AND CHILDREN! Never leave children unattended with the packaging material. The packaging poses a risk of suffocation and danger of life due to strangulation. Children often underestimate this danger. Always keep children away from this product. This product is not a toy.

- CAUTION! The bungee cords are not suitable for attaching to all vehicle types.
- CAUTION! RISK OF INJURY! Ensure that all bungee cords are undamaged and hooks have been secured well. Damaged bungee cords and loose hooks can affect safety and function.
- Always turn your head and body away when fastening objects with the bungee cords. The bungee cords could slip out of your hands and snap back. Injuries may result from rebounding hooks.
- CAUTION! Do not use bungee cords for load securing!
- CAUTION! The bungee cords are not intended to secure heavy loads. Do not exceed the maximum load capacity. Never extend the bungee cords beyond their maximum length of extension.
- CAUTION! RISK OF INJURY! Never use damaged bungee cords. Do not use the bungee cords to hoist loads. WARNING! Bungee cords are ideal to tying fluttering tarpaulins. Do not use to secure the load!

Methods of fixing, outlined possible risks

WARNING! Please observe that the bungee cords may slip away when braking and in strong wind. We therefore recommend performing a brake test. Previously fastened luggage may otherwise loosen. Loose luggage may fall onto the roadway and lead to accidents. Death, injuries and/or property damage may result.

- CAUTION! RISK OF INJURY! Do not overexpand the bungee cords. The bungee cords could tear and snap back. When stretched, the bungee cords may rebound and snap back with considerable force.
- Care should be taken that the face or other vulnerable body parts are kept away from a potential rebound of the bungee cords.



- Always ensure the hooks are properly secured. Hooks should be firmly held and securely fastened.
- Do not place the bungee cords over sharp corners and edges. Product damage may result.
- Large items should be additionally secured against wind load.

- Bungee cords are not ropes. Never use the bungee cords to secure loads on cars without additional solid fastenings.
- Do not join or knot the bungee cords together!
- Do not attempt to change or bend the fixing hooks.

Cleaning and maintenance

- Clean this product with a dry, lint-free cloth.

Disposal

The packaging is made entirely of recyclable materials, which you may dispose of at local recycling facilities. Contact your local refuse disposal authority for more details of how to dispose of your worn-out product.

Warranty

The product has been manufactured to strict quality guidelines and meticulously examined before delivery. In the event of material or manufacturing defects you have legal rights against the retailer of this product. Your legal rights are not limited in any way by our warranty detailed below. The warranty for this product is 3 years from the date of purchase. The warranty period begins on the date of purchase. Keep the original sales receipt in a safe location as this document is required as proof of purchase. Any damage or defects already present at the time of purchase must be reported without delay after unpacking the product. Should the product show any fault in materials or manufacture within 3 years from the date of purchase, we will repair or replace it – at our choice – free of charge to you. The warranty period is not extended as a result of a claim being granted. This also applies to replaced and repaired parts. This warranty becomes void if the product has been damaged, or used or maintained improperly. The warranty covers material or manufacturing defects. This warranty does not cover product parts subject to normal wear and tear, thus considered consumables (e.g. batteries, rechargeable batteries, tubes, cartridges), nor damage to fragile parts, e.g. switches or glass parts.

Warranty claim procedure

To ensure quick processing of your case, please observe the following instructions:

Please have the till receipt and the item number (IAN 451291_2310) available as proof of purchase. You will find the item number on the rating plate, an engraving, on the front page of the instructions for use (bottom left), or as a sticker on the rear or bottom of the product. If functional or other defects occur, please contact the service department listed either by telephone or by e-mail. You can return a defective product to us free of charge to the service address that will be provided to you. Ensure that you enclose the proof of purchase (till receipt) and information about what the defect is and when it occurred.

Service

Service Great Britain

- Tel.: 08000569216
- E-Mail: owim@lidl.co.uk

Model: HG11449D-1 Ø 10 mm, length: 40 cm Permissible tensile force: 120 N

- Fasten light items only.
- Consider additional forces (wind, braking, uplift).
- Never use damaged bungee cords!
- Pull the bungee cords tight but do not overload them.
- The bungee cords are not intended to be the only method of attaching and securing loads on vehicles.

OWIM GmbH & Co. KG

Stiftsbergstraße 1

74167 Neckarsulm

GERMANY

Model: HG11449D-2 Ø 10 mm, length: 60 cm Permissible tensile force: 120 N

- Fasten light items only.
- Consider additional forces (wind, braking, uplift).
- Never use damaged bungee cords!
- Pull the bungee cords tight but do not overload them.
- The bungee cords are not intended to be the only method of attaching and securing loads on vehicles.

OWIM GmbH & Co. KG

Stiftsbergstraße 1

74167 Neckarsulm

GERMANY

Model: HG11449D-3 Ø 10 mm, length: 80 cm Permissible tensile force: 120 N

- Fasten light items only.
- Consider additional forces (wind, braking, uplift).
- Never use damaged bungee cords!
- Pull the bungee cords tight but do not overload them.
- The bungee cords are not intended to be the only method of attaching and securing loads on vehicles.

OWIM GmbH & Co. KG

Stiftsbergstraße 1


74167 Neckarsulm

GERMANY



- www.lidl-service.com

Documents / Resources

	<p>ULTIMATE SPEED HG11449D-1 Bungee Cord Set [pdf] Instruction Manual HG11449D-1, HG11449D-1 Bungee Cord Set, Bungee Cord Set, Cord Set, Set</p>
---	--

References

- [User Manual](#)

Manuals+. [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.