




UNI-T UT600 Series Inductance Capacitance Meters Owner's Manual

[Home](#) » [UNI-T](#) » UNI-T UT600 Series Inductance Capacitance Meters Owner's Manual 

UNI-T UT600 Series Inductance Capacitance Meters Owner's Manual



UT600 series digital inductance capacitance meters are used to test resistors, capacitors and inductors. They can also be used to measure transistor parameters. These meters can be used to check electronic components in labs, production lines, maintenance facilities and schools.



Specifications	Range	UT601	UT603
Certificates	CE, UKCA		
Resistance (Ω)	20 Ω /200 Ω /2k Ω /20k Ω /200k Ω /2M Ω /20M Ω /200M Ω /2000M Ω 200 Ω /2k Ω /20k Ω /200k Ω /2M Ω /20M Ω	$\pm(0.8\%+1)$	$\pm(0.8\%+1)$
Capacitance (F)	200pF/2nF/20nF/200nF/2uF/20uF/200uF/2mF/20mF 2nF/20nF/200nF/2uF/20uF/200uF/600uF	$\pm(0.5\%+10)$	$\pm(1\%+5)$
Inductance (H)	2mH/20mH/200mH/2H/20H		$\pm(2\%+8)$
Display count		2000	2000

Contents

- [1 Features](#)
- [2 Characteristics](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

Features

- Manual range
- Continuity buzzer
- Diode/transistor
- Low battery indication

Characteristics

Standard accessories	Battery, test leads with alligator clips, holster, English manual
Power	9V battery (6F22)
Display	61 x 32 mm
Product size	172 x 83 x 38mm
Product net weight	UT601: 310g, UT603: 312g
Standard individual packing	Gift box
Standard quantity per carton	20pcs
Standard carton measurement	450 x 330 x 340mm (0.099CBM per standard carton)
Standard carton gross weight	9.6kg



Documents / Resources

	UNI-T UT600 Series Inductance Capacitance Meters [pdf] Owner's Manual UT600 Series Inductance Capacitance Meters, UT600, Series Inductance Capacitance Meters, Inductance Capacitance Meters, Capacitance Meters
--	---