



Home » Unilite » UNILITE SLR-1750 LED Folding Portable Work Task Light Owner's Manual



Contents [hide]

- 1 UNILITE SLR-1750 LED Folding Portable Work Task Light
- **2 PRODUCT FEATURES**
- 3 ADVICE & IMPORTANT INFORMATION
- **4 OPERATING INTRUCTIONS**
- **5 RECHARGING**
- 6 Frequently Asked Questions
- 7 Documents / Resources
 - 7.1 References



UNILITE SLR-1750 LED Folding Portable Work Task Light



PRODUCT FEATURES

- Super high power 1750 lumen white COB LED, 6500k
- With Red LED modes for emergency / signalling / night vision
- Built-in USB power bank with multiple intelligent outputs 5V-3A/9V-2A/12V-1A
- Super tough copolymer and aluminum construction
- · Glow-in-the-dark strip around reflector for extra visibility
- 180° rotating handle/stand with carabiner snap hook
- Strong magnets within the stand
- IPX5 water resistant
- Super high power 'LG' 10,400mAh li-ion battery
- Battery level and charging indicator LEDs
- Faster 4 or 4.5 hour USB-C charging with multiple inputs 5V-3A/9V-2A
- 3.2ft high quality USB-C cable included

BATTERY – 3.7v 10400mAh Li-ion Rechargeable Battery WEIGHT – 21.1oz **DIMENSIONS** – folded 4 x 6.2 x 2.1in extended 4 x 10.5 x 1.8in


ADVICE & IMPORTANT INFORMATION

- LEDs will become hot when switched on; do not touch and never place face down on any surface – risk of fire! Even once the lamp has been switched off, DO NOT place face down as the LED/Lens will stay hot/warm for a while.
- Do not look directly at LEDs.
- Do not operate in direct sunlight or extreme temperature conditions (below 4°F or above 140°F).
- Do not use the device if there is any visible damage.
- Take care when using a USB plug adaptor, check for any damage. DO NOT exceed the stated charging inputs or damage may occur to the battery.
- New rechargeable batteries will reach full performance after a few complete charging and discharging cycles.
- To keep rechargeable batteries in optimum condition, they should be recharged every 3-6 months, especially if it is not being used for a long period of time.
- Always fully charge batteries before storage.
- Always protect lithium batteries from heat, intense sunlight, fire, water and moisture –

danger of explosion!

- If a battery is damaged, fluids can leak out. AVOID contact as this can lead to skin
 irritation and/or burns. If skin contact occurs, rinse thoroughly with water. If irritation
 persists, seek medical advice. Seek immediate medical assistance if lithium battery
 fluid comes into contact with the eyes.
- Children under 12 years of age should only use the product under adult supervision.
- Do not open, disassemble or attempt to modify the product; this will void the warranty and can be dangerous. Improper use or modification is not covered under the warranty.
- Take care to avoid lenses coming into contact with hard/sharp objects, damage or scratches on lenses will affect light output.
- This product is water resistant to IPX5 DO NOT SUBMERGE. If the product has been subjected to excessive moisture/water the warranty may be void.
- Please recycle packaging responsibly.
- Keep these instructions for future reference or for subsequent possessors.

ANSI FL1 Standard



OPERATING INTRUCTIONS

- Press the button on the side of the lamp to activate.
- When ON in either White or Red mode, press and HOLD the button to change to the other mode. Mode Sequence:-
- WHITE: Super Bright > High > Medium > Low > Off
- RED: High > Flash > Off

[If left ON in any mode for over 3 seconds, the next press will turn off]



RECHARGING

- 1. Only use a USB-C charging cable.
- 2. Lift the charging port cover on the top of the lamp.
- 3. Plug the USB-C end of the cable into the USB-C charge port.
- 4. Plug the USB-A end of the cable into a USB charging port (do not exceed 5V-3A or 9V-2A charging input or damage may occur to the internal battery).
- 5. 4 x Blue LEDs will flash to indicate charging. Once fully charged all LEDs will light up constantly.
- 6. Charge Time: 5V-3A = 4 hours or 9V-2A = 4.5 hours (lower Amp charging will take longer)

(PRODUCT CAN BE USED WHILE RECHARGING)

Warranty void if not used with the stated charger specifications



EU Responsible Contact:

Aspen Pumps France, 353 Allee des Vergers, 76360 Barentin

• Tel: +33 (0) 1 78 95 88 82

• Email: ventes@aspenpumps.com

www.unilite.co.uk

UNILITE

The LAB, Winyates Way, Redditch B98 9FG

• Tel: 01527 584344

• Email: support@unilite.co.uk

Frequently Asked Questions

Can I use a different charger to recharge the product?

No, using a charger other than the specified USB-C charger may void the warranty and damage the internal battery.

How do I know when the product is fully charged?

When all LEDs light up constantly, it indicates that the product is fully charged.

Documents / Resources



<u>UNILITE SLR-1750 LED Folding Portable Work Task Light</u> [pdf] Owner's

Manual

SLR-1750 LED Folding Portable Work Task Light, SLR-1750, LED Folding Portable Work Task Light, Folding Portable Work Task Light, Port able Work Task Light, Work Task Light, Task LightLight

References

- User Manual
- Unilite

Email

► Folding Portable Work Task Light, LED Folding Portable Work Task Light, Portable Work Task Light, SLR-1750, SLR-1750 LED Folding Portable Work Task Light, Task Light, Unilite, Work Task Light

Leave a comment

Your email address will not be published. Required fields are marked*

Comment *

Name

Website	
☐ Save my name, email, and website in this browser for the next time I comment.	
Post Comment	

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.