



# UNIONMAN UNR032H WiFi A6 CPE Wireless Access Solution Instruction Manual

[Home](#) » [UNIONMAN](#) » UNIONMAN UNR032H WiFi A6 CPE Wireless Access Solution Instruction Manual 

## Contents

- [1 UNIONMAN UNR032H WiFi A6 CPE Wireless Access Solution](#)
- [2 Product description](#)
- [3 Bill of materials:](#)
- [4 FCC STATEMENT](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



## UNIONMAN UNR032H WiFi A6 CPE Wireless Access Solution



## Product description

As an important part of smart Park, WiFi 6 CPE provides wireless access solutions for smart park equipment. WiFi 6 CPE supports IEEE802.11 ax protocol with a maximum wireless rate of 3000m. It supports 2.4G 2 x 2 and 5g 2 x 2. Support MU-MIMO


- Operating temperature: – 20 ° C to 60 ° C
- Storage temperature: – 40 to 70 ° C
- Working humidity: 10% to 90% GH, non condensing
- Storage temperature: 5% to 90% RH non condensing

## Bill of materials:

Serial number	Name	Number	Company
1	WIFI6 CPE	1	PCS
2	The power adapter	1	PCS
3	Installation accessories	1	PCS
4	Screw	1	PCS
5	Antenna (2.4G*2/5G*2)	4	PCS
6	Product manual	1	PCS

Part of the list above is for reference only, please refer to the real object

Front panel/ rear panel and side panel (thep1cture 1sforreference only,please refer to the real object)



### Indicator light description

1. Power on the equipment (not connected to the network) – the red light is always on
2. Networking success (normal operation) — blue light always on
3. Network off/ fault — red light always on

### FCC STATEMENT

- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two **conditions**:
  1. This device may not cause harmful interference.
  2. This device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio

frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna. m, Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

## FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.


## UNIONMAN TECHNOLOGY CO., LTD

No.5 Huitai Road, Huinan High-TechIndustrial Park, Huizhou, Guangdong,China 516025 , P.R.China

Tel:0086-752-5853999

<http://www.unionman.com.cn>

## Documents / Resources

	<p><a href="#">UNIONMAN UNR032H WiFi A6 CPE Wireless Access Solution</a> [pdf] Instruction Manual UNR032H, 2ATGV-UNR032H, 2ATGVUNR032H, UNR032H WiFi A6 CPE Wireless Access Solution, WiFi A6 CPE Wireless Access Solution</p>
--	--