

Unity Comp Series Mount Optic Mounts And Platforms Instruction Manual

Home » UNITY » Unity Comp Series Mount Optic Mounts And Platforms Instruction Manual



Contents

- 1 Comp Series Mount Optic Mounts And **Platforms**
- **2 Product Information**
- **3 INSTALLATION INSTRUCTION**
- 4 Documents / Resources
- **5 Related Posts**



Comp Series Mount Optic Mounts And Platforms



COMP SERIES MOUNT

The COMP SERIES MOUNT is a mount used for attaching accessories to a firearm. It comes with screws that need to be secured using a T25-bit driver. The mount is designed to be compatible with an optional ADM Quick Detach Lever (sold separately) that can be installed in place of the rail grabber. The installation instructions for the lever are included with the product.

It is important to note that over-torquing the fasteners can cause damage to the mount, and this damage will not be covered by warranty. Therefore, it is recommended to lightly snug all screws before applying final torque to any and not to exceed 25 IN-LBS. Also, it is important to use a compatible ADM QD Lever Kit with a proprietary nut (referenced in the image) available exclusively from Unity Tactical and their dealers. Using a standard ADM nut could damage the mount and void the warranty.


Product Usage Instructions

- 1. Attach the COMP SERIES MOUNT to the firearm using the provided screws and a T25-bit driver.
- 2. Lightly snug all screws before applying final torque to any. Do not exceed 25 IN-LBS.
- 3. If desired, install the optional ADM Quick Detach Lever in place of the rail grabber using the installation instructions provided with the lever.
- 4. When installing the ADM Quick Detach Lever, make sure to use a compatible ADM QD Lever Kit with a proprietary nut available exclusively from Unity Tactical and their dealers. Using a standard ADM nut could damage the mount and void the warranty.
- 5. After installation, ensure that the mount and lever are securely attached to the firearm before use.


INSTALLATION INSTRUCTION

WARNING: Over-torquing fasteners can damage your mount and will not be covered by warranty.

 Secure screws using a T25-bit driver. Lightly snug all screws before applying final torque to any. DO NOT EXCEED 25 IN-LBS.



2. Optional ADM Quick Detach Lever (sold separately) can be installed in place of the rail grabber. Installation instructions are included with a lever.



- Compatible ADM QD Lever Kit with proprietary nut (see reference image) available exclusively from Unity Tactical and their dealers.
- USING A STANDARD ADM NUT COULD DAMAGE YOUR MOUNT AND WILL VOID THE WARRANTY.



• ©Copyright 2021, UNITY Tactical. All Rights Reserved.

Documents / Resources



<u>Unity Comp Series Mount Optic Mounts And Platforms</u> [pdf] Instruction Manual Comp Series Mount Optic Mounts And Platforms, Comp Series Mount, Optic Mounts And Platforms, And Platforms

Manuals+,