Manuals+ — User Manuals Simplified.

Universal Electronics CKD 311168A00-00001 EOS PR3 w-Digits Remote

Universal Electronics CKD 311168A00-00001 EOS PR3 w-Digits Remote User Guide

Contents

Universal Electronics CKD 311168A00-00001 EOS PR3 w-Digits Remote

Product Information

Specifications:

- **Model:** EOS PR3 w-Digits
- **Manufacturer:** Universal Electronics Inc.
- **Part Numbers:** ACTIVATING RF, UE871TR13 (512K Flash/48K RAM/QFN32) AKA GP5072
- **Features:**
    - BLE connectivity
    - Voice control with single digital MEMs microphone
    - QS Cloud integration

Product Usage Instructions

Activating RF:
To initiate the pairing process, press and release the Mickey. Follow the on-screen instructions to complete the pairing.

Unpairing:
To unpair the device, press and hold the Quick Access Menu and Back keys simultaneously for six seconds.

Compliance Information:

- This device complies with FCC Rules and Regulations for Class B digital devices. It is designed to protect against harmful interference in residential installations.
- If interference occurs, users are advised to consult a professional for assistance. Any modifications to the

equipment without manufacturer approval may void the user's authority to operate the device.

Industry Canada User's Statement:
This device contains license-exempt transmitter(s)/receiver(s) in compliance with Innovation, Science and Economic Development Canada's regulations. Users must ensure that the device does not cause interference and must accept any interference received.

FAQ:

Q: What should I do if my device causes interference?
A: If your device causes interference, try repositioning it or consult a professional for assistance. Ensure that the device is not obstructed by other electronic devices.

PART

- EOS VALUE REMOTE PR3 – CKD 311168A00-00001
- EOS VALUE REMOTE PR3 – GTY R31168A00-00001
- EOS VALUE REMOTE PR3 – UVN R31168A00-00002

Description

1. Top Cover	5. IR Lens
6. Buttons and D-pad	2. Rear Cover
7. App Keys	4. Internal Housing
	3. Battery Cover
	8. PCB

ACTIVATING RF

- **Initial Pairing:** Press and release the Mic key to begin the pairing process.
- **Unpairing:** Press and hold the Quick Access Menu and Back keys for six seconds.

Features

- UE871TR13 (512K Flash/48K RAM/QFN32) AKA GP5072
- BLE
- Voice with single digital MEMs microphone
- QS Cloud

- Same cloud Comcast accesses today, and implemented by Comcast
    - TBD additional IRDB support for markets outside of North America
    - TBD additional QS cloud features/services
- Option in the battery compartment for 10-pin tag connection and 10-pin header
- 2 AAA batteries operation – designed for alkaline and HD batteries
- Single SMT IR diode
- PCB: Single-Sided, CEM-1 or FR1, Carbon Thru Hole, Wet Film
- Rubber keypad, with PU coating (all keys rubber)
    - 4 keys are allocated for syndication partners
- Metal domes under all 30 keys
- ABS plastic housing
- Available in white and black plastic finish
- Operating Temperature
    - 0°C to +50°C

COMPLIANCE WITH FCC RULES AND REGULATIONS

This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and if not used by the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase or decrease the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced remote control/ TV technician for help.

This equipment has been verified to comply with the limits for a Class B computing device, under FCC Rules. The user is cautioned that changes and modifications made to the equipment without the approval of the manufacturer could void the user's authority to operate this equipment.

FCC Authorization Label
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

INDUSTRY CANADA USER'S STATEMENT FOR NON-DETACHABLE ANTENNA FOR BOTH ENGLISH AND FRENCH.
This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.

2. This device must accept any interference, including interference that may cause undesired operation of the device.

Documents / Resources

	Universal Electronics CKD 311168A00-00001 EOS PR3 w-Digits Remote [pdf] User Guide CKD 311168A00 00001 EOS PR3 w-Digits Remote, CKD 311168A00 00001, EOS PR3 w-Digits Remote, PR3 w-Digits Remote, Digits Remote, Remote

References

- **User Manual**