



Uniview Technologies IoT-Unear A30T All-In-One Video Conference Camera User Guide

[Home](#) » [Uniview Technologies](#) » Uniview Technologies IoT-Unear A30T All-In-One Video Conference Camera User Guide 

Uniview Technologies IoT-Unear A30T All-In-One Video Conference Camera User Guide




Contents


- 1 Package Contents
- 2 Functions
- 3 Product Overview
- 4 Installation
- 5 Connecting
- 6 Button Instructions
- 7 LED Indicator
 - 7.1 Notes & Warnings
- 8 Product Information
- 9 Documents / Resources
- 10 Related Posts

Package Contents

- IoT-Unear A30T All-In-One Video Conference Camera



- USB-C to USB-A Cable



- User Guide



Functions



- 100° wide-angle distortionless camera captures all meeting participants clearly.



- 1080P@30fps Full HD video call.



- 4-Element omnidirectional microphones array picks up voices with HD quality.



- High quality, full range built-in speaker is optimized for human voice.



- Up to 16.4-feet voice pickup radius and uninterrupted full-duplex two-way communication.




- AI noise-suppression, echo-cancellation, and competent under various acoustic environments.






•

Plug & Play, connect to host device via USB.

Product Overview








USB Type-C Port


Installation

Easy to use, just place the IoT-Unear A30T all-in-one video conference camera on the table.




Connecting

Connect IoT-Unear A30T to your host device (PC or Mac) via the included USB Type-C cable.



Button Instructions



1. Microphone Mute

Touch the button to mute or unmute the microphone.

2. Increase Volume

Touch the button to increase speaker volume.






3. Decrease Volume

Touch the button to decrease speaker volume.

4. Camera On/Off

Touch the button to turn the camera on or off.

LED Indicator

	Power on
	USB device connected
	Microphone muted
	Camera off
	Microphone and camera off
	Firmware update is process

The actual color of the LED indicator may be slightly different from what you see on a printed matter.

Notes & Warnings

Please read and follow all the safety instructions carefully.

1. Use the included USB cable to charge the device.
2. Unauthorized dismantlement and strong impact may damage the device.
3. Keep the device away from high-temperature environments, heat sources, strong magnetic, or electric fields.
4. Do not immerse the device in water or any other liquid. Store it in a dry and cool place.
5. Constant high volume sounds can harm human hearing.
6. Dispose of the packaging materials, device, battery, and other electronic components properly.
7. Do not dismantle, crush, or throw the battery into fire.
8. The packaging and the device contain small components that can be dangerous to children. Please keep them out of children's reach.
9. The device can be an interference source for other electronic devices and medical equipment.

Product Information

- **Dimensions**

- 270mm(H)*110mm(Φ)

- **Weight**

- 618g

- **Camera Specs**

- F/2.4 aperture
- 1080P Video Output
- Horizontal FOV 100°
- Automatic White Balance
- Automatic Exposure
- Fixed focus

- **Video Specs**

- FHD 1080P@30fps
- 16:9 Aspect Ratio

- **Speaker Specs**

- Rated Output Power: 3W
- Speaker Frequency
- Response: 20Hz ~20kHz
- Speaker Volume: 90dB SPL
- @0dB 1kHz at 0.5m

- **Audio Specs**

- 4-element Omnidirectional Microphone Array

- **Connectivity**

- USB Type-C

- **USB Version**


- USB 2.0

- **Input**

- 5V 500mA

The above specifications are subject to change without notice.

Documents / Resources

 <p>IoT-Unear A30T All-In-One Video Conference Camera</p> <p>User Guide</p>	<p>Uniview Technologies IoT-Unear A30T All-In-One Video Conference Camera [pdf] User Guide</p> <p>IoT-Unear A30T All-In-One Video Conference Camera</p>
--	---