

UNV 4MP IP MultiView PTZ Camera



UNV 4MP IP MultiView PTZ Camera User Manual

[Home](#) » [UNV](#) » UNV 4MP IP MultiView PTZ Camera User Manual 

Contents

- [1 UNV 4MP IP MultiView PTZ Camera](#)
- [2 Challenges](#)
- [3 MultiView IP Cameras](#)
- [4 MultiView PTZ Cameras](#)
- [5 Product Layout](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)



UNV 4MP IP MultiView PTZ Camera



Challenges

Multi-directional monitoring

Monitoring large scenes requires installing multiple devices at different spots, which increases equipment costs, installation labor costs, and maintenance expenses.

Balancing panoramic and detailed views

In large scene monitoring, sometimes it is necessary to install a PTZ Camera at the same time to track and magnify details, complementing the ordinary IP Camera.

- High equipment costs
- High labor costs
- High maintenance costs

What's MultiView

MultiView products, the pinnacle of innovation, integrate different views in one camera. MultiView cameras can realize multi-directional monitoring and seamlessly combine panoramic views with complex details. These high-end products are engineered for a wide variety of scenarios.



In MultiView You Can Experience

- **Super Large Coverage**
Monitor large areas from different angles, with one camera.
- **Single IP, Multiple Channels**
Occupy only one IP address and provide multiple images on different screens.
- **Reduce Installation Cost**
Save money by combining views in one unit, instead of deploying several single-lens cameras.
- **Brilliant Low-Light Imaging**
UNV LightHunter imaging technology records detailed images in extremely dark environment.

MultiView IP Cameras

Dual-Lens Fixed IR Dome Network Camera

- **Dual channels meet all demands**
Multiple intelligent functions can be flexibly set in both lens.
- **Better image with 130dB True WDR**
130dB True WDR ensures clear images in strong light and dark areas.
- **Normal + corridor mode**

You can set up normal image mode for channel 1, and corridor mode for channel 2.



Dual-Lens IR Bullet Network Camera

- **Wide view and sharp details**

The IP camera combines the details and panoramic lens, making target area stand out without losing overview.



Application Scenarios



Lobby



Street



Parking lot

MultiView PTZ Cameras

2MP+2MP 4X Dual-Lens PTZ Camera

- **Dual-way communication**

Built-in 2 mics for stereo sound. Built-in high volume speaker, clear dual-way communication.



- **Warm-light design**

- Warm light ensures high quality low light image and warm light also has a warning function.
- When human trigger an intrusion event, warm light will flash to warn them.

4MP+4MP 25X Dual-Lens PTZ Camera

- **Panorama & details in one**

Equipped with both fixed-focus lens for wide view and zoom lens for target details.


- **Intelligent functions**

Include smart intrusion prevention and auto-tracking. When a target is recognized in a fixed-focus lens, the vari-focal lens will be linked to track the target.



- **Easy to install**

The football-sized PTZ camera with lightweight design makes installation really simple.



Application Scenarios



Square



Intersection/Cross



Park

Product Layout

IP Cameras

2MP+2MP LightHunter Dual-Lens Fixed IR Dome NetWork Camera



- 130dB True WDR
- Built-in two mics
- Up to 40m IR
- Smart Intrusion Prevention
- IP67, IK10

8MP+4MP LightHunter Dual-Lens IR Bullet Network Camera



- 4.0 mm(Panorama Channel)
- 10~50mm(Detail Channel)
- 1/1.8"CMOS sensor
- Iris: F1.0(Panorama), F1.6(Detail)
- Tilt: -10° to 10°(Detail)
- Built-in 2 Mics & 1 Speaker
- Up to 50m IR, Up to 30m warm light
- Smart Intrusion Prevention
- People counting

4MP+4MP LightHunter Dual-Lens Fixed IR Dome NetWork Camera

- 130dB True WDR
- Built-in two mics
- Up to 40m IR

- Smart Intrusion Prevention
- IP67, IK10

PTZ Cameras

2MP+2MP 4X LightHunter Dual-Lens IR Network PTZ Camera



- 2.8 mm(Panorama Channel)
- 2.8~12mm(Detail Channel)
- Pan: 345°(Detail)
- Tilt: 18° ± 5°(Panorama), -10° ~ 100°(Detail)
- Built-in 2 Mics & 1 Speaker
- Up to 50m IR
- Up to 10m warm light
- Smart Intrusion Prevention
- People counting

4MP+4MP 25X LightHunter Dual-Lens IR Network PTZ Camera



- 4.0 mm(Panorama Channel)
- 4.8~120mm(Detail Channel)
- F1.0(Panorama Channel), F1.5(Detail)
- Pan: 360°(Detail),
- Tilt: 18° ± 5°(Panorama), -15° ~ 90°(Detail)

- Built-in mic & speaker
- Up to 100m IR Up to 30m warm light
- Smart Intrusion Prevention
- People counting

4MP+4MP 25X LightHunter Dual-Lens IR Network PTZ Camera

- 4.0 mm(Panorama Channel)
- 4.8~120mm(Detail Channel)
- Pan: 360°(Detail)
- Tilt: 18° ± 5°(Panorama), -15° ~ 90°(Detail)
- Built-in mic & speaker
- Up to 100m IR
- Smart Intrusion Prevention
- People counting

Headquarters

No.369 Xietong Road, Binjiang District,
Hangzhou 310051, China

Sales: overseasbusiness@uniview.com

Technical Support: globalsupport@uniview.com

Documents / Resources



[UNV 4MP IP MultiView PTZ Camera](#) [pdf] User Manual

4MP IP MultiView PTZ Camera, IP MultiView PTZ Camera, MultiView PTZ Camera, PTZ Camera, Camera

References

- [Uniview - Uniview - Leader of AIoT Solution](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.