Manuals+

Contents [hide]

Urban Shell LOOP-M-DS Soundproof

Specifications

- Material: Full aluminum 2.0 mm
- Sound Tests: Performance test

Product Usage Instructions

Component Assembly:

Follow the steps below to assemble the LOOP – M-DS for your home:

1. Start by identifying all the components from the component packing list.
2. Assemble the cover, side panel, front panel, intermediate element, U-profile, and assembly aid according to the provided quantities.
3. Use the specified screws and nuts to secure the components together.

Installation of Soundproofing Elements:

For soundproofing installation, follow these steps:

- Glue the sound insulation (T01) to the lower edge of the slat.
- Glue the sound insulation T02 in the middle and T03 at the lower edge of the slat.
- Glue the sound insulation T04 to the lower edge of the slat and T05 in the middle.

Additional Assembly Instructions:

Refer to the assembly instructions provided for detailed step-by-step assembly instructions.

Explanation of soundproofing options

- Base (hood only) / up to 0 dB(A).
- Soundproofing Set Basic / up to 5.5 dB(A) and peak up to 6.2 dB(A)
- Soundproofing Set Comfort / up to 7.5 dB(A) and peak up to 8.3 dB(A)

According to TÜV test, actual results may vary

Download area for assembly instructions

Download the appropriate assembly instructions for your LOOP size:

LOOP S   LOOP M   LOOP M-DS   LOOP L   LOOP L-DS   LOOP XL

TÜV test report

**Download the TÜV test report here:**

- Download TÜV test report

How to use the AR tool:

1. Scan the QR code with your smartphone.
2. Or tap the button to open the AR link directly.

Max. dimensions heat pump

External dimensions LOOP hood

Size comparison

Size chart heat pump/air conditioner

- Here you can see the maximum dimensions of the heat pump or air conditioning system for the LOOP designer hood in the various sizes.

Sizes	Height (mm)	Width (mm)	Depth (mm)
S	740	870	300
M	767	1130	600
M-DS	1510	1130	600
L	950	1130	600
L-Plus	1075	1080	470
L-Tall	1395	980	570
L-DS	1700	1130	600
XL	910	1415	760
XXL	1090	1500	833

Size comparison

Hood size chart

Here you can see the dimensions of the LOOP designer hood.

Sizes	Height (mm)	Width (mm)	Depth (mm)
S	760	1000	500
M	787	1260	790
M-DS	1532	1260	790
L	980	1260	790
L-Plus	1102	1210	670
L-Tall	1422	1110	770

Sizes	Height (mm)	Width (mm)	Depth (mm)
L-DS	1720	1260	790
XL	935	1545	963
XXL	1117	1650	1033

Before, afterwards

Beautify your home with the LOOP designer hood.

CONTACT

- urbanshell GmbH
- Robert-Bosch-Str. 6 50769 Cologne
- +49 221 70911-500
- info@urban-shell.com

FAQs

Q: What material is the product made of?

A: The product is made of solid aluminum 2.0 mm.

Q: How many screws and nuts are included in the package?

A: The package includes a total of 17 M6 screws and nuts, 4 M8 screws and nuts, and 4 M10 hammer head screw ART. 4141 M10x30/30mm

Documents / Resources

LOOP - M-DS	[urban Shell M-DS Material Shell Full Face Helmet](#) [[pdf](#)] User Guide M-DS, Shell M-DS Material Shell Full Face Helmet, Shell M-DS, Material Shell Full Face Helmet, Full Face Helmet, Helmet

References

- [User Manual](#)

🏷 LOOP-M-DS, Soundproof, Urban Shell, user
📁 Urban   guide

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz   **Search**