

UTV Stereo Polaris RZR Pro Series Tweeter with Built In RGB LED Owner's Manual

Home » UTV Stereo » UTV Stereo Polaris RZR Pro Series Tweeter with Built In RGB LED Owner's Manual





Polaris RZR Pro Series Tweeter with Built In RGB LED **Owner's Manual**



PRO Series High Frequency Tweeters Owner's Manual



Contents

- **1 GENERAL FEATURES**
- **2 INSTALLATION**
- **3 FEATURES**
- **&SPECIFICATIONS**
- **4 SPECIFICATIONS**
- **5 BUILT-IN CROSSOVER**
- 6 Documents / Resources
- **7 Related Posts**

GENERAL FEATURES

OEM Direct Fit Design – Fits OEM RZR Pro Series Tweeter Housing Threaded Body with Locking Ring for Universal Install RGB LED Ring – Compatible with Bluetooth Controller Crisp & Responsive Highs Neodymium Magnet 1" Voice Coil & Premium Toulon Dome Built-In Crossover


THANK YOU FOR CHOOSING UTV STEREO PRODUCTS


Thank you for choosing UTV Stereo Pro-Series tweeters! Your choice of this UTV Stereo product indicates a desire for high quality music reproduction in your UTV

UTV Stereo is your premier audio manufacturer. We offer the highest quality products for your SXS. Stay one step ahead when you purchase UTV Stereo products. Designed for high performance audio systems, these tweeters are built rugged to withstand the elements with an IP65 dustproof and water-resistant rating To take full advantage of the UTV Stereo Pro-Series tweeters, please read and follow the instructions in this manual

INSTALLATION

Professional installation by an authorized UTV STEREO dealer is highly recommended! Otherwise, the performance of your new gear may not be satisfactory. In the event that you decide to do your own installation, please read and follow this manual very carefully. Failure to do so may compromise the integrity of this product or your vehicle, and possibly void this product's warranty






MOUNTING OPTIONS




The included tightening ring is NOT required when installing into the 0EM RZR PR Series Grommets as shown in Figure 1 Simply push the tweeter into the housing



The included tightening ring is REQUIRED when installing into a custom drilled hole as shown in Figure 2 **WE RECOMMEND A 17/8 HOLE**

FEATURES & SPECIFICATIONS






- 1 LED RING/CHAMBER
- 2 25MM (1") VOICE COIL & TETOLONE DOME
- 3 24MM NEODYMIUM MAGNET
- BUILT-IN CROSSOVER

SPECIFICATIONS

Frequency Response:	1.2KHz-20KHz
Nominal Impendance	4 0hms
Sensitivity:	9108 @ 1W/m
Continuous Power:	60W
Peak Power	120w

BUILT-IN CROSSOVER

lit is acceptable to run a outrange signal to the tweeter! No external bass blocker needed




NOTES:



WARRANTY

Should your product require service, please consult with the dealer from which it was purchased or contact a local UTV STEREO dealer directly. Units received without an accompanying return authorization number will not be processed Please contact your UTV Stereo dealer or contact UTV Stereo directly to obtain a return authorization number Additionally, you must include a copy of your purchase receipt from an authorized UTV Stereo dealer for consideration of an in-warranty service. Units received without a receipt will be held for 30 days. Allowing us time to contact you and obtain a copy of the receipt. After 30 days, all units will be returned



UTV STEREO and the UTV STEREO logo are registered trademarks. All other brand names are trademarks or registered trademarks of their respective owners.

All rights reserved. Designed in USA. Copyright@ 2022 UTV STEREO

Tel. 480-616-2299 Address: 7561 East Baseline Road Mesa, AZ 85209 Designed in USA

Documents / Resources



<u>UTV Stereo Polaris RZR Pro Series Tweeter with Built In RGB LED</u> [pdf] Owner's Manual Polaris RZR Pro Series Tweeter with Built In RGB LED, Polaris RZR Pro Series, Tweeter with Built In RGB LED, Built In RGB LED, RGB LED

Manuals+,