

V-TAC T5 Intergrated Fitting Instruction Manual

Home » V TAC » V-TAC T5 Intergrated Fitting Instruction Manual



WEEE Number: 80133970
INSTALLATION INSTRUCTION
T5 INTEGRATED FITTING
VT-035, VT-065, VT-125





LINKABLE
UP TO 100 WATTS TOGETHER

Contents

- 1 TECHNICAL DATA
- 2 WARNING!
- **3 T5 INTEGRATED FITTING**
- **4 WARNING**
- **5 INSTALLATION REQUIREMENTS**
- **6 MOUNTING INSTALLATION**

DIAGRAM

- **7 PACKING**
- **8 INSTALLATION INSTRUCTIONS**
- 9 WIRING DIAGRAM
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts

TECHNICAL DATA

Model	Watts	Lumen	CR I	Beam Angle	Body Type	Long Life	On/Off Cycles	Dimension	Input Power
VT-03 5	4W	360	>8 0	120	Plastic	30,000 Hours	>15000	307×22.5x36mm	AC:220-240V,50/ 60Hz
VT-06 5	7W	630	>8 0	120	Plastic	30,000 Hours	>15000	567×22.5x36mm	AC:220-240V,50/ 60Hz
VT-12 5	16W	1440	>8 0	120	Plastic	30,000 Hours	>15000	1167×22.5x36m m	AC:220-240V,50/ 60Hz

WARNING!

- 1. Please make sure to turn off the power before starting the installation.
- 2. The light source of this luminaire is not replaceable, when the light source reaches its end of life the whole luminaire should be replaced.
- 3. If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similarly qualified person in order to avoid a hazard
- 4. Installation must be performed by a qualified electrician.



This marking indicates that this product should not be disposed of with other household wastes.



Caution, risk of electric shock.

T5 INTEGRATED FITTING

INTRODUCTION & WARRANTY

Thank you for selecting and buying the V-TAC product. V-TAC will serve you the best. Please read these instructions carefully before starting the installation and keep this manual handy for future reference. If you have any other queries, please contact our dealer or local vendor from whom you have purchased the product. They are trained and ready to serve you at your best.

The warranty is valid for 5 years from the date of purchase. The warranty does not apply to damage caused by incorrect installation or abnormal wear and tear. The company gives no warranty against damage to any surface due to incorrect removal and installation of the product. The products are suitable for 10-12 Hours of Daily operation. Usage of product for 24 Hours a day would void the warranty. This product is warranted for manufacturing defects only.


WARNING

- 1. Please make sure to turn off the power before starting the installation.
- 2. Installation should only be done by a certified electrician.

INSTALLATION REQUIREMENTS

- · Installation only by a certified electrician
- Operation environment temperature: from -20°C to +45°C
- Do NOT use DC electricity

MOUNTING INSTALLATION DIAGRAM




PACKING

- T5 Integrated Fixture (1PC)
- Mounting Clips (2PCS)
- Quick connecting double head wire(1PC)
- Screws (2PCS)

INSTALLATION INSTRUCTIONS


- A. Turn OFF electricity before starting!
- B. Follow the diagram below:

WIRING DIAGRAM



IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT, PLEASE REACH OUT TO US AT: SUPPORT@V-TAC.EU FOR MORE PRODUCTS RANGE, INQUIRY PLEASE CONTACT OUR DISTRIBUTOR OR NEAREST DEALERS. V-TAC EUROPE LTD. BULGARIA, PLOVDIV 4000, BUL.L.KARAVELOW 9B

Documents / Resources



References

• © TAC.EU

Manuals+,