

VALSTONE ENGINEERING 570 Polaris Ranger Light Guard Installation Guide

Home » Valstone Engineering » VALSTONE ENGINEERING 570 Polaris Ranger Light Guard Installation Guide 🖫

VALSTONE ENGINEERING 570 Polaris Ranger Light Guard



Contents

- 1 Light Removal
- 2 Remove the Tailgate Check Cable

Bolt

- **3 Fit Counterbored Spacer**
- **4 Fit Small Bracket**
- **5 Secure Internal Bracket**
- **6 Replace Light**
- 7 Fit Spacer
- **8 Fit Protective Foam**
- 9 Fit Guard
- 10 Fitting complete
- 11 Customer Support
- 12 Documents / Resources
 - 12.1 References

Light Removal

Remove the rear light to gain access to the tailgate check cable bolt nyloc nut



Remove the Tailgate Check Cable Bolt

Remove the nut and bolt holding the tailgate stay cable, ensuring you retain the nut and pressed washer for use later



Fit Counterbored Spacer

Fit black counter-bored spacer onto the lower latch bolt. Ensure you do NOT use the non-bored spacer also supplied.



Fit Small Bracket

Fit the supplied bracket over the lower latch bolt, ensuring to use the correct side matching the photo (reference the notch on the bracket lower section).

Ensure the Polaris pressed washer remains in place on the check cable bolt hole.




Secure Internal Bracket

Replace the check cable bolt, using it to align the lower captive threaded hole of the bracket.

Reuse the nut that was removed earlier on the lower latch bolt and tighten to secure the bracket in place.

The check cable bolt can then be removed once again.




Replace Light

Replace the rear light using only the upper bolt to secure it at this point



Fit Spacer


Fit the supplied noncounterbored spacer on the lower light bolt hole as shown.



Fit Protective Foam

Fit foam edge to light guard.

This is optional but provides more protection to the vehicle at the contact point of the guard.



Fit Guard

Fit the guard using the provided longer bolt for the lower light bolt hole, as well as the check cable bolt (re-fitting the check cable as necessary)

Use the slots on the guard to assist with alignment.




Fitting complete

Repeat the process on the opposite side, and enjoy your light guards



Customer Support



Valstone Engineering – Where Precision Meets Expertise, Guided by Two Brothers' Passion.

sales@valstoneengineering.co.uk

www.valstoneengineering.co.uk



Documents / Resources



VALSTONE ENGINEERING 570 Polaris Ranger Light Guard [pdf] Installation Guide 570, 570 Polaris Ranger Light Guard, Polaris Ranger Light Guard, Light Guard, Guard

References

- Valstone Engineering
- O Login Instagram
- Valstone Engineering
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.