


Velleman Ir Speed Sensor Arduino User Manual

[Home](#) » [Velleman](#) » Velleman Ir Speed Sensor Arduino User Manual 

Velleman Ir Speed Sensor Arduino User Manual



Contents

- [1 Introduction](#)
- [2 Safety Instructions](#)
- [3 General Guidelines](#)
- [4 What is Arduino®](#)
- [5 Overview](#)
- [6 Overview](#)
- [7 Connection VMA451 to a VMA100/Arduino® UNO](#)
- [8 Testing Sketch](#)
- [9 Velleman® Service and Quality Warranty](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)
- [11 Related Posts](#)

Introduction

To all residents of the European Union

Important environmental information about this product



This symbol on the device or the package indicates that disposal of the device after its life cycle could harm the environment. Do not dispose of the unit (or batteries) as unsorted municipal waste; it should be taken to a specialized company for recycling. This device should be returned to your distributor or to a local recycling service. Respect the local environmental rules.

If in doubt, contact your local waste disposal authorities.

Thank you for choosing Velleman! Please read the manual thoroughly before bringing this device into service. If the device was damaged in transit, do not install or use it and contact your dealer.

Safety Instructions



Read and understand this manual and all safety signs before using this appliance.



Indoor use only.

- This device can be used by children aged from 8 years and above, and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning the use of the device in a safe way and understand the hazards involved. Children shall not play with the device. Cleaning and user maintenance shall not be made by children without supervision.

General Guidelines

- Refer to the Velleman® Service and Quality Warranty on the last pages of this manual.
- All modifications of the device are forbidden for safety reasons. Damage caused by user modifications to the device is not covered by the warranty.
- Only use the device for its intended purpose. Using the device in an unauthorised way will void the warranty.
- Damage caused by disregard of certain guidelines in this manual is not covered by the warranty and the dealer will not accept responsibility for any ensuing defects or problems.
- Nor Velleman nv nor its dealers can be held responsible for any damage (extraordinary, incidental or indirect) - of any nature (financial, physical...) arising from the possession, use or failure of this product.
- Keep this manual for future reference.

What is Arduino®

Arduino® is an open-source prototyping platform based in easy-to-use hardware and software. Arduino® boards are able to read inputs light-on sensor, a finger on a button or a Twitter message and turn it into an output - activating of a motor, turning on an LED, publishing something online. You can tell your board what to do by sending a set of instructions to the microcontroller on the board. To do so, you use the Arduino programming language (based on Wiring) and the Arduino® software IDE (based on Processing).

Surf to www.arduino.cc and www.arduino.org for more information.

Overview


General

The VMA347 is an LM393 speed sensor module, widely used in motor speed detection, pulse count, position control, etc.

The sensor is very easy to operate: To measure the speed of a motor, make sure the motor has a disk with holes. Each hole should be equally spaced on the disk. Every time the sensor sees a hole, it creates a digital pulse on the D0 pin. This pulse goes from 0 V to 5 V and is a digital TTL signal. If you capture this pulse on a development board and calculate the time between the two pulses, you can determine the revolutions speed: (time between pulses X 60)/number of holes.

For example, if you have one hole in the disk and the time between two pulses is 3 seconds, you have a revolutions speed of $3 \times 60 = 180$ rpm. If you have 2 holes in the disk, you have a revolutions speed of $(3 \times 60 / 2) = 90$ rpm.

Overview




1	Opto-interrupter
2	Lm393
3	Power led
4	Data led

VCC	Module power supply from 3.0 to 12 V.
GND	Ground.
D0	Digital signal of the output pulses
A0	Analogue signal of the output pulses. Output signal in real-time (usually not used).

Connection VMA451 to a VMA100/Arduino® UNO

VMA100/Arduino® UNO
VCC
GND
any digital I/O pin

VMA347
V
G
D0
A0


 If the VMA347 is used close to a DC motor, it may pick-up interferences with as result more pulses on DO as there really are. In this case use a ceramic capacitor with a value between 10 and 100 nF between DO and GND (debounce). This capacitor should be as close as possible to the VMA437.

Testing Sketch

```
const int sensorPin = 2; // PIN 2 has been used as input
void setup()
{
  Serial.begin(9600);
  pinMode(sensorPin , INPUT);
}
void loop()
{
  int value = 0;
  value = digitalRead(sensorPin );
  if (value == LOW)
  {
    Serial.println("Active");
  }
  if (value == HIGH)
  {
    Serial.println("No-Active");
  }
}
```

```
delay(1000);  
}
```

The result in the serial monitor:



Use this device with original accessories only. Velleman nv cannot be held responsible in the event of damage or injury resulting from (incorrect) use of this device. For more info concerning this product and the latest version of this manual, please visit our website www.velleman.eu. The information in this manual is subject to change without prior notice.

© COPYRIGHT NOTICE The copyright to this manual is owned by Velleman nv. All worldwide rights reserved. No part of this manual may be copied, reproduced, translated or reduced to any electronic medium or otherwise without the prior written consent of the copyright holder.

Velleman® Service and Quality Warranty

Since its foundation in 1972, Velleman® acquired extensive experience in the electronics world and currently distributes its products in over 85 countries. All our products fulfil strict quality requirements and legal stipulations in the EU. In order to ensure the quality, our products regularly go through an extra quality check, both by an internal quality department and by specialized external organisations. If, all precautionary measures notwithstanding, problems should occur, please make appeal to our warranty (see guarantee conditions).

General Warranty Conditions Concerning Consumer Products (for EU):


- All consumer products are subject to a 24-month warranty on production flaws and defective material as from the original date of purchase.
- Velleman® can decide to replace an article with an equivalent article, or to refund the retail value totally or partially when the complaint is valid and a free repair or replacement of the article is impossible, or if the expenses are out of proportion. You will be delivered a replacing article or a refund at the value of 100% of the

purchase price in case of a flaw occurred in the first year after the date of purchase and delivery, or a replacing article at 50% of the purchase price or a refund at the value of 50% of the retail value in case of a flaw occurred in the second year after the date of purchase and delivery.

• **Not covered by warranty:**

- all direct or indirect damage caused after delivery to the article (e.g. by oxidation, shocks, falls, dust, dirt, humidity...), and by the article, as well as its contents (e.g. data loss), compensation for loss of profits;
 - consumable goods, parts or accessories that are subject to an aging process during normal use, such as batteries (rechargeable, non-rechargeable, built-in or replaceable), lamps, rubber parts, drive belts... (unlimited list);
 - flaws resulting from fire, water damage, lightning, accident, natural disaster, etc....;
 - flaws caused deliberately, negligently or resulting from improper handling, negligent maintenance, abusive use or use contrary to the manufacturer's instructions;
 - damage caused by a commercial, professional or collective use of the article (the warranty validity will be reduced to six (6) months when the article is used professionally);
 - damage resulting from an inappropriate packing and shipping of the article;
 - all damage caused by modification, repair or alteration performed by a third party without written permission by Velleman®.
- Articles to be repaired must be delivered to your Velleman® dealer, solidly packed (preferably in the original packaging), and be completed with the original receipt of purchase and a clear flaw description.
 - Hint: In order to save on cost and time, please reread the manual and check if the flaw is caused by obvious causes prior to presenting the article for repair. Note that returning a non-defective article can also involve handling costs.
 - Repairs occurring after warranty expiration are subject to shipping costs.
 - The above conditions are without prejudice to all commercial warranties. **The above enumeration is subject to modification according to the article (see article's manual).**

Documents / Resources

	velleman Ir Speed Sensor Arduino [pdf] User Manual Ir Speed Sensor Arduino, VMA347
---	---

References

- [Arduino - Home](#)
- [Arduino - Home](#)
- [Arduino - Home](#)
- [Arduino - Home](#)

-  [Velleman](#) – Wholesaler and developer of electronics

Manuals+.