



Verifone T650p Smart POS Terminal User Manual

[Home](#) » [Verifone](#) » Verifone T650p Smart POS Terminal User Manual

Contents [[hide](#)]

- [1 Verifone T650p Smart POS Terminal](#)
- [2 Basic configuration](#)
- [3 User instruction](#)
- [4 Terminal Specification](#)
- [5 Instruction for installation and usage](#)
- [6 DOWNLOAD RESOURCES](#)
- [7 FAQ'S](#)
- [8 VIDEO](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)



Verifone T650p Smart POS Terminal





Verifone T650p Smart POS Terminal

Thank you very much for choosing VERIFONE products, please read this instruction before use so that you could know the performance deeply. Please keep this instruction for your reference if you have a problem during use.

Our company will try best to adopt new technologies, new components, new software to improve products. Hence, we have the right to change without notice. The feature, function and operation described in this instruction may be different from the performance of the selling products, in some cases, the image is a prototype device. Please inquire our company or agent for appropriate documents before using this instruction. The device should be installed by an after-sale service person. Our company shall not be liable for any consequences arising from unauthorized changes to the equipment, replacement of the connected equipment and cables not as specified.


Basic configuration






User instruction

1. ON/OFF instruction

POWER ON: press "  " ON/OFF button for 3 seconds

POWER OFF: press "  " ON/OFF button for 3 seconds and then press "power off" on the screen

2. Magnetic card

Put the magnetic card into the magnetic card slot to read, magnetic side towards the LCD (refer to the sign for card identification. keep smooth, uniform when swiping the card.

3. Contact IC card

Insert IC card into the IC card slot, the metal side towards keypad, please refer to card identification.

4. Contactless card

Put the contactless card near the contactless card reader zone on the device, and make contactless card transaction. Put one contactless card every time to avoid conflict if putting more cards.

5. Charging

Connect the Type C cable to POS terminal, connect the other connector to 5V/2A power adaptor to charge.

Terminal Specification

Item	Specification
------	---------------

Model Name	T650p
CPU	ARM Cortex-A7 Quad-core CPU
Memory	2G RAM+16G ROM Flash
Operating System	Android 7.x secure payment system
Display	5.5 inch IPS screen, resolution 1280×720
Extended storage	Micro SD card interface, maximum support 32GB
Password keypad	Built-in password keypad Conform to ANSI X9.8/ISO9564, ANSI X9.9/ISO8731 standard Support Master Key/ Session Key, Fixed, DUKPT etc PIN protection technology Support DES, 3DES, RSA, SHA-256 and AES etc algorithm
Touch Screen	Capacitive touch screen, support e-signature
IC card reader	Conform to ISO7816, PBOC and EMV level 1&2 standard
Magnetic card reader	Support ISO7811 1/2/3 track, bi-directional reading
Contactless card reader	Support ISO/IEC 14443 Type A&B, MiFare card, conform to qPBOC, PAYPASS and PAYWAVE standard
Rear camera	High pixel customized camera with flash, auto focus(optional)
Front camera	Professional camera with 1D/2D barcode fast recognition algorithm(optional)
Physical interface	1 x USB port 3.5mm Audio jack port 2 x SAM; or 1 x SAM, 2 x SIM; or 2 x SAM, 1 x SIM

Indicator LED	4 contactless indicator LED 1 two-color charging indicator LED
Buzzer	Built-in buzzer, speaker, microphone
Printer	Built-in high-speed thermal printer with print speed greater than 25 lines per second, support paper roll with width of 58mm and diameter of 50mm, support black mark positioning
GPS	Built-in GPS, support A-GPS, Glonass, Beidou
Battery	Standard configuration 2600mAh/7.2V
Connectivity	LTE band 1/3/5/7/8/28/40 WCDMA band 1/5/8 Wi-Fi 802.11 a/b/g/n Bluetooth
Power adaptor	<ul style="list-style-type: none"> • Input: AC 110V – 240V/50 – 60Hz/0.4A • Output: DC 5V/2A
Optional accessories	<ol style="list-style-type: none"> 1. The rear camera 2. The base (charge + Ethernet)
Environmental condition	<ul style="list-style-type: none"> • Operating temperature: 0 C – 45 C • storage temperature: -20 C – 60 C • Relative humidity: 5% – 90% (RH without condensation)

Instruction for installation and usage

1. Please use device under the specified voltage range, don't use too low or too high voltage.
2. Please make sure the connection is correct when connecting the device to the host.
3. Don't damage the cable, if the cable is damaged, please don't use it anymore.
4. Don't put the device in direct sunlight, high temperature, humidity, dusty or strong corrosive gas.

DOWNLOAD RESOURCES

- [Verifone T650p Smart POS Terminal](#) [pdf] User Manual T650p, Smart POS Terminal, T650p Smart POS Terminal, POS Terminal
- Read more: <https://manuals.plus/verifone/t650p-smart-pos-terminal-manual#ixzz7e8uCrA5U>

FAQ'S

How do I use Verifone t650p?

Point place your terminal on the base. It will power. On. You can also power your terminal off and on by using the power button on the side of the terminal.

What are Verifone devices?

Verifone's suite of mobile payment devices enables merchants of all sizes and industries to transform how they engage with customers. Our easy-to-use devices are designed with the latest security and technology, as well as compatibility with multiple operating systems for total investment protection.

How do I connect to Verifone WiFi?

To connect the Verifone to your WiFi network

After the bootup, Configure Network button appears on the screen. Tap on the Configure Network button.

Tap on Wi-Fi. The Wi-Fi settings screen opens. ...

Tap Add Network.

The device will scan for nearby Wi-Fi networks. Select the network you want to connect to.

What is Verifone password?

Enter the password. If your are using the default password, it is 1 alpha alpha 66831. 4.

How do I reset my Verifone password?

Choose the required role that needs password reset from Security Role drop down (For illustrative purpose Admin option is chosen here. Please follow the same for other applicable roles). Enter the new password to be changed in the 'Password' field. Press 'Save' button to change the password.

How do I unlock my Verifone keyboard?

Verifone: Unlocking the Keyboard

Press and hold down the 8 key for a three seconds and then release.

Enter the password 1 Alpha Alpha (purple key in the middle) 66831 or 11739.

It will display 'Keyboard lock yes or no'

Select No.

Select the Red X key until you are back on the sale screen.

What is Verifone on gas pumps?

Verifone site controller solutions provide convenience retailers with room to grow in the forecourt and in the store. These powerful controllers support up to 64 fueling positions of a single dispenser type, integrate up to 36 workstations, improve efficiencies and drive revenue.

Can Verifone be hacked?

Vulnerable Verifone payment terminals can be hacked if not patched, researchers warn. Point-of-sale payment devices made by two of the industry's biggest manufacturers contained vulnerabilities that made stealing credit card data much simpler.

How much does Verifone charge per transaction?

Verifone, for example, has a plan that combines a monthly fee \$9.95 with a per transaction fee of 1.95%. That's cheaper than your old plans for many merchants, and cheaper than the new plan for merchants that do less than \$13,000 or so in monthly business.

Is it possible to customize the menu?

Yes, you can.

How to customize the menu?

Please send your customized menu in BMP format and language file in TXT format to our sales@hsmachine.com, we will help you to design the screen.

What's the difference between T650p and T650?

T650p is with touch screen, T650 is without touch screen.



Verifone T650p Smart POS Terminal
[www://verifone.com/](http://www.verifone.com/)

Documents / Resources

	<p>Verifone T650p Smart POS Terminal [pdf] User Manual T650p, Smart POS Terminal, T650p Smart POS Terminal, POS Terminal</p>
	<p>Verifone T650P Smart POS Terminal [pdf] User Manual T650P, B32T650P, T650P, Smart POS Terminal</p>