



VERSONEL VSL95 Robotic Motion Tracking WiFi Security Light Camera Installation Guide


Home » VERSONEL » VERSONEL VSL95 Robotic Motion Tracking WiFi Security Light Camera Installation Guide ₺



VSL95 Quick Installation Guide.







o Tuya Smart(with Tuya logo): **QR code for downloading**





https://smartapp.tuya.com/tuyasmart



Contents

- 1 Documents / Reso
- S
- 2 Related Posts



Align the light fixture with the base cover and ens ure the backplate seal is in place before tightenin g the Light fixture to the base cover using the base cover screws and cover the screw heads with t

he decorative screw covers

Installation Summary

The installation process involves the following steps;

- After installation, power up and switc h the power on to the VSL95 fixture.
- Scan the OR code appropriate to yo ur phone to download the free "Tuya Smart "App to an iOS or Android dev ice.
- 3. The VSL95 fixture unique ID is perm anently connected to the Wi-Fi.
- 4. Once the VSL95 fixture is successfully connected, an acceptan ce sound will be heard when connected. NB: If the connection is not successful, you can rest the VSL95 fixture:
 - Open the SD card cover and push the reset button in for 3 seconds and second will indicate the reset has been successful and then repeat the Wi-Fi pairing process below.

Ensure your phone or ure.


- 1. Open the Tuya Sma
- The first time in, se ue account Note: S
- 3. 1nput your verificat
















Add and connect your VSL95 to the Wi-Fi network following these easy 5 screenshots steps below:

- 1) Click on Add Device explained her e below(only to add to existing devic es click the top right)
- 2) Click on Security & Video Surveilla nce
- 3) Click on Smart Camera(Wi-Fi)
- 4) After step 3 click next by following the APP screenshot guideline here below
- 5) Ensure to select 2.4 GHz and ente r your Wi-Fi details and password an d click next

NB: If the connection or pairing process is not successful, you can reset the ng the below 2 options;


Option 1. To delete the VSL95 fixture from the App screen, and then to reperprocess explained below on the screenshots with 3 easy steps.

- 1. Click on the menu bar
- 2. Click on Device Management
- 3. Drag the camera fixture to Remove Device Option 2. To push the "Rotatic creen for the LED head

with the camera to be static in the center position of the fixture and then t card cover that is located at the bottom of the LED lamp head and push t econds. A notification sound will indicate the reset has been successful, ϵ i pairing

process below.

Documents / Resources



<u>VERSONEL VSL95 Robotic Motion Tracking WiFi Security Light Camera</u> [pdf] Installation Guide

VSL95, Robotic Motion Tracking WiFi Security Light Camera, VSL95 Robotic Motion Tracking WiFi Security Light Camera, WiFi Security Light Camera, Light Camera

