



[Home](#) » [VEVOR](#) » **VEVOR 4605S2 Slides Drawer Instruction Manual** 

Contents [[hide](#)]

- [1 VEVOR 4605S2 Slides Drawer](#)
- [2 Specifications](#)
- [3 Product Introduction](#)
- [4 Product Introduction](#)
- [5 Installation Dimensions](#)
- [6 Installation Procedure](#)
- [7 CONTACT](#)
- [8 FAQ](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)

VEVOR®

VEVOR 4605S2 Slides Drawer



Specifications

- **Model:** 4605S2
- **Applicable Drawer Length (inch):** 14, 16, 18, 20, 22, 24
- **Sliding Length (mm):** 325, 400, 450, 500, 550, 600
- **Max. Load:** 100 kg / 45.4 lbs

Product Introduction

- The Drawer Slides model 4605S2 is designed to provide smooth and reliable sliding motion for drawers.
- Install the steel ball rail inside the cabinet according to the provided instructions.
- Screw the ball rail to the outside of the drawer following the layout diagram.
- Install the drawer onto the rails as instructed.
- To remove the drawer, pull it out completely using the provided tool.

We continue to be committed to providing you with tools competitive price. “Save Half”, “Half Price” or any other similar expressions used by us only represent an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and dose not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

MODEL:4605S2



- This is the original instruction. Please read all manual instructions carefully before operating.
- VEVOR reserves a clear interpretation of our user manual.
- The appearance of the product shall be subject to the product you received.
- Please forgive us for not informing you again if there are any technology or software updates on our product.

Warning: To reduce the risk of injury, user must read the instructions manual carefully.





WARNING

1. Please assemble the product in strict accordance with the instructions.
Incorrect assembly could be hazardous.
2. Please wear safety goggles and work gloves properly during assembly.
3. Do not try to assemble the product when feeling tired or when under the influence of alcohol, drugs, or medication.
4. Load-bearing capacity and other product parameters are applied to the properly and completely assembled product only.
5. Separate and count all parts and hardware.
6. Prepare the following tool: Philips Head Screwdriver.
7. If using power tools, please be careful to slow down and stop when needed.
8. Two people are required for assembly.

9. Follow the intended uses only.

Save the instructions

Product Introduction

Part List (pcs)		
Item Model	Slide 	Screws 
4605S2.350-10	10	120
4605S2.350-6	6	72
4605S2.400-10	10	120
4605S2.400-6	6	72
4605S2.450-10	10	120
4605S2.450-6	6	72


4605S2.500-10	10	120
4605S2.500-6	6	72
4605S2.550-10	10	120
4605S2.550-6	6	72
4605S2.600-10	10	120
4605S2.600-6	6	72

Model	Applicable Drawer Length (inch)	Sliding Length (mm)	Max. Load (kg / lbs)
-------	---------------------------------	---------------------	----------------------

4605S2.350-10	14	325	100 / 45.4
4605S2.350-6	14	325	
4605S2.400-10	16	400	
4605S2.400-6	16	400	
4605S2.450-10	18	450	
4605S2.450-6	18	450	
4605S2.500-10	20	500	
4605S2.500-6	20	500	
4605S2.550-10	22	550	
4605S2.550-6	22	550	
4605S2.600-10	24	600	
4605S2.600-6	24	600	

Installation Dimensions

Installation Dimensions (mm)




Model	Size (mm)		Travel (mm)	Hole Pattern (mm)					
	L1	L2		A	B	C	D	E	F

4605S2.350	350	332	325	64	192	/	/	128	241
4605S2.400	400	382	400	64	224	/	/	160	288
4605S2.450	450	432	450	64	224	288	/	160	320
4605S2.500	500	482	500	64	224	320	/	192	384
4605S2.550	550	532	550	64	224	384	/	192	416
4605S2.600	600	582	600	64	224	352	416	224	480


Installation Procedure

Note the following two points during installation

1. Pay attention to the installation space on both sides. Units: mm




2. 2mm away from the front end of the cabinet. Units: mm




STEP1:Cabinet Installation For Ball Bearing

1. Install the steel ball rail to inside of the cabinet according to the large drawing of the screw.
2. The bead frame should be pushed flat with the file glue to facilitate the installation of the drawer.




STEP2:Drawer Slide Installation

- Screw the ball rail to the outside of the drawer as shown in the layout diagram.




STEP3:Drawer Installation

- On both sides of the inner rail to the upper middle rail file glue through the slot to install the drawer on.



STEP4:Disassembl Drawer

- When removing the drawer, pull the drawer out by using the fork in the enlarged image to pull it out completely.



CONTACT

- Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai
- Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
- NSW 2122 Australia
- Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Pooledas Group Ltd

- Unit 5 Albert Edward House, The Pavilions
- Preston, United Kingdom

SHUNSHUN GmbH

- Römeräcker 9 Z2021, 76351
- Linkenheim-Hochstetten, Germany

NEED HELP? CONTACT US!

- Have product questions? Need technical support? Please feel free to contact us:
Technical Support and E-Warranty Certificate www.vevor.com/support

FAQ

Q: How much weight can the drawer slides support?

A: The drawer slides can support a maximum load of 100 kg 45.4 lbs.


Q: What are the applicable drawer lengths for this model?

A: The applicable drawer lengths are 14 16 18 20 22 and 24 inches.

Q: How should I disassemble the drawer?

A: To remove the drawer pull it out completely using the provided tool as shown in the manual.

Documents / Resources

	VEVOR 4605S2 Slides Drawer [pdf] Instruction Manual 4605S2, 4605S2 Slides Drawer, Slides Drawer, Drawer
---	--

References

- [User Manual](#)

4605S2, 4605S2 Slides Drawer, Drawer, Slides Drawer,

VEVOR VEVOR

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.