

VIDEX VLF-H035C LED Rechargeable Headlamp Dual Light **User Manual**

Home » VIDEX » VIDEX VLF-H035C LED Rechargeable Headlamp Dual Light User Manual



Contents

- 1 VIDEX VLF-H035C LED Rechargeable Headlamp Dual
- **2 SPECIFICATIONS**
- **3 PRODUCT OVERVIEW**
- **4 OPERATING INSTRUCTIONS**
- **5 CHARGING**
- **6 BATTERY INDICATION**
- **7 THE BOX CONTENTS**
- **8 MAINTENANCE**
- 9 WARRANTY
- **10 Frequently Asked Questions**
- 11 Documents / Resources
 - 11.1 References
- 12 Related Posts




VIDEX VLF-H035C LED Rechargeable Headlamp Dual Light



SPECIFICATIONS

LIGHTING MODES		HIGH	LOW	FLASH	COB+HIGH	СОВ	RED ON	RED FLASH
1.1	31/2	340 Lm	140 Lm	140 Lm	410 Lm	230 Lm	2.5 Lm	2.5 Lm
1.2	*(1)	3 h 30 min	7 h	5 h 30 min	2 h 20 min	3 h 30 min	11 h	23 h
1.3		86 m	53 m	53 m	86 m	14 m	-	-
1.4		1840 cd	692 cd	692 cd	1840 cd	50 cd	-	-
1.5	:	CREE XTE 5W, COB 5W						
1.6		5000 K						
1.7	♣	80°			120°		/	
1.8	*	Li-pol 103450 1800mAh 3.7V (built-in)						
1.9		USB-C 5V 0.8A						
1.10	Q	3.5 h						
1.11		IP65						
1.12		1 m						
1.13	huludududud	70 x 46 x 38 mm						
1.14	4]4	108 g						




- 1. Luminous flux
- 2. Runtime
- 3. Beam distance
- 4. Light intensity
- 5. Type of LED(s)
- 6. Light color temperature
- 7. Viewing angle
- 8. Battery type
- 9. Input parameters
- 10. Charging time
- 11. Dust and moisture protection level
- 12. Impact resistance level
- 13. Product dimensions
- 14. Product weight
 - The output is measured over the total runtime, including periods of reduced output caused by built-in overheating protection. Actual performance may vary based on the operating environment.

PRODUCT OVERVIEW



- 1. ON/OFF button
- 2. Sensor button
- 3. Main light
- 4. COB light
- 5. Red light
- 6. Battery indicator
- 7. Charging port

OPERATING INSTRUCTIONS



• Main Light: Press the ON/OFF button to turn the light on, cycle through lighting modes, and turn it off .


- COB Light: Press and hold the ON/OFF button for 0.5 seconds to turn the COB light on, and repeat the same action to turn it off .
- Sensor Function: To activate the sensor in the current mode, select your preferred lighting mode and press the SENSOR button to save the current mode. Wave your hand near the front of the headlamp to turn it on or off. To activate the sensor in the last saved mode, press the SENSOR button while the light is off. To deactivate the sensor, press the SENSOR button again. Locking/Unlocking the Headlamp: With the light off, press and hold both buttons for 3 seconds to lock the headlamp, and repeat the same action to unlock it. Additional Notes: If the light has been on for more than 5 seconds, a short press of the button will turn it off. The headlamp automatically remembers the last selected lighting mode and reactivates it the next time it is turned on.

CHARGING



Turn off the headlamp and open the protective silicone cover; Connect the USB-A end of the charging cable to a wall charger and the other end to the input port of the headlamp. During charging, the indicator segments will blink to show the current battery level. When the battery is fully charged, all segments will remain steadily lit. After charging is complete, unplug the charging cable and close the protective cover to prevent water and dust from entering the headlamp body.

BATTERY INDICATION



To check the battery level when the light is off, press and hold the SENSOR button. The battery level will be displayed for 2 seconds. When the light is on, the battery level is displayed continuously. Each LED segment represents approximately 20% of the battery level, with all five segments lit indicating a full charge.

THE BOX CONTENTS



- 1. Headlamp
- 2. Headband
- 3. Charging cable
- 4. User's manual
- 5. Warranty card

MAINTENANCE

The rechargeable battery inside the headlamp cannot be replaced by the end user. Disassembling the sealed body may compromise the headlamp's performance and void the warranty. To maintain optimal performance of the Li-Pol battery, recharge the stored headlamp every four months.

WARNINGS

High-intensity light of the headlamp can cause eye damage. Avoid shining it directly into anyone's eyes. Keep this headlamp out of reach of children. The LED light source inside this headlamp is non-replaceable. When the LED reaches the end of its service life, the entire headlamp should be replaced. The manufacturer shall not be responsible for any damage resulting from the failure to follow these instructions. The manufacturer reserves the right to make changes to the manual – the current version can be downloaded from the website by scanning the QR code.

WARRANTY

The warranty for the headlamp is 2 years. The warranty does not cover accessories. During the warranty period, a faulty headlamp can exchanged or returned with proof of purchase and all accessories saved. The following does not apply with the scope of limited warranty: Misuse of the product and causing the product's integral components damage; Unauthorized disassembly or the presence of deep mechanical damage to the product; Damage due to force majeure.



The product complies with the technical regulations of Ukraine.

. C E The product meets the requirements of EU directives.



• Environmental protection. It is forbidden to dispose of the product together with general waste. A used or damaged product should be disposed of in accordance with the Directive on Waste Electrical and Electronic Equipment (WEEE). Contact your local recycling organization for more details.



Frequently Asked Questions

Q: How do I charge the headlamp?

A: Turn off the headlamp, open the silicone cover, and connect the USB-A end of the charging cable to a wall charger, and the other end to the input port of the headlamp. The charging indicator segments will flash to indicate the current battery level. When fully charged, all segments will remain lit. Disconnect the cable after charging is complete and close the protective cover to prevent dust and moisture.

Q: How do I check the battery level?

A: When the headlamp is off, press and hold the SENSOR button to display the battery level for 2 seconds. When the headlamp is on, the battery level is continuously displayed. Each LED segment represents approximately 20% of the battery charge, with all five segments lit indicating a full charge.

Documents / Resources



VIDEX VLF-H035C LED Rechargeable Headlamp Dual Light [pdf] User Manual VLF-H035C, VLF-H035C LED Rechargeable Headlamp Dual Light, VLF-H035C, LED Recharge able Headlamp Dual Light, Rechargeable Headlamp Dual Light, Headlamp Dual Light, Dual Light

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.