

# ViewSonic LS860WU DLP Projector User Guide

Home » Viewsonic » ViewSonic LS860WU DLP Projector User Guide 🖫

#### **Contents**

- 1 ViewSonic LS860WU DLP Projector User Guide
- 2 Documents / Resources
- **3 Related Posts**


ViewSonic LS860WU DLP Projector User Guide



























Screws: M4 x 8 (Max. L = 8 mm)
Unit: mm







## • 16:10 image on a 16:10 screen









## • 16:10 image on a 4:3 screen







(a) Screen Size		16:10 image on a 16:10 Screen										
		(b) Projection distance				(c) Image		(d) Vertical offset				
		min.		max.		height		min.		max.		
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
30	762	20	521	23	573	16	404	-8	-202	8	202	
40	1016	27	694	30	764	21	538	-11	-269	11	269	
50	1270	34	868	38	955	26	673	-13	-337	13	337	
60	1524	41	1041	45	1146	32	808	-16	-404	16	404	
70	1778	48	1215	53	1336	37	942	-19	-471	19	471	
80	2032	55	1389	60	1527	42	1077	-21	-538	21	538	
90	2286	61	1562	68	1718	48	1212	-24	-606	24	606	
100	2540	68	1736	75	1909	53	1346	-26	-673	26	673	
120	3048	82	2083	90	2291	64	1615	-32	-808	32	808	
150	3810	102	2603	113	2864	79	2019	-40	-1010	40	1010	
200	5080	137	3471	150	3818	106	2692	-53	-1346	53	1346	
250	6350	171	4339	188	4773	132	3365	-66	-1683	66	1683	
300	7620	205	5207	225	5728	159	4039	-79	-2019	79	2019	

(a) Screen Size		16:10 image on a 4:3 Screen										
		(b) Projection distance				(c) Image		(d) Vertical offset				
		min.		max.		height		min.		max.		
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
30	762	39	982	43	1081	30	762	-15	-381	15.0	381	
40	1016	45	1146	50	1261	35	889	-18	-445	17.5	445	
50	1270	52	1310	57	1441	40	1016	-20	-508	20.0	508	
60	1524	58	1474	64	1621	45	1143	-23	-572	22.5	572	
70	1778	64	1637	71	1801	50	1270	-25	-635	25.0	635	
80	2032	71	1801	78	1981	55	1397	-28	-699	27.5	699	
90	2286	77	1965	85	2161	60	1524	-30	-762	30.0	762	
100	2540	84	2129	92	2341	65	1651	-33	-826	32.5	826	
120	3048	90	2292	99	2522	70	1778	-35	-889	35.0	889	
150	3810	97	2456	106	2702	75	1905	-38	-953	37.5	953	
200	5080	103	2620	113	2882	80	2032	-40	-1016	40.0	1016	
250	6350	110	2784	121	3062	85	2159	-43	-1080	42.5	1080	
300	7620	116	2947	128	3242	90	2286	-45	-1143	45.0	1143	

There is 3% tolerance among these numbers due to optical component variations. It is recommended that if you intend to permanently install the projector, you should physically test the projection size and distance using the actual projector in situ before you permanently install it, so as to make allowance for this projector's optical characteristics. This will help you determine the exact mounting position so that it best suits your installation location.

#### **FCC Compliance Statement**

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Industry Canada ICES-003 Compliance: CAN ICES-003(B) / NMB-003(B)

#### **CE Conformity for European Countries**

The device complies with the EMC Directive 2014/30/EU and Low Voltage Directive 2014/35/EU.

#### **Declaration of RoHS2 Compliance**

This product has been designed and manufactured in compliance with Directive 2011/65/EU of the European Parliament and the Council on restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS2 Directive) and is deemed to comply with the maximum concentration values issued by the European Technical Adaptation Committee (TAC) .

Country/ Region	Website/Phone	Country/ Region	Website/Phone						
Asia Pacific & Africa									
Australia	www.viewsonic.com/au/	Bangladesh	www.viewsonic.com/bd/						
中国 (China)	www.viewsonic.com.cn 4008 988 188	香港 (繁體中文)	www.viewsonic.com/hk/						
Hong Kong (English)	www.viewsonic.com/hk-en/	India	www.viewsonic.com/in/						
Indonesia	www.viewsonic.com/id/	Israel	www.viewsonic.com/il/						
日本 (Japan)	www.viewsonic.com/jp/	한국	www.viewsonic.com/kr/						
Malaysia	www.viewsonic.com/my/	Middle East	www.viewsonic.com/me/						
Myanmar	www.viewsonic.com/mm/	Nepal	www.viewsonic.com/np/						
New Zealand	www.viewsonic.com/nz/	Pakistan	www.viewsonic.com/pk/						
Philippines	www.viewsonic.com/ph/	Singapore	www.viewsonic.com/sg/						
臺灣 (Taiwan)	www.viewsonic.com/tw/	ประเทศไทย	www.viewsonic.com/th/						
Việt Nam	www.viewsonic.com/vn/	South Africa & Mauritius	www.viewsonic.com/za/						
Americas									
United States	www.viewsonic.com/us 1-800-688-6688	Canada	www.viewsonic.com/us 1-866-463-4775						
Latin America	www.viewsonic.com/la								
Europe									
Europe	www.viewsonic.com/eu/ +49-0821-45057383	France	www.viewsonic.com/fr/						
Deutschland	www.viewsonic.com/de/	Қазақстан	www.viewsonic.com/kz/						
Россия	www.viewsonic.com/ru/	España	www.viewsonic.com/es/						
Türkiye	www.viewsonic.com/tr/	Україна	www.viewsonic.com/ua/						
United Kingdom	www.viewsonic.com/uk/								

LS860WU\_QSG\_1b\_20210820

Copyright © 2021 ViewSonic Corporation. All rights reserved.

### **Documents / Resources**



<u>ViewSonic LS860WU DLP Projector</u> [pdf] User Guide LS860WU, DLP Projector

Manuals+,