

VisionTek VT350 USB C Portable Dock User Manual

Home » VisionTek » VisionTek VT350 USB C Portable Dock User Manual

Contents

- 1 VisionTek VT350 USB C Portable
- Dock
- **2 INTRODUCTION**
- **3 FEATURES**
- **4 SYSTEM REQUIREMENTS**
- **5 CONNECT THE DOCK**
- **6 SETTING UP THE DOCK**
- **7 WARRANTY**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

VisionTek

VisionTek VT350 USB C Portable Dock



INTRODUCTION

Your new USB-C Portable Station can connect to any host with Type-C connectors that support DisplayPort over USB-C providing a future-proof docking solution. Connect up to two additional monitors as well as 2 USB Type-A and 1 USB Type-C accessory through a single USB-C cable.

FEATURES

- Compatible with USB Type-C Laptops and Desktop Computers that support
- DisplayPort over USB-C
- Supports resolutions up to 4K (3840 x 2160 @ 30Hz) when using a single display
- · Supports Extended and Mirror Display Mode
- SuperSpeed USB 3.0, speeds up to 5Gbps and backward compatible with 2.0/1.1
- · Gigabit wired network connection
- Supports laptop charging of up to 100W via USB Type-C power adapter (not included)

CONTENTS

- VT350 USB-C Portable Dock
- USB-C to USB-C Cable
- Quick Start Guide

SYSTEM REQUIREMENTS

Windows

• System with USB-C port that supports DisplayPort over USB-C (DP Alt Mode)

- Windows 10
- Windows 8.1 Update 2015
- Windows 8
- Windows 7

macOS

System with USB-C port that supports DisplayPort over USB-C (DP Alt Mode)

Monterey 12

- Big Sur 11
- Catalina 10.15
- Mojave 10.14
- High Sierra 10.13
- Sierra 10.12
- El Capitan 10.11

CONNECT THE DOCK

- Step 1
 - Connect the USB-C to USB-C cable to the Docking Station. Plug the USB cable into your Laptop/Desktop Computer (Optional) Connect a USB-C Power Adapter to the USB-C Power Delivery port on the Docking Station. Support for up to 100W of Power Delivery. Connect a USB-C storage device to the USB-C Data port.



- Step 2
 - Connect your displays to the Docking Station. See chart below for supported resolutions.



Supported Resolutions

1 Display	1 Display	2 Displays
DP	HDMI	DP + HDMI
PC 3840 x 2160 @ 30Hz (DP1.4)	3840 x 2160 @ 30Hz (DP1.4)	1920 x 1080 @ 60Hz (DP1.4)
1920 x 1080 @ 60Hz (DP 1.2)	1920 x 1080 @ 60Hz (DP 1.2)	1920 x 1080 @ 60Hz (DP1.2)
3840 x 2160 @ 30Hz	3840 x 2160 @ 30Hz	N/A
	DP 3840 x 2160 @ 30Hz (DP1.4) 1920 x 1080 @ 60Hz (DP 1.2)	DP HDMI 3840 x 2160 @ 30Hz (DP1.4) 3840 x 2160 @ 30Hz (DP1.4) 1920 x 1080 @ 60Hz (DP 1.2) 1920 x 1080 @ 60Hz (DP 1.2)

SETTING UP THE DOCK

Windows PC Dock Setup

Plug in your VT350 docking station and allow Microsoft Windows to initialize the docking station. To configure your displays, right click on the Desktop and select Display Settings. Set your layout and display resolutions and apply any changes.

macOS Dock Setup

Plug in the VT350 docking station and allow macOS to initialize the docking station. To change preferences and configure displays, choose the Apple menu > System Preferences, click Displays, then click Display, macOS Supports 1 extended display via DisplayPort SST

WARRANTY

VisionTek Products LLC, ("VisionTek") is pleased to warrant to the original purchaser ("Warranty") of the Device ("Product"), that the product will be free from manufacturing defects in material for Two (2) Years when given normal and proper usage. The product must be registered within 30 days from the original date of purchase to receive this 2 year warranty. All products not registered within 30 days will ONLY receive a 1 year limited warranty. VisionTek's liability under this warranty, or in connection with any other claim relating to the Product, is limited to the repair or replacement, at VisionTek's option, of the product or portion of the product which is defective in manufacturing material. Warranty assumes all risk of loss in transit. The returned products shall be the sole property of VisionTek. VisionTek warrants the repaired or replaced Products will be free from manufacturing defects in material for the remainder of the warranty period. VisionTek reserves the right to inspect and verify the defectiveness of any products or portion of products returned. This warranty does not apply to any software component.

FULL WARRANTY DISCLOSURE AVAILABLE AT <u>WWW.VISIONTEK.COM</u> Product must be registered within 30 days of purchase for the warranty to be valid. IF YOU HAVE QUESTIONS OR NEED ASSISTANCE WITH THIS PRODUCT, CALL SUPPORT AT 1 (866) 883-5411.

© 2022 VisionTek Products, LLC. All rights reserved. VisionTek is a registered trademark of VisionTek Products, LLC. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. macOS is a trademark of Apple Inc., registered in the U.S. and other countries and regions.

Documents / Resources



<u>VisionTek VT350 USB C Portable Dock</u> [pdf] User Manual VT350, USB C Portable Dock, VT350 USB C Portable Dock, Portable Dock, Portable USB C D ocking Station

References

• VisionTek | Performance PC & Mac Upgrades - VisionTek.com

Manuals+.