

VIVOLINK VLDG60 4K USB C HUB Instruction Manual

Home » VIVOLINK » VIVOLINK VLDG60 4K USB C HUB Instruction Manual



Contents

- 1 VIVOLINK VLDG60 4K USB C HUB
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 Features
- 5 Accessory to complete the installation
- 6 Documents / Resources



VIVOLINK VLDG60 4K USB C HUB



The Vivolink 4K USB-C HUB for conference systems is a versatile device designed to connect all USB devices in a room and transmit 4K pictures through its HDMI port. It is identified by the item name VLDG60. The hub comes with a USB-C cable that connects to all devices and charges the laptop. The cable measures 1.5 meters, enabling convenient mounting under the meeting table. Additionally, there are two accessories available to enhance the installation: the Desk Grommet (Item: VLDG60) facilitates routing the USB-C cable through the desk, and the Cable Network Adapter (Item number: USBETHGW10) allows for seamless integration with a cable network.

Product Usage Instructions

- 1. Connect the Vivolink 4K USB-C HUB to a power source using the included USB-C cable.
- 2. Connect the USB-C cable to your laptop to charge it.
- 3. Connect all USB devices you want to use in the conference room to the available USB ports on the hub.
- 4. For video output, connect an HDMI cable from the HDMI port on the hub to a compatible display or projector.
- 5. If desired, use the Desk Grommet accessory (Item: VLDG60) to route the USB-C cable through a hole in the desk for a clean installation.
- 6. If you need to connect the hub to a cable network, use the Cable Network Adapter (Item number: USBETHGW10) to establish a wired connection.

Ensure that all connections are secure and properly inserted. Once everything is set up, you can enjoy seamless connectivity and transmit high-quality 4K pictures during your conference.

Vivolink 4K USB-C HUB for conference system connects all together

It is designed as a HUB that connects all USB devices in the room and sends 4K pictures out via HDMI port

Features

- Fixed USB-C cable 1.5m for PC
- 1 x HDMI output 4K@30Hz
- 2 x USB3.0 input 5 Gbit
- 1 x USB-C input 5 Gbit
- 1 x USB2.0 input 480 Mbps
- Including a 65w charger.

One USB-C cable on the desk that connects to all devices and charges the laptop.

The 1.5m USB-C cable enables mounting under the meeting table

Accessory to complete the installation

Desk Grommet to get USB-C cable through the desk

• Item: VLDG60



- Cable network adapter
 - Itemnumber: USBETHGW10



Documents / Resources



<u>VIVOLINK VLDG60 4K USB C HUB</u> [pdf] Instruction Manual VLDG60 4K USB C HUB, VLDG60, 4K USB C HUB, USB C HUB, HUB

Manuals+,