



## VONYX 173.503 CMS Series Studio Set Instruction Manual

[Home](#) » [VONYX](#) » VONYX 173.503 CMS Series Studio Set Instruction Manual 



173.503 CMS Series Studio Set  
Instruction Manual



## Contents

- [1 173.503 CMS Series Studio Set](#)
- [2 UNPACKING INSTRUCTION](#)
- [3 MICROPHONE INPUT EXAMPLES](#)
- [4 STAND ASSEMBLY INSTRUCTIONS](#)
- [5 SPECIFICATIONS](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)

## 173.503 CMS Series Studio Set

### CMS Series Studio Set / Condenser Microphone

Ref. nr.: 173.503, 173.504

#### INSTRUCTION MANUAL

V1.1

Congratulations to the purchase of this Vonyx product. Please read this manual thoroughly prior to using the product in order to benefit fully from all features. Follow the instructions in order not to invalidate the warranty. Take all precautions to avoid fire and/or electrical shock. Keep the manual for future reference.

## UNPACKING INSTRUCTION

**CAUTION!** Immediately upon receiving the product, carefully unpack the carton, check the contents to ensure that all parts are present, and have been received in good condition. Notify the shipper immediately and retain the packing material for inspection if any parts appear damaged from shipping or the package itself shows signs of mishandling. Save the package and all packing materials. In the event that the product must be returned to the factory, it is important that the product be returned in the original factory box and packed.

## MICROPHONE INPUT EXAMPLES


### PC

Connect the microphone to a computer or laptop by inserting the 3.5mm jack into the microphone socket.



### MIXER


Connect the microphone to a mixer by inserting the XLR male cable into an XLR-or combo jack line/microphone input.



## STAND ASSEMBLY INSTRUCTIONS



1. Install the base of the stand on to, for example, a tabletop.
2. Attach the suspension arm link to the base stand.
3. Tighten the nut once your preferred suspension arm direction has been determined.
4. Attach the arm to the suspension arm link.
5. Attach the shock mount to the suspension arm. Use the adapter of the microphone holder to enable mounting of the shock mount (picture right).
6. Adjust the height of the arm to your preferred height.
7. Put the microphone into the clamp ring of the shock mount.
8. Optional: attach the pop filter to the stand to eliminate popping and sibilance sound.



## SPECIFICATIONS

	CMS400	
Ref. nr.	174.	174.
Frequency response	20Hz-20KHz	
Sensitivity	-37dB (+/-2dB) / 1 KHz	
Impedance	200 Ohm	
Mic. Power supply	Phantom 12-48VDC	
Weight	1.5kg	




Specifications and design are subject to change without prior notice.

[www.tronios.com](http://www.tronios.com)

Copyright © 2022 by Tronios The Netherlands

## Documents / Resources

 <p>INSTRUCTION MANUAL</p>	<p><a href="#">VONYX 173.503 CMS Series Studio Set</a> [pdf] Instruction Manual  173.503, 173.504, 173.503 CMS Series Studio Set, 173.503, CMS Series Studio Set, Studio Set, Set</p>
--	---

## References

- [Sound & Light distributor - Tronios.com](#)