



## VTech 80-3240-00 Turn And Learn Driver User Manual

[Home](#) » [vtech](#) » VTech 80-3240-00 Turn And Learn Driver User Manual 



**80-3240-00 Turn  
And Learn Driver  
User Manual**

















### Contents





- [1 Parent unit icons \(Cont'd\)](#)
- [2 Sound sensitivity and sound activation](#)
- [3 Dim mode](#)
- [4 Night vision](#)
- [5 For VM5266-2 only](#)
- [6 Frequently asked questions](#)
- [7 mount the baby unit \(optional\)](#)
- [8 FCC and IC regulations](#)
- [9 For cETL compliance only](#)
- [10 Limited warranty](#)
- [11 Cable management](#)
- [12 Documents / Resources](#)
  - [12.1 References](#)








### Parent unit icons (Cont'd)

### Status icons

	<p>Connection status</p> <ul style="list-style-type: none"> <li>•  – Strong signal strength.</li> <li>•  – Moderate signal strength</li> <li>•  – Low signal strength.</li> <li>•  – Weak signal strength.</li> </ul>
	<p>Split mode (*For pairing with VM5266-2 only)</p>
	<p>Patrol mode (*For pairing with VM5266-2 only)</p>
	<p>Current view status</p> <ul style="list-style-type: none"> <li>• The baby unit number that is being viewed when in: <ul style="list-style-type: none"> <li>– Single CAM mode.</li> <li>– Patrol mode (*For pairing with VM5266-2only)</li> <li>– Split mode (*For pairing with VM5266-2 only)</li> </ul> </li> </ul>
	<p>Night vision – On</p>
	<p>Zoom – On</p>
	<p>Lullaby – On</p>
	<p>Night light – On</p>
	<p>Night light – Auto night light timer is activated.</p>
<p>oF or oC</p>	<p>Real-time temperature</p> <ul style="list-style-type: none"> <li>• Real-time temperature detected by the baby unit in Fahrenheit (oF) or Celsius (oC)oo(e.g. 57F or 14C).</li> </ul>
	<p>Temperature alert tone – On</p>
	<p>Talkback – On</p>
	<p>Mute alert</p> <ul style="list-style-type: none"> <li>• Displays when the parent unit speaker volume is set to off.</li> <li>• Displays when the parent unit is talking to the baby unit.</li> </ul>

	<p><b>Battery status</b></p> <ul style="list-style-type: none"> <li>•  animates when the battery is charging.</li> <li>–  battery is fully charged.</li> <li>•  battery is low and needs charging.</li> <li>• charging.</li> </ul>
---	---

### Alert icons

	<ul style="list-style-type: none"> <li>• Displays when parent unit's battery is low and needs charging.</li> </ul>
	<ul style="list-style-type: none"> <li>• Displays when connection between parent unit and baby unit is lost.</li> </ul>
	<ul style="list-style-type: none"> <li>• Displays when sound is detected at a baby unit when in Split view.(For VM5266-2 only)</li> </ul>
	<ul style="list-style-type: none"> <li>• Baby unit detects temperature reaches or exceeds the set maximum.</li> </ul>
	<ul style="list-style-type: none"> <li>• Baby unit detects temperature is at or is lower than the set minimum.</li> </ul>








### Sound sensitivity and sound activation

#### Adjust the sound sensitivity of the baby unit

The parent unit screen will turn on only when the detected sounds exceed a set level.


Use the parent unit to adjust the microphone sensitivity of your baby unit. The higher the sensitivity level, the more sensitive the baby unit is in detecting sounds that transmit to the parent unit. The sound sensitivity level is preset to the highest level.



Sound Sensitivity level	<b>Level 5 (Highest)</b> 	<b>Level 4 (High)</b> 	<b>Level 3 (Medium)</b> 	<b>Level 2 (Low)</b> 	<b>Level 1 (Lowest)</b> 
Description	The parent unit screen turns on for quiet sounds, (including background noises) from your baby's room.	The parent unit screen turns on for soft babbling and louder sounds from your baby. It remains off when your baby sleeps soundly.	The parent unit screen turns on for loud babbling and louder sounds from your baby. It remains off when your baby makes soft sounds.	The parent unit screen turns on for crying and louder sounds from your baby. It remains off when your baby makes soft sounds.	The parent unit screen turns on for loud crying or screeching sounds from your baby. It remains off when your baby makes soft sounds.


When AUTO is selected, the parent unit screen stays off to save power when the baby unit detects sounds that are lower than the set sensitivity level.

Once the baby unit detects sounds that are louder than the set sensitivity level, the parent unit screen turns on automatically. It will then turn off again after 50 seconds if the sounds detected are lower than the set sensitivity level.




### Dim mode

Dim mode helps you save parent unit power. Your parent unit display will automatically dim after 10 minutes of inactivity, when no keys are pressed or alerts are received from the baby unit.



## Night vision



The baby unit has infrared LEDs that allow you to see your baby clearly at night or in a dark room. When the baby unit being viewed detects low light levels, the infrared LEDs are switched on automatically. The images from the baby unit are in black and white, and 🌙 appears on the screen.

## Notes

- It is normal to see a short white glare on your parent unit screen when the baby unit adapts to the dark environment.
- When the infrared LEDs are on, it is normal for the images to be in black and white.



**Tip**

- Depending on the surroundings and other interfering factors, for example, lighting, objects, colors and backgrounds, the image quality may vary. Adjust the baby unit angle or place the baby unit at a higher location to prevent glare and blurred display.








**For VM5266-2 only**



**Change different views – Single CAM**



To switch between the image of baby units  <sup>1</sup> and  <sup>2</sup>:


1. Press .
2. Enter  Monitoring mode menu.
3. Select the baby unit you would like to view ( <sup>1</sup> or  <sup>2</sup>).



**Change different views – Patrol**



Select Patrol as your monitoring mode to alternately view the image from baby units  <sup>1</sup> and  <sup>2</sup> every 10 seconds.




## Change different views – Split



Select Split as your monitoring mode to view the images from both baby units at once.



### NOTE



- If you power on only one baby unit, your parent unit may display  and the LINK LED light will flash.



### Frequently asked questions

Below are the questions most frequently asked about the baby monitor.

Why does the baby monitor not respond normally?	<p>Try the following (in the order listed) for common cure:</p> <ol style="list-style-type: none"><li>1. Disconnect the power to the baby units and the parent unit.</li><li>2. Wait a few seconds before connecting power back to the baby units and the parent unit.</li><li>3. Turn on the baby units and the parent unit.</li><li>4. Wait for the parent unit to synchronize with the baby units. Allow up to one minute for this to take place.</li></ol>
Why doesn't the baby unit and parent unit power-on light illuminate when the units are switched on?	Perhaps the parent unit is not connected to the power. Insert the adapter plug into the parent unit and put the adapter in a wall socket. Then, press POWER to switch on the parent unit and to establish connection with the baby unit.
	Perhaps the baby unit is not connected to the power. Insert the adapter plug into the baby unit and put the adapter in a wall socket. Then, slide the ON/OFF switch to ON to switch on the baby unit and to establish connection with the parent unit.
Why doesn't my parent unit charge while connected to AC power?	Make sure the power is not controlled by an electronic wall switch.
	The battery may be degraded through extended use or defective. See Warranty for repair/replacement.

Why is my screen in black and white?	The screen is in black during the dark night-time or a room when the night vision feature is activated. This is normal.
Why do I get glare or blurry display on my screen when viewing my baby at night?	During night-time or in a dark room, the surroundings and other interfering factors, like lightings, objects, colors and backgrounds may affect the image quality on your parent unit screen. Adjust the baby unit's angle or place the baby unit at a higher level to prevent glare and blurry display.
Why does the baby monitor produce a feedback noise?	The parent unit and baby units may be too close to each other. •Move the parent unit away from the baby units until the noise stops; OR •Turn down the volume of your parent unit.
Why does the parent unit beep?	The baby units may be out of range. Move the parent unit closer to the baby units (but not less than 3 feet).
	The parent unit may not have enough charge for the parent unit to perform normally. Charge the battery in the parent unit until the battery icon segments are solid  .
	The temperature of your baby's room may be too high or too low.
Why does the parent unit react too quickly to other sounds?	The baby unit also picks up other sounds than those of your baby. Adjust the sound sensitivity level to a lower level or lower the parent unit speaker volume.
Why don't I hear a sound /Why can't I hear my baby cry?	The parent unit speaker volume may be too low. See Adjust parent unit speaker volume to increase the volume.
	You may have set a low sound sensitivity level. See Adjust the sound sensitivity of the baby unit to set to a higher level.
Why can't I establish a connection? Why is the connection lost every now and then? Why are there sound interruptions?	The baby units may be out of range. Move the parent unit closer to the baby units (but not less than 3 feet).
	Other electronic products and wireless products may cause interference with your baby monitor. Try installing your baby monitor as far away from these devices as possible.
	If you power on only one baby unit, your parent unit may display  , and the LINK LED light will flash.

## mount the baby unit (optional)



### Items to purchase

You will need to purchase the following items separately to mount your baby unit:



2 screws



2 wall plugs




### NOTE

- The types of screws and wall plugs you need depend on the composition of the wall.



1



## NOTE

- Check for reception strength and camera angle before drilling the holes.

Use a pencil to mark two holes in parallel.

Make sure they are the same distance apart as the wall mount holes on the baby unit.

2




Drill two holes in the wall ( 7/32 inch drill bit ).

If you drill the holes into a stud, go to step 3.

-OR If you drill the holes into an object other than a stud, insert the wall plugs into the holes.


Tap gently on the ends with a hammer until the wall plugs are flush with the wall.

3



Insert the screws into the holes and tighten the screws until only 1/4 inch of the screws are exposed.


4



Align the wall mount holes on the baby unit with the screws on the wall.

Slide the baby unit down until it locks into place.

5



Adjust the baby unit angle.

### The RBRC seal



The RBRC seal on the Li-ion battery indicates that VTech Communications, Inc. is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful lives, when taken out of service within the United States and Canada.

The program provides a convenient alternative to placing used Li-ion batteries into the trash or municipal waste, which may be illegal in your area.

VTech's participation makes it easy for you to drop off the spent battery at local retailers participating in the program or at authorized VTech product service centers. Please call 1 (800) 8 BATTERY for information on Li-ion battery recycling and disposal bans/restrictions in your area. VTech's involvement in this program is part of its commitment to protecting our environment and conserving natural resources.

®The RBRC Seal and 1 (800) 8 BATTERY® are registered trademarks of Call2recycle, Inc.

### FCC and IC regulations

#### FCC Part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the

interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**WARNING:** Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria.

The baby unit shall be installed and used such that parts of all persons' body are maintained at a distance of approximately 8 in (20 cm) or more. The transmitter and antenna of the parent unit shall be held at least 1 in (2.5 cm) from your face.

This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/NMB-3(B)

#### **Industry Canada**

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

This product meets the applicable Innovation, Science and Economic Development Canada technical specifications.

#### **RF radiation exposure statement**

The product complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The baby unit should be installed and operated with a minimum distance of 8 in (20 cm) between the baby unit and all persons' body. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. This equipment complies also with Industry Canada RSS-102 with respect to Canada's Health Code 6 for Exposure of Humans to RF Fields.

#### **California Energy Commission battery charging testing mode**

This baby monitor meets the California Energy Commission (CEC) regulations for energy consumption. Your baby monitor is set up to comply with the energy-conserving standards right out of the box. Follow the instructions to install and charge the battery.

The CEC battery charging testing mode is activated while charging. Even if the parent unit is paired to baby units, the CEC battery charging testing mode is activated while it is powered off and charging.

#### **Disclaimer and Limitation of Liability**

VTech Communications, Inc. and its suppliers assume no responsibility for any damage or loss resulting from the use of this user's manual. VTech Communications, Inc. and its suppliers assume no responsibility for any loss or claims by third parties that may arise through the use of this product.

Company: VTech Communications, Inc.

Address: 9020 SW Washington Square Road – Ste 555 Tigard, OR 97223, United States Phone: 1 (800) 595-9511 in the U.S. or 1 (800) 267-7377 in Canada

#### **For cETL compliance only**

#### **Limited warranty**

##### **What does this limited warranty cover?**

The manufacturer of this VTech Product warrants to the holder of a valid proof of purchase ("Consumer" or "you")

that the Product and all accessories provided in the sales package ("Product") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United States of America and Canada.

What will VTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, VTech's authorized service representative will repair or replace at VTech's option, without charge, a Materially Defective Product. If we repair the Product, we may use new or refurbished replacement parts. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment.

Repair or replacement of the Product, at VTech's option, is your exclusive remedy. VTech will return the repaired or replacement Products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

How long is the limited warranty period?

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If VTech repairs or replaces a Materially Defective Product under the terms of this limited warranty, this limited warranty also applies to the repaired or replacement Product for a period of either (a) 90 days from the date the repaired or replacement Product is shipped to you or (b) the time remaining on the original one-year warranty; whichever is longer.

What is not covered by this limited warranty?

This limited warranty does not cover:

1. Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other liquid intrusion; or
2. Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech; or
3. Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna systems; or
4. Product to the extent that the problem is caused by use with nonVTech accessories; or
5. Product whose warranty/quality stickers, product serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
6. Product purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to Products used for rental purposes); or
7. Product returned without a valid proof of purchase (see item 2 below); or
8. Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

#### **How do you get warranty service?**

To obtain warranty service in the USA, please visit our website at [www.vtechphones.com](http://www.vtechphones.com) or call 1 (800) 595-9511. In Canada, go to [www.vtechcanada.com](http://www.vtechcanada.com) or call 1 (800) 267-7377.

**NOTE:** Before calling for service, please review the user's manual – a check of the Product's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. VTech will return repaired or replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. VTech assumes no risk for damage or loss of the Product in transit. If the Product failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, VTech will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair of Products that are not covered by this limited warranty.

#### **What must you return with the Product to get warranty service?**

1. Return the entire original package and contents including the Product to the VTech service location along with a description of the malfunction or difficulty; and
2. Include a “valid proof of purchase” (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and
3. Provide your name, complete and correct mailing address, and telephone number.

### Other limitations


This warranty is the complete and exclusive agreement between you and VTech. It supersedes all other written or oral communications related to this Product. VTech provides no other warranties for this Product. The warranty exclusively describes all of VTech’s responsibilities regarding the Product. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification. State/ Provincial Law Rights: This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall VTech be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

**Please retain your original sales receipt as proof of purchase.**



### Cable management



### Documents / Resources



[VTech 80-3240-00 Turn And Learn Driver](#) [pdf] User Manual  
80-3240-00 Turn And Learn Driver, 80-3240-00, Turn And Learn Driver, Learn Driver

## References

- [V VTech Canada Official Site | Best Home Office & Business Phones](#)
- [V VTech Cordless Phones Official Site | Best Home Office & Business Phones](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.