

# vtech Amplified Corded with Big Buttons User Manual

Home » vtech » vtech Amplified Corded with Big Buttons User Manual





SN1107 Amplified Corded with Big Buttons User's manual

### **Contents**


- 1 Amplified Corded with Big Buttons
- 2 Important safety instructions
- 3 What's in the box
- 4 Connect and install
- **5 Overview**
- 6 Setup
- 7 Operate
- 8 Product care | Need help?
- 9 Limited warranty
- 10 Documents / Resources
  - 10.1 References

# **Amplified Corded with Big Buttons**

Go to <u>www.vtechphones.com</u> (US) to register your product for enhanced warranty support and latest VTech product news.

Go to **phones.vtechcanada.com** (Canada) for latest VTech product news.

Scan the QR code for support information



### **Congratulations**

on purchasing your new VTech product. Before using this telephone, please read **Important safety instructions.** 

This quick start guide provides you with basic installation and use instructions. A limited set of features are described in abbreviated form. Please refer to the online user's manual for a full set of installation and operation instructions at <a href="https://www.vtechphones.com">www.vtechphones.com</a> or

phones.vtechcanada.com



Telephones identified with this logo have reduced noise and interference when used with most T-coil equipped hearing aids and cochlear implants. The TIA-1083 Compliant Logo is a trademark of the Telecommunications Industry Association. Used under license.

# Important safety instructions

When using your telephone equipment, basic safety precautionshould always be followed to reduce the risk of fire, electric shock and injury, including the following:

- 1. Read and understand all instructions.
- 2. Follow all warnings and instructions marked on the product.
- 3. Do not use liquid or aerosol cleaners. Use a damp cloth for cleaning.
- 4. CAUTION: Do not install the telephone base at a height above 2 meters.
- 5. Do not use this product near water such as near a bath tub, wash bowl, kitchen sink, laundry tub or a swimming pool, or in a wet basement or shower.
- 6. Do not place this product on an unstable table, shelf, stand or other unstable surfaces.
- 7. Avoid placing the telephone system in places with extreme temperature, direct sunlight, or other electrical devices. Protect your phone from moisture, dust, corrosive liquids and fumes.
- 8. Slots and openings in the back or bottom of the telephone base and handset are provided for ventilation. To protect them from overheating, these openings must not be blocked by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a radiator or heat register. This product should not be placed in any area where proper ventilation is not provided.
- 9. This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply in your home or office, consult your dealer or local power company.
- 10. Never push objects of any kind into this product through the slots in the telephone base or handset because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the product.
- 11. To reduce the risk of electric shock, do not disassemble this product, but take it to an authorized service facility. Opening or removing parts of the telephone base or handset other than specified access doors may expose you to dangerous voltages or other risks. Incorrect reassembling can cause electric shock when the product is subsequently used.
- 12. Refer servicing to an authorized service facility under the following conditions:
  - If liquid has been spilled onto the product.
  - If the product has been exposed to rain or water.
  - If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operation instructions. Improper adjustment of other controls may result in damage and often requires extensive work by an authorized technician to restore the product to normal operation.
  - If the product has been dropped and the telephone base and/ or handset has been damaged.
  - If the product exhibits a distinct change in performance.
- 13. Avoid using a telephone (other than cordless) during an electrical storm. There is a remote risk of electric shock from lightning.
- 14. Do not use the telephone to report a gas leak in the vicinity of the leak.
- 15. Only put the handset of your telephone next to your ear when it is in normal talk mode.
- 16. The applied nameplate is located at the bottom or near of the product.

# SAVE THESE INSTRUCTIONS For C-UL Compliance only FCC, ACTA and IC Regulations FCC Part 15

**NOTE:** This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in

accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**WARNING:** Changes or modifications to this equipment not expressly approved by the party responsible for compliancecould void the user's authority to operate the equipment. This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device maynot cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this telephone.

This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/ NMB-3(B).

### **FCC Part 68 and ACTA**

This equipment complies with Part 68 of the FCC rules and with technical requirements adopted by the Administrative Council for Terminal Attachments (ACTA). The label on the back or bottom of this equipment contains, among other things, a product identifier in the format US:AAAEQ##TXXXX. This identifier must be provided to your telephone service provider upon request.

The plug and jack used to connect this equipment to premises wiring and the telephone network must comply with applicable Part 68 rules and technical requirements adopted by ACTA.

A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant.

An RJ11 jack should normally be used for connecting to a single line. See the installation instructions in the user's manual.

The Ringer Equivalence Number (REN) is used to determine how many devices you may connect to your telephone line and still have them ring when you are called. The REN for this product is encoded as the 6th and 7th characters following the US: in the product identifier (e.g., if ## is 03, the REN is 0.3). In most, but not all areas, the sum of all RENs should be five (5.0) or less. For more information, please contact your telephone service provider.

This equipment must not be used with Party Lines. If you have specially wired alarm dialing equipment connected to your telephone line, ensure the connection of this equipment does not disable your alarm equipment. If you have questions about what will disable alarm equipment, consult your telephone service provider or a qualified installer.

If this equipment is malfunctioning, it must be unplugged from the modular jack until the problem has been corrected. Replacement to this telephone equipment can only be made by the manufacturer or its authorized agents. For replacement procedures, follow

the instructions outlined under the Limited warranty.

If this equipment is causing harm to the telephone network, the telephone service provider may temporarily discontinue your telephone service. The telephone service provider is required to notify you before interrupting service. If advance notice is not practical, you will be notified as soon as possible. You will be given the opportunity to correct the problem and the telephone service provider is required to inform you of your right to file a complaint with the FCC. Your telephone service provider may make changes in its facilities, equipment, operation, or procedures that could affect the proper functioning of this product. The telephone service provider is required to notify you if such changes are planned.

This product is equipped with a corded handset, it is hearing aid compatible.

If this product has memory dialing locations, you may choose to store emergency telephone numbers (e.g., police, fire, medical) in these locations. If you do store or test emergency numbers, please: Remain on the line and briefly explain the reason for the call before hanging up.

Perform such activities in off-peak hours, such as early morning or late evening.

### **Industry Canada**

This device contains licence- exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Privacy of communications may not be ensured when using this telephone. The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

The Ringer Equivalence Number (REN) for this terminal equipment is 0.7. The REN indicates the maximum number of devices allowed to be connected to a telephone interface. The termination of an interface may consist of any combination of devices subject

only to the requirement that the sum of the RENs of all the devices not exceed five.

This product meets the applicable Innovation, Science and Economic Development Canada technical specifications.

### **Disclaimer and Limitation of Liability**

VTech Communications, Inc. and its suppliers assume no responsibility for any damage or loss resulting from the use of this user's manual.

VTech Communications, Inc. and its suppliers assume no responsibility for any loss or claims by third parties that may arise through the use of this product.


Company: VTech Communications, Inc.

Address: 9020 SW Washington

Square Road - Ste 555 Tigard, OR 97223, United States

Phone: 1 800-595-9511 in the U.S. or 1 800-267-7377 in Canada


### What's in the box




### Connect and install

# Connect the telephone base


If you subscribe to digital subscriber line (DSL) highspeed Internet service through your telephone line, make sure you connect a DSL filter (not included) to the telephone wall jack.



The base is linepowered. There is no external power source nor any battery backup. **Mount the telephone base (optional)** 



On the rear side of the telephone base, press the tabs of the wall-mount bracket to release it from the tabletop orientation.



Flip the wall-mount bracket down and push it into the telephone base until it clicks into place.










tab upward.

Slide the handset Rotate it upside down.

Slide the handset tab back into the slot.


The protruding edge of the handset tab holds the corded handset in place when the telephone is mounted on the wall.



Align and mount the bracket to the telephone wall mount plate.




# **Overview**



- 1 Handset earpiece
- 2 Slot for handset tab
- For optional wall mounting.

- 3 Handset microphone 4 Coiled handset cord



- 5. Visual ringer indicator / Line in use LED
- Flashes to indicate an incoming call.
- On when the telephone is in use.

6	PROG	Store the number to the selected memory key location .
7	Dial keys (0-9)	Press to dial the numbers. Press to dial the preset numbers.
8	HI - LO - OFF -	Adjust the base ringer volume while in idle.
9	VOL	Adjust the listening volume during a call.
10	#	• Pound key.
11		Press to make or answer a call using the speakerphone.
12	REDIAL PAUSE	<ul><li>Press to redial the last number.</li><li>Press to add pause if it is required for dialing.</li></ul>
13	MUTE	Mute the microphone during a call
14	0 MUTE LED	The light flashes when MUTE is on.
15	TONE	Switch to tone dialing temporarily during a call.
16	Speaker	
17	Handset tab	For optional wall mounting.
18	FLASH	During a call, press to answer an incoming call when you receive a call waiting alert.
19	MEMORY	Press to select your desired memory location.

# Setup

# Speed dial

You can store the telephone numbers you wish in desired memory locations (0-9) and to make speed dial calls. The phone can store up to 10 contacts. We recommend to store contacts that you may need to call them more often.

# Add/ Store/ Change/ Remove a speed dial number

- 1. Press , and the Line in use LED is on.
- 2. Press , and then press within 3 seconds.
  - You will hear an administrative tone for entering the programming mode. The MUTE LED is on.
- 3. Press a digit (0-9) for the memory location, followed by the phone number you want to store.

- 4. Press PROG to store the number to the memory location.
  - You will hear a confirmation tone when the number is saved.
  - The newly input number will replace and change the previous one if the memory key had a phone number assigned before.
  - If no number is entered before the key is pressed again, then the memory location is empty. This will remove a speed dial number if you have assigned one previously.


# Dial a speed dial number while offhook


Press MEMORY and desired memory location number (0-9).

- The stored number will dial out automatically.
- If there is no number stored in that memory location, an error tone will be emitted

# **Talking digits**

At the base bottom, you can turn on or off the Talking digits feature. It announces the number while pressing each digit in offhook mode or during speed dial number storing.








• The Talking digits feature is available in Touch tone [TONE] mode only.

# Language setting for Talking digits (Canadian version only)

- 1. Press , and the Line in use LED is on.
- 2. Press PROG, and then press within 3 seconds.
  - You will hear an administrative tone for entering the programming mode. The MUTE LED is on.
- 3. Press 364# to select English, or press 373# to select French.
  - You will hear a confirmation tone when it is set.

At the base bottom, you can select the dial mode by sliding the switch – Pulse dialing [PULSE] or Touch tone [TONE].




• If you need to temporarily switch to Touch tone mode, you can press in offhook mode

# **Operate**

# Make a call



Press or lift the corded handset.



Dial the telephone number.

# Answer a call / End a call



To answer a call, press or lift the corded handset.

To end a call, press (again or hang up thecorded handset.


# Speakerphone



While using the corded handset, press 

on the telephone base to switch to speakerphone.

Volume − Speaker / Ringer



VOL

Slide the VOL control to adjust the corded handset or the speaker volume level when in idle and on a call.

OFF Slide the Ringer control to adjust the ringer volume level.

• You cannot change the ringer tone.

# (!) CAUTION

• For hearing protection, loud ringer and sound may damage your hearing. Adjust the volume to lower the ringer and sound if you find it too loud.



# **Call waiting**

When you subscribe to call waiting service from your telephone service provider, you hear an alert tone if there is an incoming call while you are already on a call.



- 1. Press FLASH on the telephone base to put the current call on hold and take the new call.
- 2. Press FLASH at any time to switch back and forth between calls.

### Redial

The last dialed telephone number is stored in the telephone base.



To redial the last number, press thespeakerphone or lift the corded handset.



Then, press REDIAL.

## Taking care of your telephone

Your cordless telephone contains sophisticated electronic parts, so it must be treated with care.

### **Avoid rough treatment**

Place the handset down gently. Save the original packing materials to protect your telephone if you ever need to ship it.

### **Avoid water**

Your telephone can be damaged if it gets wet. Do not use the handset outdoors in the rain, or handle it with wet hands. Do not install the telephone base near a sink, bathtub or shower.

### **Electrical storms**

Electrical storms can sometimes cause power surges harmful to electronic equipment. For your own safety, take caution when using electrical appliances during storms.

### Cleaning your telephone

Your telephone has a durable plastic casing that should retain its luster for many years.

Clean it only with a dry non-abrasive cloth. Do not use dampened cloth or cleaning solvents of any kind. For operations and guides to help you using your For operations and

# Product care | Need help?

guides to help you using your telephone, and for the latest information and supports, go and check the online help topics and online FAQs.

Use your smartphone or mobile device to access our online help.

- Go to <a href="https://help.vtechphones.com/sn1107">https://help.vtechphones.com/sn1107</a> (US); OR
   <a href="https://phones.vtechcanada.com/en/support/general/manuals?model=sn1107">https://phones.vtechcanada.com/en/support/general/manuals?model=sn1107</a> (Canada)
- Scan the QR code on the right. Launch the camera app or QR code scanner app on your smartphone or tablet. Hold the device's camera up to the QR code and frame it. Tap the notification to trigger the redirection of the online help.
  - If the QR code is not clearly displayed, adjust your camera's focus bymoving your device closer or further away until it is clear.



### **Limited warranty**

# What does this limited warranty cover?

The manufacturer of this VTech Product warrants to the holder of a valid proof of purchase ("Consumer" or "you") that the Product and all accessories provided in the sales package ("Product") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United States of America and Canada.

# What will VTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, VTech's authorized service representative will replace at VTech's option, without charge, a Materially Defective Product. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment. Replacement of the Product, at VTech's option, is your exclusive remedy. VTech will return the replacement Products to you in working condition. You should expect the replacement to take approximately 30 days.

# How long is the limited warranty period?

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If VTech replaces a Materially Defective Product under the terms of this limited warranty, this limited warranty also applies to the replacement Product for a period of either (a) 90 days from the date the replacement Product is shipped to you or (b) the time remaining on the original one-year warranty; whichever is longer.

# What is not covered by this limited warranty?

This limited warranty does not cover:

- 1. Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other liquid intrusion;
- 2. Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech;
- 3. Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna systems;
- 4. Product to the extent that the problem is caused by use with non-VTech accessories;
- 5. Product whose warranty/quality stickers, product serial number plates or electronic serial numbers have been removed, altered or rendered illegible;
- 6. Product purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to Products used for rental purposes);
- 7. Product returned without a valid proof of purchase (see item 2 below); or
- 8. Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

### How do you get warranty service?

To obtain warranty service in the USA, please visit our website at www.vtechphones.com or call 1 <u>800-595-9511</u>. In Canada, go to phones.vtechcanada.com or call 1 <u>800-267-7377</u>.

**NOTE:** Before calling for service, please review the user's manual – a check of the Product's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. VTech will return replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. VTech assumes no risk for damage or loss of the Product in transit. If the Product failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, VTech will notify you and will request that you authorize the cost of replacement prior to any further replacement activity. You must pay for the cost of replacement and return shipping costs for the replacement of Products that are not covered by this

limited warranty.

# What must you return with the Product to get warranty service?

- 1. Return the entire original package and contents including the Product to the VTech service location along with a description of the malfunction or difficulty; and
- 2. Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and
- 3. Provide your name, complete and correct mailing address, and telephone number.

### Other limitations

This warranty is the complete and exclusive agreement between you and VTech. It supersedes all other written or oral communications related to this Product. VTech provides no other warranties for this Product. The warranty exclusively describes all of VTech's responsibilities regarding the Product.

There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.

State/Provincial Law Rights: This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall VTech be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Please retain your original sales receipt as proof of purchase



(For the US only)

Recycle this product when you are done with it Scan the QR code on the right or visit <a href="https://www.vtechphones.com/recycle">www.vtechphones.com/recycle</a>.





Specifications are subject to change without notice.

© 2023 VTech Communications, Inc. © 2023 VTech Technologies Canada Ltd. All rights reserved. 12/23. SN1107\_UM\_V3.0



# vtech Amplified Corded with Big Buttons [pdf] User Manual

SN1107 Amplified Corded with Big Buttons, SN1107, Amplified Corded with Big Buttons, Corde d with Big Buttons, Big Buttons, Buttons

# References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.